

WEEKLY REPORT

Report Date: 06/23/21

S&ME, Inc. 8646 West Market Street, Suite 105 Greensboro, NC 27409

Phone: 336-288-7180 Fax: 336-288-8980 Client: Project:

SHEETZ, Inc. 1737 White Kennel Road Burlington, NC 27215 214164 Sheetz #716 Cameron Intersection of Sawyer Rd and NC Hwy 24 Cameron, NC 28326

S&ME, Inc. (S&ME) is continuing to provide construction materials testing services at the above referenced project. This letter outlines the results of the services provided and performed by S&ME for the week ending June 19, 2021. This report has been prepared in accordance with generally accepted construction material testing practices for specific application to this project. If changes in the intended use, or design of the construction occur after the date of this report, this report will not be considered valid unless these changes are reviewed and our recommendations modified or verified in writing. The recommendations contained in this report are based upon applicable standards of our practice in this geographic area at the time this report was prepared. No other warranty, expressed or implied, is made. S&ME, Inc. appreciates the opportunity to be of service to you during this phase of the project. If you should have any questions, or if we may be of further assistance, please feel free to contact us.

Sincerely, S&ME, Inc.

Table of Contents		
Title	Description	Number
DAILY REPORT	Activity Date-2021-06-18 Project-214164	DR-000001

Prepared by: Lisa STAFFORD Jun 23, 2021



DAILY REPORT

Report #: DR-000001 Report Date: 06/23/2021

Client:

Project:

Greensboro, NC 27409 Phone: 336-288-7180 Fax: 336-288-8980

SHEETZ, Inc. 1737 White Kennel Road Burlington, NC 27215

214164 Sheetz #716 Cameron Intersection of Sawyer Rd and NC Hwy 24 Cameron, NC 28326

FOUNDATIONS - Grade Supported - Spread Foundations -Does NOT Generally Conform with Required

06/18/2021 - David GALLIMORE - Part Time - 4.75 Hours

The near surface soils at the foundation bearing grade of the new store and car wash were evaluated for support of foundations. The bearing grades were probed to identify areas of loose surficial soil using a steel T-handle probe rod. A hand auger boring and DCP testing was performed to assess the consistency of underlying bearing soils. The DCP test results were as follows:

HA-1

Location: Car wash, southwest corner Description: brown/orange silty sand

Test Elevation: BG; DCP test; 7/12/14 Avg. = 11 Test Elevation: -1'; DCP test; 14/15/15 Avg. = 15 Test Elevation: -2'; DCP test; 25+ Avg. = 25

HA-2

Location: Car wash, northwest corner Description: brown/orange silty sand

Test Elevation: BG; DCP test; 8/12/16 Avg. = 12 Test Elevation: -1'; DCP test; 10/16/18 Avg. = 15

Test Elevation: -2'; DCP test; 12/16/18 Avg. = 15 (Ground water)

HA-3

Location: Car wash, northeast corner Description: brown/orange silty sand

Test Elevation: BG; DCP test; 6/9/9 Avg. = 8
Test Elevation: -1'; DCP test; 8/8/7 Avg. = 8
Test Elevation: -2'; DCP test; 19/25+ Avg. = 22 (ground water)

HA-4

Location: Car wash, southeast corner Description: brown/orange silty sand

Test Elevation: BG; DCP test; 8/8/9 Avg. = 8 Test Elevation: -1'; DCP test; 12/25+ Avg. = 19 Test Elevation: -2'; DCP test; 25+ Avg. = 25

HA-5

Location: New store, southeast corner Description: brown/orange silty sand

Test Elevation: BG; DCP test; 2/2/4 Avg. = 3 Test Elevation: -1'; DCP test; 9/9/8 Avg. = 9 Test Elevation: -2'; DCP test; 19/19/19 Avg. = 19

HA-6

Location: New store, southwest corner Description: brown/orange silty sand

Test Elevation: BG; DCP test; 3/3/4 Avg. = 3



DAILY REPORT

Report #: DR-000001 Report Date: 06/23/2021

Client:

Project:

8646 West Market Street. Suite 105 Greensboro, NC 27409 Phone: 336-288-7180 Fax: 336-288-8980

SHEETZ, Inc. 1737 White Kennel Road Burlington, NC 27215

214164 Sheetz #716 Cameron Intersection of Sawyer Rd and NC Hwy 24 Cameron, NC 28326

Test Elevation: -1'; DCP test; 7/8/8 Avg. = 8 Test Elevation: -2'; DCP test; 10/15/10 Avg. = 12

HA-7

Location: New store, middle west side Description: brown/orange silty sand

Test Elevation: BG; DCP test; 3/4/4 Avg. = 4 Test Elevation: -1'; DCP test; 8/7/8 Avg. = 8 Test Elevation: -2'; DCP test; 9/8/8 Avg. = 8

HA-8

Location: New store, northwest corner Description: brown/orange silty sand

Test Elevation: BG; DCP test; 4/5/6 Avg. = 5 Test Elevation: -1'; DCP test; 10/11/13 Avg. = 11 Test Elevation: -2'; DCP test; 18/18/18 Avg. = 18

HA-9

Location: New store, east side middle footing

Description: brown/orange silty sand

Test Elevation: BG; DCP test; 3/3/4 Avg. = 3 Test Elevation: -1'; DCP test; 12/12/12 Avg. = 12 Test Elevation: -2'; DCP test; 25+ Avg. = 25

HA-10

Location: New store, middle inner spread footing

Description: brown/orange silty sand

Test Elevation: BG; DCP test; 2/3/4 Avg. = 3 Test Elevation: -1'; DCP test; 9/9/16 Avg. = 11
Test Elevation: -2'; DCP test; 25+ Avg. = 25 (Debris encountered)

HA-11

Location: New store, west inner spread footing

Description: brown/orange silty sand

Test Elevation: BG; DCP test; 3/3/3 Avg. = 3 Test Elevation: -1'; DCP test; 9/10/11 Avg. = 10

Test Elevation: -2'; DCP test; 10/11/11 Avg. = 11 (Ground water)

Based on this evaluation, the foundation bearing soils for the car wash are suitable for the foundation bearing pressure of 2000 psf.

The foundation bearing soils for the new store are unsuitable for the foundation bearing pressure of 2500 psi. The surface soils (bearing grade to -1 foot) consisted of dry loose silty sand. S&ME recommended that the soil be moisture conditioned and compacted.



DAILY REPORT

Report #: DR-000001 Report Date: 06/23/2021


Project:


8646 West Market Street, Suite 105 Greensboro, NC 27409 Phone: 336-288-7180 Fax: 336-288-8980

SHEETZ, Inc. 1737 White Kennel Road Burlington, NC 27215

Client:

214164 Sheetz #716 Cameron Intersection of Sawyer Rd and NC Hwy 24 Cameron, NC 28326





Reviewed/Prepared by:

Brian GLIDEWELL Jun 23, 2021