

Q.ANTUM SOLAR MODULE

The new Q.PEAK DUO BLK-G5 solar module from Q CELLS impresses with its outstanding visual appearance and particularly high performance on a small surface thanks to the innovative Q.ANTUM DUO Technology. Q.ANTUM's world-record-holding cell concept has now been combined with state-of-the-art circuitry half cells and a six-busbar design, thus achieving outstanding performance under real conditions — both with low-intensity solar radiation as well as on hot, clear summer days.



Q.ANTUM TECHNOLOGY: LOW LEVELIZED COST OF ELECTRICITY

Higher yield per surface area, lower BOS costs, higher power classes, and an efficiency rate of up to $19.3\,\%$.



INNOVATIVE ALL-WEATHER TECHNOLOGY

Optimal yields, whatever the weather with excellent low-light and temperature behavior.



ENDURING HIGH PERFORMANCE

Long-term yield security with Anti LID Technology,
Anti PID Technology¹, Hot-Spot Protect and Traceable Quality Tra.Q™.



EXTREME WEATHER RATING

High-tech aluminum alloy frame, certified for high snow (5400 Pa) and wind loads (4000 Pa) regarding IEC.



A RELIABLE INVESTMENT

Inclusive 12-year product warranty and 25-year linear performance guarantee².



STATE OF THE ART MODULE TECHNOLOGY

Q.ANTUM DUO combines cutting edge cell separation and innovative wiring with Q.ANTUM Technology.

THE IDEAL SOLUTION FOR:













- ¹ APT test conditions according to IEC/TS 62804-1:2015, method B (-1500V, 168h)
- See data sheet on rear for further information.



Front Cover 0.13 in (3.2 mm)

Weight

Cable


Back Cover Composite film

Frame Black anodized aluminum

 $(70-85\,\text{mm}\times50-70\,\text{mm}\times13-21\,\text{mm})$, decentralized, IP67

 $4 \text{ mm}^2 \text{ Solar cable}; (+) \ge 43.3 \text{ in } (1100 \text{ mm}), (-) \ge 43.3 \text{ in } (1100 \text{ mm})$


Connector Multi-Contact MC4, IP68



ECTRICAL CHARACTERISTICS							
WER CLASS			300	305	310	315	320
NIMUM PERFORMANCE AT STANDARD TEST CONDI	TIONS, STC1	(POWER TOL	ERANCE +5 W / -0 W)				
Power at MPP ¹	\mathbf{P}_{MPP}	[W]	300	305	310	315	320
Short Circuit Current ¹	I _{sc}	[A]	9.72	9.78	9.83	9.89	9.94
Open Circuit Voltage ¹	V _{oc}	[V]	39.48	39.75	40.02	40.29	40.56
Current at MPP	MPP	[A]	9.25	9.31	9.36	9.41	9.47
Voltage at MPP	\mathbf{V}_{MPP}	[V]	32.43	32.78	33.12	33.46	33.80
Efficiency ¹	η	[%]	≥17.8	\geq 18.1	≥18.4	≥18.7	≥19.0
NIMUM PERFORMANCE AT NORMAL OPERATING CO	INDITIONS, N	IMOT ²					
Power at MPP	\mathbf{P}_{MPP}	[W]	224.1	227.8	231.6	235.3	239.1
Short Circuit Current	I _{sc}	[A]	7.83	7.88	7.92	7.97	8.01
Open Circuit Voltage	\mathbf{V}_{oc}	[V]	37.15	37.40	37.66	37.91	38.17
Current at MPP	MPP	[A]	7.28	7.32	7.37	7.41	7.45
Voltage at MPP	V_{MPP}	[V]	30.78	31.11	31.44	31.76	32.08
	WER CLASS HIMUM PERFORMANCE AT STANDARD TEST CONDI Power at MPP¹ Short Circuit Current¹ Open Circuit Voltage¹ Current at MPP Voltage at MPP Efficiency¹ HIMUM PERFORMANCE AT NORMAL OPERATING CO Power at MPP Short Circuit Current Open Circuit Voltage Current at MPP	WER CLASS HIMUM PERFORMANCE AT STANDARD TEST CONDITIONS, STC ¹ Power at MPP ¹ P _{MPP} Short Circuit Current ¹ I _{SC} Open Circuit Voltage ¹ V _{OC} Current at MPP I _{MPP} Voltage at MPP V _{MPP} Efficiency ¹ η HIMUM PERFORMANCE AT NORMAL OPERATING CONDITIONS, N Power at MPP P _{MPP} Short Circuit Current I _{SC} Open Circuit Voltage V _{OC} Current at MPP I _{MPP}	WER CLASS NIMUM PERFORMANCE AT STANDARD TEST CONDITIONS, STC¹ (POWER TOLION) Power at MPP¹ PMPP [W] Short Circuit Current¹ I_SC [A] Open Circuit Voltage¹ Voc [V] Current at MPP I_MPP [A] Voltage at MPP V_MPP [V] Efficiency¹ ŋ [%] NIMUM PERFORMANCE AT NORMAL OPERATING CONDITIONS, NMOT² Power at MPP PMPP [W] Short Circuit Current I_SC [A] Open Circuit Voltage Voc [V] Current at MPP I_MPP [A]	WER CLASS HIMUM PERFORMANCE AT STANDARD TEST CONDITIONS, STC1 (POWER TOLERANCE +5W / $-$ OW) Power at MPP1	WER CLASS 300 305 HIMUM PERFORMANCE AT STANDARD TEST CONDITIONS, STC¹ (POWER TOLERANCE +5 W / −0 W) Power at MPP¹ P_{MPP} [W] 300 305 Short Circuit Current¹ I_{SC} [A] 9.72 9.78 Open Circuit Voltage¹ V_{0C} [V] 39.48 39.75 Current at MPP I_{MPP} [A] 9.25 9.31 Voltage at MPP V_{MPP} [V] 32.43 32.78 Efficiency¹ η [%] ≥17.8 ≥18.1 HIMUM PERFORMANCE AT NORMAL OPERATING CONDITIONS, NMOT² Power at MPP [W] 224.1 227.8 Short Circuit Current I_{SC} [A] 7.83 7.88 Open Circuit Voltage V_{0C} [V] 37.15 37.40 Current at MPP I_{MPP} [A] 7.28 7.32	WER CLASS 300 305 310 HIMUM PERFORMANCE AT STANDARD TEST CONDITIONS, STC¹ (POWER TOLERANCE +5W / −0W) Power at MPP¹ P _{MPP} [W] 300 305 310 Short Circuit Current¹ I _{SC} [A] 9.72 9.78 9.83 Open Circuit Voltage¹ V _{0C} [V] 39.48 39.75 40.02 Current at MPP I _{MPP} [A] 9.25 9.31 9.36 Voltage at MPP V _{MPP} [V] 32.43 32.78 33.12 Efficiency¹ η [%] ≥17.8 ≥18.1 ≥18.4 HIMUM PERFORMANCE AT NORMAL OPERATING CONDITIONS, NMOT² Power at MPP P _{MPP} [W] 224.1 227.8 231.6 Short Circuit Current I _{SC} [A] 7.83 7.88 7.92 Open Circuit Voltage V _{OC} [V] 37.15 37.40 37.66 Current at MPP I _{MPP} [A] 7.28 7.32 7.37	NER CLASS 300 305 310 315 HIMUM PERFORMANCE AT STANDARD TEST CONDITIONS, STC¹ (POWER TOLERANCE +5 W / −0 W) Power at MPP¹ PMPP [W] 300 305 310 315 Short Circuit Current¹ I sc [A] 9.72 9.78 9.83 9.89 Open Circuit Voltage¹ Voc [V] 39.48 39.75 40.02 40.29 Current at MPP I _{MPP} [A] 9.25 9.31 9.36 9.41 Voltage at MPP V _{MPP} [V] 32.43 32.78 33.12 33.46 Efficiency¹ η [%] ≥17.8 ≥18.1 ≥18.4 ≥18.7 HIMUM PERFORMANCE AT NORMAL OPERATING CONDITIONS, NMOT² Power at MPP [W] 224.1 227.8 231.6 235.3 Short Circuit Current I sc [A] 7.83 7.88 7.92 7.97 Open Circuit Voltage V _{oc} [V] 37.15 37.40 37.66 37.91 Current at MPP I _{MPP} [A]

 $^{1}\text{Measurement tolerances } P_{\text{MPP}} \pm 3\,\%; \ I_{\text{SC}} V_{\text{OC}} \pm 5\,\% \ \text{at STC: } 1000\,\text{W/m}^{2}, \ 25 \pm 2\,^{\circ}\text{C}, \ \text{AM } 1.5\,\text{G according to IEC } 60904\text{-}3 \cdot ^{2}800\,\text{W/m}^{2}, \ \text{NMOT, spectrum AM } 1.5\,\text{G according to IEC } 1000\,\text{W/m}^{2}, \ 10000\,\text{W/m}^{2}, \ 10000\,\text{W/m}^{2}, \ 10000\,\text{W/m}^{2}, \ 10000\,\text{$


Q CELLS PERFORMANCE WARRANTY



At least 98 % of nominal power during first year. Thereafter max. 0.54 % degradation per year. At least 93.1 % of nominal power up to 10 years. At least 85 % of nominal power up to 25 years.

All data within measurement tolerances. Full warranties in accordance with the warranty terms of the Q CELLS sales organization of your respective country.

PERFORMANCE AT LOW IRRADIANCE



Typical module performance under low irradiance conditions in comparison to STC conditions (25 $^{\circ}C,\,1000\,W/m^2).$

TEMPERATURE	COEFFICIENTS
-------------	--------------

Temperature Coefficient of I _{sc}	α	[%/K]	+0.04	Temperature Coefficient of \mathbf{V}_{oc}	β	[%/K]	-0.28
Temperature Coefficient of Pupp	v	[%/K]	-0.37	Normal Operating Module Temperature	NMOT	[° F]	109 + 5.4 (43 + 3°C)

PROPERTIES FOR SYSTEM DESIGN						
Maximum System Voltage V _{sys}	[V]	1000 (IEC) / 1000 (UL)	Safety Class	II		
Maximum Series Fuse Rating	[A DC]	20	Fire Rating	C (IEC) / TYPE 1 (UL)		
Max. Design Load, Push / Pull (UL) ²	[lbs/ft²]	75 (3600 Pa) / 55 (2667 Pa)	Permitted module temperature on continuous duty	−40°F up to +185°F (−40°C up to +85°C)		
Max. Test Load, Push / Pull (UL) ²	[lbs/ft²]	113 (5400 Pa) / 84 (4000 Pa)	² see installation manual			

QUALIFICATIONS AND CERTIFICATES UL 1703; VDE Quality Tested; CE-compliant; IEC 61215:2016; IEC 61730:2016, Application class A Number of Modules per Pallet Number of Pallets per 53' Trailer Number of Pallets per 40' High Cube Container 26 Pallet Dimensions (L × W × H) 69.3 in × 45.3 in × 46.9 in (1760 mm × 1150 mm)

NOTE: Installation instructions must be followed. See the installation and operating manual or contact our technical service department for further information on approved installation and use of this product.

Pallet Weight

Hanwha Q CELLS America Inc.

1415 lbs (642 kg)