

Jay Sikes

From: Rick Edwards <rick@cityscapegov.com>
Sent: Monday, January 13, 2020 2:59 PM
To: Jay Sikes; Susan
Subject: [External][SPAM] Re: [External]RE: [External] RE: Lillington

Importance: Low

CAUTION: This email originated from outside of the organization. Do not click links or open attachments unless you recognize the sender and know the content is safe.

Jay,
I have reviewed the structural and they have used the most recently approved ANSI/EIA/TIA 222 tower analysis standards defined under the "H" version. Additionally, the tower will be continue having the highest risk standards of series III and the Exposure Category C. The results are the tower (proper) stress will be 72.1% out of an allowed 105% maximum and the actual foundation stress is 11.8%, but based on the soil conditions the listed foundation stress will be 58.7% out of a maximum of 110% allowed; well within all necessary safety requirements.

Rick Edwards

CITYSCAPE CONSULTANTS, INC.
www.cityscapegov.com
Direct Line: (770) 305-6850
Woodstock, Georgia 30188

From: Jay Sikes <jsikes@harnett.org>
Date: Monday, January 13, 2020 at 8:15 AM
To: Rick Edwards <rick@cityscapegov.com>, Susan <susan@cityscapegov.com>
Subject: FW: [External]RE: [External] RE: Lillington

FYI....

Jay Sikes
Manager of Planning Services
Harnett County Development Services
108 E. Front St
PO Box 65
Lillington, NC 27546
910-893-7525, x4
910-814-6418
910-814-6459 (fax)
www.harnett.org/planning

From: Casey, Max L. <Max.Casey@ncdps.gov>
Sent: Monday, January 13, 2020 7:54 AM
To: Clint Williams <cwilliams@harnett.org>
Cc: Jay Sikes <jsikes@harnett.org>; Tammy Ward <tward@harnett.org>; Dianne Raynor <draynor@harnett.org>; Gary McNeill <gmcneill@harnett.org>; Larry T. Smith <ltsmith@harnett.org>
Subject: [External]RE: [External] RE: Lillington

CAUTION: This email originated from outside of the organization. Do not click links or open attachments unless you recognize the sender and know the content is safe.

Clint

Please see the attached SA for your tower with all the loading.



Max Casey
Network Manager/Construction Manager
Technical Services Unit - VIPER
N.C. Department of Public Safety
North Carolina State Highway Patrol
3318 Garner Road
Raleigh, NC 27610
Phone : (984)349-6912
Cell: (919)356-4586
MSC#4231, NCSHP-TSU Bldg #2
Courier #52-0130, NCSHP-TSU Bldg #2
max.casey@ncdps.gov
www.ncdps.gov

From: Clint Williams <cwilliams@harnett.org>
Sent: Thursday, August 22, 2019 3:57 PM
To: Casey, Max L. <Max.Casey@ncdps.gov>
Cc: Jay Sikes <jsikes@harnett.org>; Tammy Ward <tward@harnett.org>; Raynor, Dianne <draynor@harnett.org>; Glen McNeill <gmcneill@harnett.org>; Larry T. Smith <ltsmith@harnett.org>
Subject: RE: [External] RE: Lillington

CAUTION: External email. Do not click links or open attachments unless you verify. Send all suspicious email as an attachment to report.spam@nc.gov

Please do a SA, just so we have a current one on file.

Thanks,
Clint

From: Casey, Max L. <Max.Casey@ncdps.gov>
Sent: Thursday, August 22, 2019 15:46
To: Clint Williams <cwilliams@harnett.org>
Cc: Jay Sikes <jsikes@harnett.org>; Tammy Ward <tward@harnett.org>; Dianne Raynor <draynor@harnett.org>;

Gary McNeill <gmcneill@harnett.org>; Larry T. Smith <ltsmith@harnett.org>

Subject: RE: [External] RE: Lillington

Thank you very much, do you want us to run another structural?



Max Casey
Network Manager/Construction Manager
Technical Services Unit - VIPER
N.C. Department of Public Safety
North Carolina State Highway Patrol
3318 Garner Road
Raleigh, NC 27610
Phone : (984)349-6912
Cell: (919)356-4586
MSC#4231, NCSHP-TSU Bldg #2
Courier #52-0130, NCSHP-TSU Bldg #2
max.casey@ncdps.gov
www.ncdps.gov

From: Clint Williams <cwilliams@harnett.org>

Sent: Thursday, August 22, 2019 3:45 PM

To: Casey, Max L. <Max.Casey@ncdps.gov>

Cc: Jay Sikes <jsikes@harnett.org>; Tammy Ward <tward@harnett.org>; Raynor, Dianne <draynor@harnett.org>; Glen McNeill <gmcneill@harnett.org>; Larry T. Smith <ltsmith@harnett.org>

Subject: [External] RE: Lillington

CAUTION: External email. Do not click links or open attachments unless you verify. Send all suspicious email as an attachment to report.spam@nc.gov

Max,

Harnett County is ok with VIPER taking the future space so that you can shot to the new Benson site. Please just keep me informed during the process.

Thanks,

Clint Williams, ENP

GIS/E-911 Operations Administrator

Harnett County GIS/E-911

305 W. Cornelius Harnett Blvd, Suite 100

Lillington, NC 27546

Office: (910)893-7523

Direct: (910)814-6371

Email: cwilliams@harnett.org



From: Casey, Max L. <Max.Casey@ncdps.gov>
Sent: Thursday, August 22, 2019 10:37
To: Clint Williams <cwilliams@harnett.org>
Cc: Jay Sikes <jsikes@harnett.org>; Tammy Ward <tward@harnett.org>; Dianne Raynor <draynor@harnett.org>
Subject: Lillington

Clint

We are building a new site in Johnston County and we were going to shoot it to Duke Energy's new tower at the Erwin site. They are now not building this tower for some time and this hinders our site links. I was looking at the Lillington build specs and notice that there is space at 200' for a future 8' dish. I was wondering if Harnett County would be ok with VIPER taking this future space so that we can shoot to our new Benson site? The tower was built to "G" standard and would technically not need a Structural Analysis because the dish was factored into the original build. I have attached the bid document and this outlines what was required in the initial construction of the tower. We would be more than willing to do an SA. Please let me know your thought. Thanks in advance



Max Casey
Network Manager/Construction Manager
Technical Services Unit - VIPER
N.C. Department of Public Safety
North Carolina State Highway Patrol
3318 Garner Road
Raleigh, NC 27610
Phone : (984)349-6912
Cell: (919)356-4586
MSC#4231, NCSHP-TSU Bldg #2
Courier #52-0130, NCSHP-TSU Bldg #2
max.casey@ncdps.gov
www.ncdps.gov

From: Clint Williams <cwilliams@harnett.org>
Sent: Wednesday, August 21, 2019 9:13 AM
To: John Goins <jgoins@tepgroup.net>
Cc: Jay Sikes <jsikes@harnett.org>; Tammy Ward <tward@harnett.org>; Casey, Max L. <Max.Casey@ncdps.gov>; Raynor, Dianne <draynor@harnett.org>
Subject: [External] RE: Oakridge River Road Tower - FAA and FCC information

CAUTION: External email. Do not click links or open attachments unless you verify. Send all suspicious email as an attachment to report.spam@nc.gov

John,

See the attached. Is that the information that you need? I included Dianne on this email, her email address is draynor@harnett.org.

Thanks,
Clint

From: John Goins <jgoins@tepgroup.net>
Sent: Tuesday, August 20, 2019 13:22
To: Clint Williams <cwilliams@harnett.org>
Cc: Jay Sikes <jsikes@harnett.org>; Tammy Ward <tward@harnett.org>; Casey, Max L. <Max.Casey@ncdps.gov>
Subject: Re: Oakridge River Road Tower - FAA and FCC information

Clint,

Here is an image of an example "sponsor" information. Basically, it should be the contact person for the County in charge of

Sponsor Information	
Sponsor:	North Carolina Highway Patrol
Attention Of:	Wayne E. Eberhard
Address:	4702 Mail Service Center
Address2:	
City:	Raleigh
State:	NC
Postal Code:	27699-4702
Country:	US
Phone:	919-662-4440
Fax:	919-662-4444

the tower/system.

John Goins, P.E.

Individually Licensed in NC

Division Manager – Government Projects | Tower Engineering Professionals (www.tepgroup.net)

326 Tryon Road | Raleigh, NC 27603-3530 | Office: (919) 661-6351, ext. 4104 |

Direct: (919) 703-4129 | Mobile: (919) 349-8465

On Tue, Aug 20, 2019 at 12:04 PM Clint Williams <cwilliams@harnett.org> wrote:

John,

I did not receive the copy of what NCSHP uses for their FAA filings example. Was it attached?

Thanks,

Clint

From: John Goins <jgoins@tepgroup.net>

Sent: Tuesday, August 20, 2019 10:54

To: Clint Williams <cwilliams@harnett.org>

Cc: Jay Sikes <jsikes@harnett.org>; Tammy Ward <tward@harnett.org>; Casey, Max L. <Max.Casey@ncdps.gov>

Subject: Re: Oakridge River Road Tower - FAA and FCC information

Clint,

Will this contact information be the same as what we need to file with the FAA and FCC? We are at the point where we need to file for an FAA determination for this site, but I need to know who to file it under. This entity and contact person will be financially responsible for the tower. With these applications, I will need an email address too. I've copied what the NCSHP uses for their FAA filings as an example. In the near future we will need to know the FRN (Federal Registration Number) to file under too, since we will need this information for the NEPA and FCC process. This FRN information can, and usually, matches the FAA information. If the County has any registered frequencies they use, then there should be an existing FRN for the County.

Thank you,

John Goins, P.E.

Individually Licensed in NC

Division Manager – Government Projects | Tower Engineering Professionals (www.tepgroup.net)

326 Tryon Road | Raleigh, NC 27603-3530 | Office: (919) 661-6351, ext. 4104 |

Direct: (919) 703-4129 | Mobile: (919) 349-8465

On Mon, Aug 19, 2019 at 11:42 AM Clint Williams <cwilliams@harnett.org> wrote:

John,

Also the Applicant/Owner, Tower Owner and Applicant/Lessee will need to be changed to match the Property Owner information.

Should be:

Name:	Harnett County
Mailing Address:	P.O. Box 759
Physical Address:	420 McKinney Pkwy <i>(if you need it)</i>
City/State/Zip:	Lillington, NC 27546
Contact:	County Manager
Phone:	(910) 893-7555

I have not heard back from anyone else. I think the location of the tower and everything else is great so you can continue with the process.

Thanks,

Clint

From: Tammy Ward <tward@harnett.org>
Sent: Friday, August 16, 2019 08:07
To: jgoins@tepgroup.net
Cc: Clint Williams <cwilliams@harnett.org>; Jay Sikes <jsikes@harnett.org>
Subject: FW: Oakridge River Road Tower - Preliminary Zoning Drawings - Rev0
Importance: High

Site plan comments:

Vicinity map: Add SR#s to applicable streets

Sheet Z-1: Add SR 1418 Oakridge River Rd

Thanks,

Tammy

Tammy Ward

GIS/E-911 Technician

Harnett County GIS/E-911 Addressing

(910) 814-6372

From: Clint Williams <cwilliams@harnett.org>

Sent: Thursday, August 15, 2019 3:47 PM

To: Paula Stewart <pstewart@harnett.org>; Brian Haney <bhaney@harnett.org>; Coley Price <cprice@harnett.org>; Ira D. Hall <ihall@harnett.org>; Carl Davis <cdavis@harnett.org>; Scott Bost <sbost@harnett.org>; Larry T. Smith <ltsmith@harnett.org>; Gary McNeill <gmcneill@harnett.org>; Zach Shean <zshean@harnett.org>; Jay Sikes <jsikes@harnett.org>

Cc: GIS <GIS@harnett.org>

Subject: FW: Oakridge River Road Tower - Preliminary Zoning Drawings - Rev0

Importance: High

All,

Please review the attached zoning drawings and let me know if anything needs to be changed or if you have any questions. I have talked to Max Casey at SHP and they are good with the drawing.

Thanks,

Clint

From: John Goins <jgoins@tepgroup.net>
Sent: Thursday, August 15, 2019 15:21
To: Clint Williams <cwilliams@harnett.org>
Cc: Casey, Max L. <Max.Casey@ncdps.gov>
Subject: Oakridge River Road Tower - Preliminary Zoning Drawings - Rev0

Clint, Max,

See the attached zoning drawings for the Oakridge River Road Tower site. Please let me know if you have any questions, or if you need the site adjusted. Once the location is agreed upon, we can continue with the drawing / Environmental process.

Thank you,

John Goins, P.E.

Individually Licensed in NC

Division Manager – Government Projects | Tower Engineering Professionals (www.tepgroup.net)

326 Tryon Road | Raleigh, NC 27603-3530 | Office: (919) 661-6351, ext. 4104 |

Direct: (919) 703-4129 | Mobile: (919) 349-8465

On Tue, Aug 13, 2019 at 3:34 PM Clint Williams <cwilliams@harnett.org> wrote:

John,

Just checking on the status.

Thanks,

Clint

From: Clint Williams
Sent: Tuesday, June 11, 2019 10:36
To: 'John Goins' <jgoins@tepgroup.net>
Cc: Kevin Stultz <KevinStultz@callmc.com>; Paul Simpson <PaulSimpson@callmc.com>; Casey, Max L. <Max.Casey@ncdps.gov>
Subject: RE: Oakridge River Road Tower

Ok, thank you for letting me know.

Thanks,

Clint

From: John Goins <jgoins@tepgroup.net>
Sent: Tuesday, June 11, 2019 10:33
To: Clint Williams <cwilliams@harnett.org>
Cc: Kevin Stultz <KevinStultz@callmc.com>; Paul Simpson <PaulSimpson@callmc.com>; Casey, Max L. <Max.Casey@ncdps.gov>
Subject: RE: Oakridge River Road Tower

Clint,

Our surveyors are planning to be at Oak River Road site on Monday, 6/17. They can work independently, but I would like you to know we should be on site on Monday.

Thank you,

John Goins, P.E.

Program Manager | Tower Engineering Professionals (www.tepgroup.net)

326 Tryon Road|Raleigh, NC 27603-3530|Office: (919) 661-6351, ext. 4104|

Direct: (919) 703-4129|Mobile: (919) 349-8465

From: John Goins

Sent: Monday, June 10, 2019 12:17 PM

To: Clint Williams <cwilliams@harnett.org>

Cc: Kevin Stultz <KevinStultz@callmc.com>; Paul Simpson <PaulSimpson@callmc.com>; Casey, Max L. <Max.Casey@ncdps.gov>

Subject: RE: Oakridge River Road Tower

Received. Thank you.

John Goins, P.E.

Program Manager | Tower Engineering Professionals (www.tepgroup.net)

326 Tryon Road|Raleigh, NC 27603-3530|Office: (919) 661-6351, ext. 4104|

Direct: (919) 703-4129|Mobile: (919) 349-8465

From: Clint Williams <cwilliams@harnett.org>

Sent: Monday, June 10, 2019 11:56 AM

To: John Goins <jgoins@tepgroup.net>

Cc: Kevin Stultz <KevinStultz@callmc.com>; Paul Simpson <PaulSimpson@callmc.com>; Casey, Max L. <Max.Casey@ncdps.gov>

Subject: Oakridge River Road Tower

John,

Attached are the survey and site plan that I gave you a paper copy of today.

Thank you all for meeting at the location this morning.

Thanks,

Clint Williams, ENP

GIS/E-911 Operations Administrator

Harnett County GIS/E-911

305 W. Cornelius Harnett Blvd, Suite 100

Lillington, NC 27546

Office: (910)893-7523

Direct: (910)814-6371

Cell: (910)890-0922

Email: cwilliams@harnett.org

“E-mail correspondence sent to and from this address may be subject to the provisions of G.S. 132-1, the North Carolina Public Records Law, and may be subject to monitoring and disclosed to third parties, including law enforcement personnel, by an authorized state official.”