



ARCHITECT  
**THE WILSON GROUP**  
 PO BOX 5510  
 CHARLOTTE, NC 28299  
 (704) 331-9747

PROJECT MANAGER CIVIL ENGINEER  
**TALBERT & BRIGHT**  
 4810 SHELLEY DRIVE  
 WILMINGTON, NC 28405  
 (910) 753-5350  
 FIRM NO. C-0713

STRUCTURAL ENGINEER  
**STEWART**  
 101 N. TRYON ST., SUITE 1400  
 CHARLOTTE, NC 28202  
 (704) 334-7925  
 FIRM NO. C-1051

MECHANICAL, ELECTRICAL, PLUMBING &  
 FIRE PROTECTION ENGINEER  
**SABER ENGINEERING**  
 2923 S. TRYON ST., SUITE 280  
 CHARLOTTE, NC 28203  
 (704) 373-0068  
 FIRM NO. C-2150

IT / SECURITY  
**VERTEX TECHNOLOGY CONSULTANTS**  
 4700 LEBANON RD., SUITE A-1  
 CHARLOTTE, NC 28227  
 (800) 272-8500

REVISIONS

1	03/17/2023	BD-02
---	------------	-------

DATE SEPTEMBER 9, 2022  
 PROJECT NUMBER 9189-000  
 SHEET TITLE  
**FLOOR FRAMING  
 PLAN**

SHEET NUMBER  
**S-110**

**1 SECOND FLOOR FRAMING PLAN**  
 1/4" = 1'-0"

FLOOR FRAMING PLAN NOTES:  
 1. FINISHED FLOOR ELEVATION 13'-0" ABOVE REFERENCED FIRST FLOOR FINISHED ELEVATION.  
 2. SEE S-501 FOR TYPICAL COMPOSITE SLAB CONSTRUCTION DETAILS.  
 3. SEE S-401 FOR TYPICAL SLAB CONSTRUCTION DETAILS.  
 4. SEE S-600'S FOR TYPICAL WOOD FLOOR FRAMING DETAILS.  
 5. INDICATES WOOD FLOOR TRUSSES SPACED @24" OC, SEE PLAN FOR DEPTH.  
 6. PROVIDE DOUBLE STUDS UNDER ALL WOOD HEADER, BEAM, HIP TRUSS, AND TRUSS GIRDER BEARING LOCATIONS, UNO.  
 7. PROVIDE FLOOR TRUSSES UNDER ALL INTERIOR NON-LOAD BEARING SHEAR WALLS WHERE SHEAR WALLS ARE PARALLEL TO FLOOR TRUSSES. SEE PLANS FOR LOCATIONS.  
 8. DIMENSIONS ARE TO OUTSIDE FACE OF FRAMING, UNO. REFER TO ARCHITECTURAL DRAWINGS FOR ALL WALL LOCATIONS AND DIMENSIONS.  
 9. "C#" INDICATES WOOD COLUMN, SEE WOOD COLUMN SCHEDULE. ALL SUPPORTING COLUMNS ARE TO BE EXTENDED TO THE FOUNDATION LEVEL.  
 10. "S1" INDICATES STEEL DECK SPAN DIRECTION. CONSTRUCTION SHALL BE 4" LIGHT WEIGHT CONCRETE ON 2'-20 GA COMPOSITE STEEL DECK MINIMUM. TOTAL MINIMUM THICKNESS = 6".

LOAD BEARING WALL LEGEND:  
 [Symbol] INDICATES LOAD BEARING WALL  
 [Symbol] INDICATES LOAD BEARING WOOD SHEAR WALL  
 [Symbol] INDICATES LOAD BEARING WALL ABOVE  
 SEE 1/S-601 FOR WOOD STUD WALL SCHEDULE.

