

SteelCo Buildings, Inc.  
P.O. Box 1447  
Covington, GA 30015  
Ph: 678-212-2190

Re: 20'-0"x100'-0"x8'-6" – Bunnlevel, NC 28323

This letter is to certify the above referenced building will be designed in accordance with the applicable sections of the American Institute of Steel Construction (AISC) and the American Iron and Steel Institute (AISI) design procedures and good engineering practices for the following loads.

Loads are applied in accordance with the 2018 International Building Code.

Building is to be erected in accordance with "FOR CONSTRUCTION" erection drawings sealed by R. Keith Joyce.

Building construction type – Type IIB Noncombustible

Dead Load.....	Metal Building Materials
Wind Speed.....	119 mph (3 sec gust) Exposure "C"
Live Load.....	20 psf
Collateral Load.....	0.5 psf
Roof Snow Load.....	7 psf
Ground Snow Load.....	10 psf

Seismic Data: N.A.

The buyer is responsible for insuring all specified loads are in compliance with local regulatory authorities. This letter of certification applies solely to the steel building system and its component parts and especially excludes any foundation, masonry, general contract work, or parts supplied by anyone other than SteelCo Buildings, Inc.

R. Keith Joyce, P.E. is not Engineer of Record for overall project.

Respectfully,

\_\_\_\_\_  
R. Keith Joyce, P.E.  
Engineer

