



**REFLECTED CEILING LEGEND**

LIGHTING (SEE ELECTRICAL):		HVAC & VENTILATION (SEE MECHANICAL):	
	NEW LIGHTS		EXISTING DIFFUSER
	RELOCATED LIGHTS		NEWRELOCATED DIFFUSER
	EXISTING LIGHTS		EXISTING RETURN
	EXISTING LIGHTS TO BE REMOVED		NEWRELOCATED RETURN
	EXISTING COOLER/FREEZER LIGHTS, SEE ELECTRICAL DRGWS. FOR REPLACEMENTS		EXISTING EXHAUST FAN
	NEW RELOCATED COOLER/FREEZER LIGHTS		NEWRELOCATED EXHAUST FAN OR TRANSFER FAN
	EXISTING EXIT LIGHTS		NEWRELOCATED EXHAUST FAN OR TRANSFER FAN
	NEWRELOCATED EXIT LIGHTS		EXISTING EVAPORATOR
	EXISTING EMERGENCY LIGHTS		NEWRELOCATED EVAPORATOR
	NEW EMERGENCY LIGHTS	<b>SPRINKLER:</b>	
	POWERED TRELLIS		EXISTING SPRINKLER HEAD IN CEILING
			EXISTING SPRINKLER ABOVE CEILING
			NEWRELOCATED SPRINKLER HEAD
		<b>OTHERS:</b>	
			EXISTING SPEAKER
			EXISTING SECURITY CAMERA

REFER TO SHEET A6.01 FOR FINISH MATERIALS LEGEND

CEILING TYPES:			
	CEILING HEIGHTS		GYPNUM BOARD OR EPS, PAINTED
	EXISTING SUSPENDED CEILING		FIRE RETARDANT PLYWOOD OR PREFAB CEILING
	NEW SUSPENDED CEILING		EXPOSED STRUCTURE

- GENERAL NOTES:**
- CEILING HEIGHTS FOR ALL NEW CEILINGS SHALL BE AS NOTED IN ALL ROOMS.
  - CEILING GRID TO BE 20"x40" T-BARS LAID OUT FROM CENTER LINES IN BOTH DIRECTIONS. LAY OUT SO THAT NO TILE LESS THAN HALF SIZE WILL BE USED. EXCEPT AS NOTED, MAIN RUNNERS TO BE 4'-0" ON CENTER WITH MAIN RUNNERS AT ALL LIGHT FIXTURES.
  - GENERAL CONTRACTOR TO COORDINATE THE LOCATION OF SPRINKLER HEADS, LIGHT FIXTURES AND DIFFUSERS IN ALL AREAS WITH ASSOCIATED SUB-CONTRACTORS.
  - PREP AREA CEILING TO BE A F.R.P. LINED, FOAM PANEL BY MODO PRODUCTS INC. 298 S. GRAND AVE. E. SPRINGFIELD, ILLINOIS 62707 PHONE: 1-800-828-4132 - SEE SPECIFICATIONS.
  - RELOCATE EXISTING LIGHT FIXTURES AS NOTED, UNLESS DAMAGED. COORDINATE WITH FOOD LION CONSTRUCTION MANAGER.
  - THE CONTRACTOR SHALL FURNISH TWO EXTRA BOXES OF CEILING TILE FOR EVERY NEW TYPE OF TILE USED IN THE STORE, TO BE LEFT AT THE STORE FOR FUTURE USE.
  - IF APPLICABLE, THE REMOVAL OF EXISTING CEILING TILE IS TO BE DONE BEFORE REMOVAL OF RACK OVEN OR HOOD. NEW RACK OVEN OR HOOD TO BE INSTALLED BEFORE NEW CEILING IS INSTALLED IN THIS AREA COORDINATE WITH THE CONSTRUCTION MANAGER.
  - THE GENERAL CONTRACTOR SHALL VERIFY THE EXISTING LIGHTING LAYOUT. ANY DISCREPANCIES TO THE LAYOUT SHOWN SHALL BE IMMEDIATELY BROUGHT TO THE ATTENTION OF THE FOOD LION CONSTRUCTION MANAGER.
  - GENERAL CONTRACTOR SHALL REPAIR THE CEILING GRID & INSTALL NEW TILE WHERE LIGHT FIXTURES HAVE BEEN REMOVED OR MECHANICAL WORK AS NEEDED. COORDINATE WITH FOOD LION CONSTRUCTION MANAGER.
  - ALL REPLACED CEILING GRID AND TILE SHALL MATCH EXISTING CEILING IN MATERIAL, COLOR, HEIGHT, AND LOCATION.
  - NEW CEILINGS IN SALES & SUPPORT AREAS TO BE 2x4 ARMSTRONG HUMAGUARD PLUS TILE IN PRELUCE XL GRID - SEE SPECIFICATIONS.
  - NEW CEILINGS IN PREP AREAS AND WET LOCATIONS TO BE 2x4 ARMSTRONG WXL CLAD TILE IN PRELUCE XL GRID.
  - NEW ARMSTRONG ACUSTICAL CEILING TILEGRIDS TO BE INSTALLED PER MANUFACTURER INSTRUCTIONS AND APPLICABLE CODES FOR SEISMIC CATEGORIES - CAT C DESIGNED TO ASTM E580, CAT A AND B DESIGNED TO BASIC MINIMUMS ESTABLISHED BY ASTM C636.

CEILING TILE & GRID TYPE	LOCATION
2x4 ARMSTRONG HUMAGUARD PLUS IN PRELUCE XL GRID	SALES AREA
	EXISTING CORRIDOR #2

**CUHACI PETERSON**

2600 Maitland Center Parkway  
Suite #200  
Maitland, FL 32751

P (407) 661-9100  
F (407) 661-9101  
c-p.com  
Florida Corporate Certificate #AA C000526

COPYRIGHT © 2021 - ALL REPORTS, PLANS, SPECIFICATIONS, COMPUTER FILES, FIELD DATA, NOTES & OTHER DOCUMENTS ARE INSTRUMENTS OF SERVICE PREPARED BY CUHACI PETERSON, (CP) AS INSTRUMENTS OF SERVICE REMAIN THE PROPERTY OF CP. CP SHALL RETAIN ALL COMMON LAW, STATUTORY, AND OTHER RESERVED RIGHTS, INCLUDING THE COPYRIGHT THEREON. ANY USE OR REPRODUCTION OF THIS DOCUMENT WITHOUT WRITTEN PERMISSION FROM CP IS A VIOLATION OF FEDERAL COPYRIGHT LAWS.

ARCHITECT/ENGINEER SEAL

04/14/2023

MARCUS JAMES BOYLE  
NC 16078

CONSULTANT

**FOOD LION**

2110 EXECUTIVE DRIVE  
SALISBURY, NC 28145  
PH: 704-633-8250 FX: 704-636-4940

REVISION / ISSUE HISTORY

REV	DATE	REVISION / ISSUE NAME
-	04/14/2023	PERMIT

PROJECT NO 2220380	DRAWN BY RB
PERMIT SUB DATE 04/14/2023	CHECKED BY RD
PROJECT <b>FOOD LION STORE #2594</b>	
3260 RAY ROAD SPRING LAKE, NC 28390 2594FLMK23	

CLIENT  
**FOOD LION**

2110 EXECUTIVE DRIVE  
SALISBURY, NC 28145  
PH: 704-633-8250 F: 704-636-5940

SHEET TITLE  
**REFLECTED CEILING PLAN**

SHEET NO 2594A1.04\_00 REV

**A1.04**