



PROPOSED LAYOUT

SCALE: 1/4" = 1'-0"

EQUIPMENT SCHEDULE					
ITEM NO	QTY	EQUIPMENT CATEGORY	MANUFACTURER	MODEL NUMBER	PLUMBING
1	1	WALK IN COOLER/ BEER CAVE/ FREEZER PER PLAN B/O	-	-	-
2	1	REMOTE CONDENSING UNIT FOR 12-DOOR COOLER B/O	-	-	-
3	3	EVAPORATOR COILS FOR 12-DOOR COOLER B/O	-	-	-
4	1	REMOTE CONDENSING UNIT FOR BEER CAVE B/O	-	-	-
5	2	EVAPORATOR COILS FOR BEER CAVE B/O	-	-	-
6	1	REMOTE CONDENSING UNIT FOR FREEZER B/O	-	-	-
7	1	EVAPORATOR COILS FOR FREEZER B/O	-	-	-
8	14	GLASS DOORS B/O	-	-	-
9	2	GLASS PASS THRU DOOR	-	-	-
10	-	-	-	-	-
11	8	48" X 18"D X 63"H STORAGE SHELVING W/ 4-SHELVES	SERV-WARE	SL1848CWP/ SL63CWP	-
12	5	48" X 24"D X 63"H STORAGE SHELVING W/ 4-SHELVES	SERV-WARE	SL2448CWP/ SL63CWP	-
13	3	36" X 24"D X 63"H STORAGE SHELVING W/ 4-SHELVES	SERV-WARE	SL2436CWP/ SL63CWP	-
14	2	60" X 18"D X 63"H STORAGE SHELVING W/ 4-SHELVES	SERV-WARE	SL1860CWP/ SL63CWP	-
15	1	36" X 18"D X 63"H STORAGE SHELVING W/ 4-SHELVES	SERV-WARE	SL1836CWP/ SL63CWP	-
16	1	3-COMPARTMENT SINK W/ 24" DRAIN BOARDS	SERV-WARE	E3CWP18182-24/ PRWB-CWP/ AF12-CWP	-
17	4	WASTE VALVES	SERV-WARE	5D-35T-20A	-
18	3	36" X 18" WIRE WALL SHELVING W/ WALL BRACKETS	SERV-WARE	SL1836CWP/ SLWB18-CWP	-
19	2	1-COMPARTMENT SINK W/ 24" DRAIN BOARD	SERV-WARE	E1CWP1818R-24	-
20	1	24" X 30"D S/S TABLE W/ UNDER SHELF & BACK SPLASH	SERV-WARE	T3024CWP-3-T	-
21	1	12" HOOD SYSTEM	TILLMANS	CUSTOM	SEE FOOTNOTE
22	1	75LB. GAS DEEP FAT FRYER B/O	SERV-WARE	SOF-70N	-
23	1	36" GAS COUNTER TOP GRIDDLE W/ EQUIPMENT STAND & CASTERS B/O	SERV-WARE	STGS-36/ ESS3036W-CWP	-

EQUIPMENT SCHEDULE					
ITEM NO	QTY	EQUIPMENT CATEGORY	MANUFACTURER	MODEL NUMBER	PLUMBING
24	1	60" X 30"D HEAVY DUTY S/S TABLE W/ UNDER SHELF	SERV-WARE	T3060CWP-16S	-
25	-	-	-	-	-
26	2	WALL MOUNT HAND SINK W/ SIDE SPLASHES	SERV-WARE	HS15S-CWP	-
27	1	60" X 30"D S/S TABLE W/ UNDER SHELF & BACK SPLASH	SERV-WARE	T3060CWP-3-T	-
28	1	2-DOOR COOLER	HOSHIZAKI AMERICA	ER2A-FS	115V. 4.3A.
29	3	48" X 18"D X 74"H STORAGE SHELVING W/ 4-SHELVES	SERV-WARE	SL1848CWP/ SL74CWP	-
30	1	WATER FILTER SYSTEM	3M	DP290	-
31	1	60LB SELF CONTAINED ICE MAKER W/ 500LB. ICE BIN	HOSHIZAKI AMERICA	KM-BB0MA/ B-500SF	115V. 15.2A.
32	9	48" X 24"D X 74"H STORAGE SHELVING W/ 4-SHELVES	SERV-WARE	SL2448CWP/ SL74CWP	-
33	1	SALES COUNTER B/O	-	-	-
35	1	SAFE (CASH CONTROLLER) B/O	-	-	-
37	1	FOOD & BEVERAGE COUNTERS B/O	-	-	-
40	1	3-WELL DROP IN INSULATED HOT WELLS	HATCO	HWBI-3	208V. 1PH. 17.4A.
40A	1	SNEEZE GUARD	ENGLISH	M-100	-
43	1	12-VALVE ICE/ BEVERAGE DISPENSER	LANCER	BS-4526H-111	115V. 3A.
44	1	SELF CONTAINED 400LB. ICE MAKER	HOSHIZAKI	KMG-410MAJ	115V. 8.2A.
49	1	ISLAND COUNTER B/O	-	-	-
50	1	DISPLAY CASE, HEATED	HATCO	GR2DS-36D	120V/ 208V. 1PH. 10.2A.
51	14	3" END CAP 55"H (BLACK) B/O	-	-	-
52	6	8" RUN OF GONDOLA SHELVING 55"H (BLACK) B/O	-	-	-
53	1	8" RUN OF GONDOLA SHELVING 55"H (BLACK) B/O	-	-	-
54	1	SELF-SERVICE REFRIGERATED MERCHANDISER	FEDERAL INDUSTRIES	EIMSS60SC	208-240V. 1PH. 30A.
55	1	9-PAN PIZZA 'PREP' UNIT	SERV-WARE	P9B7-9-NC	115V. 7.5A.
56	1	MICROWAVE OVEN	MIDEA	1023F1A	120V. 15A.
58	1	VENTLESS DOUBLE BATCH OVEN B/O	-	-	-

FOOTNOTE FOR #21 HOOD SYSTEM
EXHAUST FAN= 208V. 1PH. 10A.
SUPPLY FAN= 208V. 1PH. 10A.

- * * NOTE * ***
- ALL POWER WIRING CIRCUIT AND CONNECTION OF SAME TO EACH INDIVIDUAL PIECE OF EQUIPMENT DESCRIBED ABOVE IS THE SOLE RESPONSIBILITY OF THE JOB PLUMBER. EXCEPTION: ICE MAKER WATER AND DRAIN MUST BE WITHIN 6" OF ICE MAKER. WATER LINE MUST HAVE CUT OFF VALVE.
 - ALL PITCH POCKETS ARE TO BE FURNISHED, INSTALLED AND SEALED BY GENERAL CONTRACTORS.
 - THESE PLANS ARE FOR LAYOUT PURPOSES ONLY. THEY ARE NOT INTENDED FOR CONSTRUCTION USE. POST EQUIPMENT COMPANY WILL NOT BE RESPONSIBLE FOR ANY CONSTRUCTION ERRORS.
 - GENERAL CONTRACTOR IS RESPONSIBLE FOR HAVING A DUMPSTER AT THE JOB SITE FOR DISPOSAL OF CRATES & PACKING MATERIALS.
 - WATER FILTRATION SYSTEM IS TO BE MOUNTED AND INSTALLED BY THE GENERAL CONTRACTOR OR PLUMBER.
 - IT IS THE REFRIGERATION CONTRACTOR'S RESPONSIBILITY FOR THE PLACEMENT OF CONDENSING UNITS IN ORDER TO MEET LOCAL CODE.

These drawings & specifications are intended as preliminary design criteria and in no way constitute a contract. The complete or final design or construction shall be the responsibility of the customer only. The customer shall be responsible for obtaining all necessary permits and approvals from the appropriate authorities. The customer shall be responsible for obtaining all necessary permits and approvals from the appropriate authorities. The customer shall be responsible for obtaining all necessary permits and approvals from the appropriate authorities.

TILLMAN'S RESTAURANT EQUIPMENT & SUPPLIES
P.O. BOX 10709, GOLDSBORO, NC 27532
Phone: (919) 432-0100/ Fax: (919) 432-0104
Web Site: www.tillmansrestaurant.com

EQUIPMENT PLAN

DATE: 12-14-21	REV.	REV.	REV.	REV.
SALES/PERSON	1. 1-25-22	5. 5-21-24		
LEE CANNON	2. 4-20-22	6.		
DRAWN BY: J.L.	3. 5-5-22	7.		
SCALE:	4. 5-5-22	8.		
1/4" = 1'-0"				

CHAMPS FRESH FOOD
8909 HWY 401, FUQUAY VARINA, NC 27526

DWG NO:
D21305

SHEET:
EQ-1