



## PROPOSED LAYOUT

SCALE: 1/4" = 1'-0"

ITEM NO.	QTY	EQUIPMENT CATEGORY	MANUFACTURER	MODEL NUMBER	ELECTRICAL	PLUMBING
1	1	WALK IN COOLER/ BEER CAVE/ FREEZER PER PLAN B/O	-	-	-	-
2	1	REMOTE CONDENSING UNIT FOR 12-DOOR COOLER B/O	-	-	-	-
3	3	EVAPORATOR COILS FOR 12-DOOR COOLER B/O	-	-	-	-
4	1	REMOTE CONDENSING UNIT FOR BEER CAVE B/O	-	-	-	-
5	2	EVAPORATOR COILS FOR BEER CAVE B/O	-	-	-	-
6	1	REMOTE CONDENSING UNIT FOR FREEZER B/O	-	-	-	-
7	1	EVAPORATOR COILS FOR FREEZER B/O	-	-	-	-
8	14	GLASS DOORS B/O	-	-	-	-
9	2	GLASS PASS THRU DOOR	-	-	-	-
10	-	-	-	-	-	-
11	8	48" X 18"D X 63"H STORAGE SHELVING W/ 4-SHELVES	SERV-WARE	SL184BCWP/ SL63CWP	-	-
12	5	48" X 24"D X 63"H STORAGE SHELVING W/ 4-SHELVES	SERV-WARE	SL244BCWP/ SL63CWP	-	-
13	3	36" X 24"D X 63"H STORAGE SHELVING W/ 4-SHELVES	SERV-WARE	SL243BCWP/ SL63CWP	-	-
14	2	60" X 18"D X 63"H STORAGE SHELVING W/ 4-SHELVES	SERV-WARE	SL186DCWP/ SL63CWP	-	-
15	1	36" X 18"D X 63"H STORAGE SHELVING W/ 4-SHELVES	SERV-WARE	SL183BCWP/ SL63CWP	-	-
16	1	3-COMPARTMENT SINK W/ 24" DRAIN BOARDS	SERV-WARE	E3CWP18182-24/ PRW8-CWP/ AF12-CWP	-	1/2" COLD & HOT WATER/ 1-1/2" DRAIN
17	4	WASTE VALVES	SERV-WARE	50-35T-20A	-	-
18	3	36" X 18" WIRE WALL SHELVING W/ WALL BRACKETS	SERV-WARE	SL1836CWP/ SLWB18-CWP	-	-
19	1	1-COMPARTMENT SINK W/ 24" DRAIN BOARD	SERV-WARE	E1CWP1818R-24	-	-
20	1	24" X 30"D S/S TABLE W/ UNDER SHELF & BACK SPLASH	SERV-WARE	T3024CWP-3-T	-	1/2" COLD & HOT WATER/ 1-1/2" DRAIN
21	1	12" HOOD SYSTEM	TILLMANS	CUSTOM	SEE FOOTNOTE	SEE FOOTNOTE
22	1	75LB. GAS DEEP FAT FRYER B/O	SERV-WARE	SGF-70N	-	150,000 BTU's/ 3/4" N.P.T GAS CONNECTION (VERIFY WITH OWNER)
23	1	36" GAS COUNTER TOP GRIDDLE W/ EQUIPMENT STAND & CASTERS B/O	SERV-WARE	STGS-36/ ESS3036W-CWP	-	90,000 BTU's/ 3/4" N.P.T GAS CONNECTION (VERIFY WITH OWNER)

ITEM NO.	QTY	EQUIPMENT CATEGORY	MANUFACTURER	MODEL NUMBER	ELECTRICAL	PLUMBING
24	1	60" X 30"D HEAVY DUTY S/S TABLE W/ UNDER SHELF	SERV-WARE	T3060CWP-16S	-	-
25	-	-	-	-	-	-
26	2	WALL MOUNT HAND SINK W/ SIDE SPLASHES	SERV-WARE	HS155-CWP	-	1/2" COLD & HOT WATER/ 1-1/2" DRAIN
27	1	60" X 30"D S/S TABLE W/ UNDER SHELF & BACK SPLASH	SERV-WARE	T3060CWP-3-T	-	-
28	1	12-DOOR COOLER	HOSHIZAKI AMERICA	ER2A-FS	115V. 4.3A.	-
29	3	48" X 18"D X 74"H STORAGE SHELVING W/ 4-SHELVES	SERV-WARE	SL184BCWP/ SL74CWP	-	-
30	1	WATER FILTER SYSTEM	3M	DP290	-	3/4" NPT COLD WATER INLET
31	1	800LB SELF CONTAINED ICE MAKER W/ 500LB. ICE BIN	HOSHIZAKI AMERICA	KM-660MAJ/ B-500SF	115V. 15.2A.	1/2" NPT COLD WATER INLET/ 3/4" FPT DRAIN
32	9	48" X 24"D X 74"H STORAGE SHELVING W/ 4-SHELVES	SERV-WARE	SL244BCWP/ SL74CWP	-	-
33	1	SALES COUNTER B/O	-	-	-	-
35	1	SAFE (CASH CONTROLLER) B/O	-	-	-	-
37	1	FOOD & BEVERAGE COUNTERS B/O	-	-	-	-
40	1	3-WELL DROP IN INSULTAED HOT WELLS	HATCO	HWBI-3	208V. 1PH. 17.4A.	-
40A	1	SNEEZE GUARD	ENGLISH	M-100	-	-
43	1	12-VALVE ICE/ BEVERAGE DISPENSER	LANCER	85-4562H-111	115V. 3A.	3/4" DRAIN
44	1	SELF CONTAINED 400LB. ICE MAKER	HOSHIZAKI	KMD-410MAJ	115V. 8.2A.	1/2" NPT COLD WATER INLET/ 3/4" FPT DRAIN
49	1	ISLAND COUNTER B/O	-	-	-	-
50	1	DISPLAY CASE, HEATED	HATCO	GR2SDS-360	120V/ 208V. 1PH. 10.2A.	-
51	14	3' END CAP 55"H (BLACK) B/O	-	-	-	-
52	6	8' RUN OF GONDOLA SHELVING 55"H (BLACK) B/O	-	-	-	-
53	1	8' RUN OF GONDOLA SHELVING 55"H (BLACK) B/O	-	-	-	-
54	1	SELF-SERVICE REFRIGERATED MERCHANDISER	FEDERAL INDUSTRIES	EIMSS60SC	208-240V. 1PH. 30A.	FLOOR DRAIN
55	1	9-PAN PIZZA PREP UNIT	SERV-WARE	PP67-9-HC	115V. 7.5A.	-
56	1	MICROWAVE OVEN	MIDEA	1025F1A	120V. 15A.	-
58	1	VENTLESS DOUBLE BATCH OVEN B/O	-	-	-	-

FOOTNOTE FOR #21 HOOD SYSTEM  
EXHAUST FAN= 208V. 1PH. 10A.  
SUPPLY FAN= 208V. 1PH. 10A.

- \*\* NOTE \*\***
- ALL POWER WIRING CIRCUIT AND CONNECTION OF SAME TO EACH INDIVIDUAL PIECE OF EQUIPMENT DESCRIBED ABOVE IS THE SOLE RESPONSIBILITY OF JOB ELECTRICAL.
  - ALL WATER LINES, SHUT OFF VALVES AND CONNECTION OF SAME TO EACH INDIVIDUAL PIECE OF EQUIPMENT DESCRIBED ABOVE IS THE SOLE RESPONSIBILITY OF THE JOB PLUMBER. EXCEPTION-ICE MAKER WATER AND DRAIN MUST BE WITHIN 6" OF ICE MAKER. WATER LINE MUST HAVE CUT OFF VALVE.
  - ALL PITCH POCKETS ARE TO BE FURNISHED, INSTALLED AND SEALED BY GENERAL CONTRACTORS.
  - THESE PLANS ARE FOR LAYOUT PURPOSES ONLY. THEY ARE NOT INTENDED FOR CONSTRUCTION USE. HOLT EQUIPMENT COMPANY WILL NOT BE RESPONSIBLE FOR ANY CONSTRUCTION ERRORS.
  - GENERAL CONTRACTOR IS RESPONSIBLE FOR HAVING A DUMPSTER AT THE JOB SITE FOR DISPOSAL OF CRATES & PACKING MATERIALS.
  - WATER FILTRATION SYSTEM IS TO BE MOUNTED AND INSTALLED BY THE GENERAL CONTRACTOR OR PLUMBER.
  - IT IS THE REFRIGERATION CONTRACTOR'S RESPONSIBILITY FOR THE PLACEMENT OF CONDENSING UNITS IN ORDER TO MEET LOCAL CODE.

These drawings & specifications are intended as preliminary design criteria and in no way constitute a contract. A complete or final design or specification shall be supplied to the customer only as a guide in store planning and construction. The customer shall use without permission from Holt Equipment Company.

**TILLMAN'S RESTAURANT EQUIPMENT & SUPPLIES**  
 DESIGNED AND DRAWN BY  
 P.O. BOX 10709, GOLDSBORO, NC 27532  
 Phone: (919) 432-0100/ Fax: (919) 432-0104  
 Web Site: www.tillmansequipment.com

**SHEET TITLE:**  
**EQUIPMENT PLAN**

DATE:	REV.	REV.
12-14-21	1. 1-25-22	5. 5-21-24
SALESPERSON LEE CANNON	2. 4-20-22	6.
DRAWN BY: J.J.	3. 5-5-22	7.
SCALE:	4. 5-9-22	8.
1/4" = 1'-0"		

**PROJECT NAME:**  
**CHAMPS FRESH FOOD**  
 8909 HWY 401, FUQUAY VARINA, NC 27526

**DWG NO:**  
 D21305  
**SHEET:**  
 EQ-1