



HARNETT COUNTY ENVIRONMENTAL HEALTH

File/Permit #: Bcom2505-0003

CDP #:

IMPROVEMENT PERMIT (IP)

☒ New☐ Expansion☐ Repair☐ System Relocation☐ Change of Use

Owner: GREATER VISION FELLOWSHIP INC & C/O THOMAS TERRY MILLER

Applicant: GREATER VISION FELLOWSHIP INC & C/O THOMAS TERRY MILLER

Property Location: 135 DRY CREEK RD LILLINGTON, NC 27546

PIN/Lot Identifier: 0661-28-7762.000

Subdivision:

Lot #: Block: Section:

Facility Type: All Metal Multi Purpose Building Number of bedrooms: 0 Number of Occupants: 35 Other: 125' Max Occupancy on Property.

Design Daily Flow: Ex. 650 GPD LTAR (Initial): Ex .3 gpd/ft² LTAR (Repair): Ex .3 gpd/ft²

Wastewater System Type: Ex. Conventional System (Initial)

Pump Required: ☒ Yes ☐ No ☐ May be required

Usable Depth to Limiting Condition (Initial): Ex.

Wastewater System Type 25% Reduction System (Repair)

Pump Required: ☐ Yes ☐ No ☒ May be required

Usable Depth to Limiting Condition (Repair): 44"

Effluent Standard: ☒ DSE ☐ HSE ☐ Other: Type of Water Supply: ☐ Private well ☒ Municipal Supply ☐ Other:

Permit conditions:

Installing 1,000 Gallon Septic and Septic Pump Tank. (Pump to a New D-Box before the Ball-valve)

* Must Demonstrate 10' Off Water Line. *Must Hard Pipe with Ductile Iron or Double Wall Corrugated Pipe under Driving Area as Shown on Site Sketch

The issuance of this permit in no way guarantees the issuance of other permits. The permit holder is responsible for checking with appropriate governing bodies in meeting their requirements. This permit is subject to revocation if the site plan, plat, or the intended use changes. The Improvement Permit shall not be affected by a change in ownership of the site. This permit is subject to compliance with the provisions of 15A NCAC 18E and to the conditions of this permit.

Authorized Agent's Printed Name: Ren Levocz

Date: 06/09/2025

Authorized Agent's Signature:

Expiration Date: 06/09/2030

CONSTRUCTION AUTHORIZATION (CA)

☒ New☐ Expansion☐ Repair☐ System Relocation☐ Change of Use

Owner: GREATER VISION FELLOWSHIP INC & C/O THOMAS TERRY MILLER

Applicant: GREATER VISION FELLOWSHIP INC & C/O THOMAS TERRY MILLER

Property Location: 135 DRY CREEK RD LILLINGTON, NC 27546

PIN/Lot Identifier: 0661-28-7762.000

Subdivision:

Lot #: Block: Section:

Facility Type: All Metal Multi Purpose Building Number of bedrooms: 0 Number of Occupants: 35 Other: 125' Max Occupancy on Property.

Design Daily Flow: Ex. 650 GPD LTAR: .3 gpd/ft²Effluent Standard: ☒ DSE ☐ HSE ☐ Other: Type of Water Supply: ☐ Private well ☒ Municipal Supply ☐ Other:

Installation Requirements/Conditions

Wastewater System Type: Ex. Conventional System

Pump Required: ☒ Yes ☐ No ☐ May be required

Septic Tank Size: 1,000 gallons

Total Trench Length: Ex. 750' feet

Trench Spacing: Ex. 9' feet on center

Pump Tank Size: 1,000 gallons

Maximum Trench Depth: Ex. 18-24" inches

Soil Cover: Ex. 6" inches

Trench Width: Ex. 36" inches

Distribution Method: ☐ Serial ☒ D-Box or Parallel ☐ Pressure Manifold ☐ Other: 2 Split D-BoxesArtificial Drainage Required: Yes ☐ No ☒ If yes, please specify details:Management Entity Required: ☐ Yes ☒ No Minimum O&M Requirements:

Permit conditions:

Installing 1,000 Gallon Septic and Septic Pump Tank. (Pump to a New D-Box before the Ball-valve)

(Septic Installer to Call Environmental Health and talk to Inspector about Install)

* Must Demonstrate 10' Off Water Line. *Must Hard Pipe with Ductile Iron or Double Wall Corrugated Pipe under Driving Area as Shown on Site Sketch

The requirements of 15A NCAC 18E are incorporated by reference into this permit and shall be met. Systems shall be installed in accordance with the attached site sketch. This Construction Authorization is subject to revocation if the site plan, plat, or the intended use changes. The Construction Authorization shall not be affected by a change in ownership of the site. This Construction Authorization is subject to compliance with the provisions of 15A NCAC 18E, or 15A NCAC 18A .1900, as applicable, and to the conditions of this permit.

Authorized Agent's Printed Name: Ren Levocz

Date: 06/09/25

Authorized Agent's Signature:

Expiration Date: 06/09/2030

Owner/Legal Representative Signature:

Date:

*See attached site sketch

Harnett County Environmental Health

SITE SKETCH

PIN 0661-28-7762.000

Permit Number Bcom2505-0003

Ren Levocz

Applicant's Name
Ren Levocz

Subdivision/Section/Lot Number
06/09/2025

Authorized State Agent

Date

System components represent approximate contours only. The contractor must flag the system prior to beginning the installation to ensure that the proper grade is maintained.

Scale = NTS

