29999

HTE#\_\_\_\_

## Harnett County Department of Public Health

Improvement Permit

A	building permit cannot be issued with only an Improvemen	t Permit
ISSUED TO: Eric + lexham Walk	SUBDIVISION	CARSON GREGORY, RD
NEW ☐ REPAIR ☐ EXPANSIO		quired prior to Construction Authorization Issuance:
Type of Structure:	Site improvements re	quired prior to construction Authorization issuance.
Proposed Wastewater System Type: 25% 7500	Thu-	
Projected Daily Flow: GPD GPD		
Number of bedrooms: 3 Number of Occu	pants: 6 max	
Basement □Yes No		
Pump Required: □Yes □ No ☑ May be requ	ired based on final location and elevations of facilities	
	☐ Well Distance from well feet	Permit valid for: Five years
Permit conditions:		No expiration
EM.	LO ROLL	
Authorized State Agent:	Date: 1-11-15	SEE ATTACHED SITE SKETCH
site is subject to revocation if the site plan plat or the intended use	itees the issuance of other permits. The permit holder is responsible for ch	ecking with appropriate governing bodies in meeting their requirements. This ership of the site. This permit is subject to compliance with the provisions of
the Laws and Rules for Sewage Treatment and Disposal and to condition	is of this permit.	ersing of the site. This permit is subject to compliance with the provisions of
	Construction Authorization	
The construction and installation varyimments of Bules 1000 1003 1	(Required for Building Permit)	
with the attached system layout.		into this permit and shall be met. Systems shall be installed in accordance
ISSUED TO: Enic + Legilann Walker  PROPERTY LOCATION: 821547 Canson Gregory RD  SUBDIVISION		
, ,	SUBDIVISION	101 #
Facility Type:	New □ Expansion □ Repair	
Basement?  Yes  No Basement Fixe		
Type of Wastewater System**		(Initial) Wassesser Flow 2/2 00 CDD
	auerus	(Initial) Wastewater Flow: 360 GPD
(See note below, if applicable )	0 0	
AND SEC NO. 100 AND	(,)	
Installation Requirements/Conditions	Number of trenches	9
Septic Tank Size 1000 gallons	Exact length of each trench feet	Trench Spacing: Feet on Center
Pump Tank Size gallons	Trenches shall be installed on contour at a	Soil Cover: inches
	Maximum Trench Depth of: 26->18 inches	(Maximum soil cover shall not exceed
	(Trench bottoms shall be level to +/-1/4"	36" above the trench bottom)
	in all directions)	*
Pump Requirements:ft. TDH vs	GPM	inches below pipe
		Aggregate Depth: inches above pipe
Conditions:		inches total
		There is a second of the secon
WATER LINES (INCLUDING IDDICATION) WILST E	E 10FT. FROM ANY PART OF SEPTIC SYSTEM OR I	DEDAID ADEA
		KEFAIK AKEA.
NO UTILITIES ALLOWED IN INITIAL OR REPAIR D	KAIN FIELD AKEA.	
**If applicable: I understand the system type specified is different from the type specified on the application. I accept the specifications of this permit.		
Owner/Legal Representative Signature:		Date:
Uwner/Legal Representative Signature:		
A paule		
Authorized State Agent: Date: 1-11-15		
Authorized State Agent:  Construction Authorization Expiration Date: (-11-24)		
Construction Authorization Expiration Date: 1-11-29		

## Harnett County Department of Public Health Site Sketch



