30255

HTE# 60001810-0023 Harnett County Department of Public Health

Improvement Permit

during permit cumot be issued with only an improvement remit	-1769
ISSUED TO: Joseph Anthony Johnson Jas Subdivision Property LOCATION: Friendship Co. Cold S	teyen So)
The state of the s	LOT #
NEW REPAIR DEXPANSION Site Improvements required prior to Construction Authorized Structure: 381 39 × 64 Mos	ation Issuance:
Proposed Wastewater System Type: 25% reduction 575	
Projected Daily Flow: 366 GPD	
Number of bedrooms: 3 Number of Occupants: 6 max	
Basement Yes No	
Pump Required: Tes No May be required based on final location and elevations of facilities	
Type of Water Supply: Community Public Well Distance from well Feet Permit valid for:	Five years
Permit conditions:	☐ No expiration
Authorized State Agent:: Date: 10/33/30/8 SEE ATTAC	HED SITE SKETCH
The issuance of this permit by the Health Department in no way guarantees the issuance of other permits. The permit holder is responsible for checking with appropriate governing bodies in m	eeting their requirements. This
site is subject to revocation if the site plan, plat, or the intended use changes. The Improvement Permit shall not be affected by a change in ownership of the site. This permit is subject to co the Laws and Rules for Sewage Treatment and Disposal and to conditions of this permit.	mpliance with the provisions of
the cans and tones for senage freatment and disposal and to conditions of this permit.	
Construction Authorization	
<u>Construction Authorization</u>	
(Required for Building Permit)	
The construction and installation requirements of Rules .1950, .1952, .1954, .1955, .1956, .1957, .1958. and .1959 are incorporated by references into this permit and shall be met. Systems sh with the attached system layout.	all be installed in accordance
	311769
ISSUED TO: Joseph Anthony Tomon Jo PROPERTY LOCATION: Friendship Co. Cot	Stage Ad So
SUBDIVISION	LOT #
Facility Type: 361 39 x64 mos Wew Expansion Repair	
Basement? Yes Ato Basement Fixtures? Yes No	
Type of Wastewater System** 25% Neduction System (Initial) Wastewater Flow:	360 GPD
(See note below, if applicable □)	
25% reduction Sys, (Repair)	
Installation Requirements/Conditions Number of trenches 3	
D T 15	eet on Center
	hes
Maximum Trench Depth of: 26 + 18 inches (Maximum soil cover shall not	
(Trench bottoms shall be level to $\pm 1/4$ " 36" above the trench bottom	1)
in all directions)	
Pump Requirements:ft. TDH vs GPMNA	inches below pipe
Aggregate Depth: NA	inches above pipe
Conditions: Install deep (Ratio) to shallow (1801)	inches total
WATER LINES (INCLUDING IRRIGATION) MUST BE 10FT. FROM ANY PART OF SEPTIC SYSTEM OR REPAIR AREA.	
NO UTILITIES ALLOWED IN INITIAL OR REPAIR DRAIN FIELD AREA.	
**If applicable: I understand the system type specified is different from the type specified on the application. I accept the specifications of this	c narmit
	periint.
Owner/Legal Representative Signature:	
This Construction Authorization is subject to revocation if the site plan, plat, or the intended use changes. The Construction Authorization shall not be transferred when there is a change in owner.	rship of the site. This
The state of the s	TACHED SITE SKETCH
Authorized State Agent: Date: 10/20/2018	
Construction Authorization Evaluation Date: 10/22/2023	-

HTE#	BRES1810-0023
	0.

Permit # ____30255

Harnett County Department of Public Health Site Sketch

ISSUED TO: Joseph Anthony Johnson J	PROPERTY LOCATON: Friendship Las Cold Stage 12.	1.50)
Authorized State Agent:	Carrie 16/22/2018	
ANDREW		
390080- 1-1-1-1-1-1-1-1-1-1-1-1-1-1-1-1-1-1-1	HINSTON deep (26TN) to Shallow (18TN)	330,901
	289.181	

Department of Environment, Health and Natural Resources Division of Environmental Health On-Site Wastewater Section

Sheet: Property ID: Lot #: File #:

Other Factors (.1940).

Site Classification (.1948):

Evaluated By:
Others Present:

Andrew Currin, 19415

Code:

SOIL/SITE EVALUATION for ON-SITE WASTEWATER SYSTEM

Description

Available Space (.1945) System Type(s) Site LTAR

BRES1810-0023

Evalua	Supply.	: Auge	t: Joseph Date Design Proper Public In Boring Sewage	Arthory John Evaluated: 10/2 in Flow (.1949): 3 orty Recorded: individual V Pit Industrial F	Cut	g Oth	er		¥	
P R O F I .194	.1940				ORPHOLOGY 1941	OTHER PROFILE FACTORS				
E #	Landscape Position/ Slope %	Horizon Depth (In.)	.1941 Structure/ Texture	.1941 Consistence Mineralogy	.1942 Soil Wetness/ Color	.1943 Soil Depth (IN.)	.1956 Sapro Class	.1944 Restr Horiz	Profile Class & LTAR	
1,3	L2-4%	0-14	an is	VEL NSAP			Grupe Trees			
		14-40	gre sel	FIL 5568					PS	
		401	Parent Mut	VAL NSAL		40			PS 6.4	
2,4	L2-48	0-22	GA LS	VAL NON						
		22-36	56 S	va soll						
		36-44	BK SU	ra 55H					P5	
		444	Parent	-		44			0.5	
				7 6	7.					
Descrip	otion	In	itial Rep	pair System	Other Factors (.1946):					

Repair System

System