29823


## HTE# 15-5-3651102

## Harnett County Department of Public Health

Improvement Permit

A	building permit cannot be issued with only an Improvement	Permit
H= 10 0=		MILL RO
ISSUED TO: HENRY HARE	SUBDIVISION LYNN GO.	
NEW   REPAIR □ EXPANSION	N ☐ Site Improvements rea	quired prior to Construction Authorization Issuance:
Type of Structure: 500 (90×50)		
Proposed Wastewater System Type: 2520 Reove	TION SYSTEM	
Projected Daily Flow: 360 GPD		
Number of bedrooms: 3 Number of Occupa	ants: 6 max	
Basement Yes No	6/07/89/2	
TOTAL STATE OF THE	red based on final location and elevations of facilities	
Type of Water Supply:   Community Public		Permit valid for: Five years
Permit conditions:	The Distance from wen rect	No expiration
Termit conditions.	2700	Ho expiration
Authorized State Agenti-	R615 Date: 1/5/18	CEE ATTACHED CITE CHETCH
Authorized State Agent:: The issuance of this permit by the Health Department in no way guarantees.		SEE ATTACHED SITE SKETCH cking with appropriate governing bodies in meeting their requirements. This
site is subject to revocation if the site plan, plat, or the intended use ch the Laws and Rules for Sewage Treatment and Disposal and to conditions	anges. The Improvement Permit shall not be affected by a change in own	cking with appropriate governing bodies in meeting their requirements. This riship of the site. This permit is subject to compliance with the provisions of
	Construction Authorization	
	(Required for Building Permit)	
The construction and installation requirements of Rules .1950, .1952, .19 with the attached system layout.		into this permit and shall be met. Systems shall be installed in accordance
ISSUED TO: HENRY HARD	PROPERTY LOCATION: Byo	
/		LOT # 7
Facility Type: SFO (90'×50')	New   Expansion   Repair	
Basement?  Yes No Basement Fixth	ures? 🗆 Yes 🗆 No	
Type of Wastewater System** 25% REC	SUCTION SYSTEM	(Initial) Wastewater Flow: 360 GPD
(See note below, if applicable □)		(ilitial) Wastewater 110W.
(see note below, if applicable )	UCKLUN SYS. (Repair)	
Installation Requirements/Conditions	Number of trenches	
Septic Tank Size 1000 gallons	Exact length of each trench \\ \\ \ \ \ \ \ \ feet	Trench Spacing: Feet on Center
Pump Tank Size gallons	Trenches shall be installed on contour at a	Soil Cover: 6-24 inches
0	Maximum Trench Depth of: 18-36 inches	(Maximum soil cover shall not exceed
	(Trench bottoms shall be level to +/-1/4"	,
		36" above the trench bottom)
AND NOTE OF THE PROPERTY OF TH	in all directions)	
Pump Requirements:ft. TDH vs	_ GPM	inches below pipe
		Aggregate Depth: inches above pipe
Conditions:		
00-40-1-00-05/00-10-3-3-0-1-	14	
WATER LINES (INCLUDING IRRIGATION) MUST R	F 10FT FROM ANY RARE OF CERTIC CYCTEM OR I	AFRAIR AREA
	E 10FT. FROM ANY PART OF SEPTIC SYSTEM OR I	REPAIK AKEA.
NO UTILITIES ALLOWED IN INITIAL OR REPAIR DI	RAIN FIELD AREA.	
******	· ''' · ' · ' · ' · ' · ' · ' · ' · ' ·	
<u>^^If applicable:</u> I understand the system type specified	is different from the type specified on the application.	I accept the specifications of this permit.
Owner/Legal Representative Signature:		Date:
This Construction Authorization is subject to revocation if the site plan, pl	at, or the intended use changes. The Construction Authorization shall not	be transferred when there is a change in ownership of the site. This
and the second of the second o	the Laws and Rules for Sewage Treatment and Disposal and to the conditi	
	-0-	The state of the s
		1 1 -
Authorized State Agent:		1 1 1 2
Authorized State Agent.	Construction Authorization Expiration D	

## Harnett County Department of Public Health Site Sketch



Department of Environment, Health and Natural Resources Division of Environmental Health On-Site Wastewater Section

Applicant:

Owner:

Sheet: Property ID: Lot#: File #: Code:

## SOIL/SITE EVALUATION for ON-SITE WASTEWATER SYSTEM

P R O F I L E	.1940 Landscape Position/ Slope %	Horizon Depth (In.)	SOIL MORPHOLOGY		OTHER PROFILE FACTORS				
			.1941 Structure/ Texture	.1941 Consistence Mineralogy	.1942 Soil Wetness/ Color	.1943 Soil Depth (IN.)	.1956 Sapro Class	.1944 Restr Horiz	Profile Class & LTAR
	452%	6-48	G/51	H- NSUP					5.8
		J-48	G/15	VE-SUP					00
		4							5-8
-		0-48	5/15	Stinsel					5,8
1	3/18			3800	SW				
-									
+		5-48	G 15 :	VFQ:13/NF					5.7
-									
+									
-									