Harnett County Department of Public Health

Improvement Permit

A building permit cannot be issued with only an Improvement Permit PROPERTY LOCATION: 71 Great Dane ISSUED TO: Fink, Matthew & Tabitha SUBDIVISION LOT # REPAIR | EXPANSION ___ NEW X Site Improvements required prior to Construction Authorization Issuance: Type of Structure: SFD(68"x78") Proposed Wastewater System Type: 25% Reduction System Projected Daily Flow: 360 Number of bedrooms: 3 Number of Occupants: 6 X No Basement Yes May be required based on final location and elevations of facilities Pump Required: Yes No Permit valid for: X Five years No expiration Date: 11/10/20 Ress Authorized State Agent:: SEE ATTACHED SITE SKETCH The issuance of this permit by the Health Department in no way guarantees the issuance of other permits. The permit holder is responsible for checking with appropriate governing bodies in meeting their requirements. This site is subject to revocation if the site plan, plat, or the intended use changes. Imagine in the provisions of the Laws and Rules for Sewage Treatment and Disposal and to conditions of this permit. Construction Authorization (Required for Building Permit) The construction and installation requirements of Rules 1950, 1952, 1954, 1955, 1956, 1957, 1958, and 1959 are incorporated by references into this permit and shall be met. Systems shall be installed in accordance with the attached system layout. ISSUED TO: Fink, Matthew & Tabitha PROPERTY LOCATION: 71 Great Dane LOT # SUBDIVISION Facility Type: SFD (68'x78') Expansion Repair Basement? Yes No. Basement Fixtures? | Yes 25% Reduction System Type of Wastewater System** (Initial) Wastewater Flow: 360 GPD (See note below, if applicable) 25% Reduction System Installation Requirements/Conditions Number of trenches 3 Septic Tank Size 1000 Exact length of each trench 75 Trench Spacing: 9 Feet on Center _gallons Pump Tank Size gallons Trenches shall be installed on contour at a Soil Cover: 6 inches Maximum Trench Depth of: 18 inches (Maximum soil cover shall not exceed (Trench bottoms shall be level to +/-1/4" 36" above the trench bottom) in all directions) Pump Requirements: _____ ft. TDH vs. _____GPM inches below pipe Aggregate Depth: __ _____inches above pipe inches total WATER LINES (INCLUDING IRRIGATION) MUST BE 10FT. FROM ANY PART OF SEPTIC SYSTEM OR REPAIR AREA. NO UTILITIES ALLOWED IN INITIAL OR REPAIR DRAIN FIELD AREA. **Il applicable: I understand the system type specified is different from the type specified on the application. I accept the specifications of this permit. Owner/Legal Representative Signature: This Construction Authorization is subject to revocation if the site plan, plat, or the intended use changes. The Construction Authorization shall not be transferred when there is a change in ownership of the site. This Construction Authorization is subject to compliance with the provisions of the Laws and Rules for Sewage Treatment and Disposal and to the conditions of this permit. SEE ATTACHED SITE SKETCH Date: 11/10/20 Authorized State Agent: _ 2CHS Construction Authorization Expiration Date: 11/10/20

Harnett County Department of Public Health Site Sketch

