

Products				
PlotID	Length	Product	Plies	Net Qty
J14	14' 0"	2x10 SP No.2	1	16
J14-2	14' 0"	2x10 SP No.2	2	2
J8	8' 0"	2x10 SP No.2	1	2
J8-2	8' 0"	2x10 SP No.2	2	2
DB1	23' 0"	1 3/4" x 9 1/4" 2.0E Microllam® LVL	3	3
2-2X10	10' 0"	2x10 SP No.2	2	2
DB2	10' 0"	2x10 SP No.2	2	2
DB3	10' 0"	2x10 SP No.2	2	2
Ca1	16' 0"	2x10 SP No.2	1	5

Connector Summary		
Qty	Manuf	Product
1	Simpson	HUS28-2
2	Simpson	LUS28


THIS IS A TRUSS PLACEMENT DIAGRAM ONLY

These trusses are designed as individual building components to be incorporated into the building design at the specification of the building designer. See individual design sheets for each truss design identified on the placement drawing. The building designer is responsible for temporary and permanent bracing of the roof and floor system and for the overall structure. The design of the truss support structure including headers, beams, walls, and columns is the responsibility of the building designer. For general guidance regarding bracing, consult "Bracing of Wood Trusses" available from the Truss Plate Institute, 583 D'Onofrio Drive, Madison, WI 53179.

SHOP DRAWING APPROVAL

THIS LAYOUT IS THE SOLE SOURCE FOR FABRICATION OF TRUSSES AND VOIDS ALL PREVIOUS ARCHITECTURAL OR OTHER TRUSS LAYOUTS. REVIEW AND APPROVAL OF THIS LAYOUT MUST BE RECEIVED BEFORE ANY TRUSSES WILL BE BUILT. VERIFY ALL CONDITIONS TO INSURE AGAINST CHANGES THAT WILL RESULT IN EXTRA CHARGES TO YOU.

REVIEWED BY: _____ DATE: _____
 APPROVED BY: _____



Carolina Structural Systems
 Roof Trusses • Floor Trusses • EWP
Carolina Structural Systems
 P.O. Box 157, Ether, NC 27247
 225 Frame Shop Rd., Star, NC 27356
 910-491-9004

Job #:	Plan:
Customer: SWAIM	Date: 6/10/2019
Site Address:	Sales Rep: RICK WALKER
City, ST, ZIP:	Designer: RW