

03-5-5100

H NETT COUNTY HEALTH DEPARTMENT
ENVIRONMENTAL HEALTH SECTION

No 15478

OPERATIONS PERMIT

Name: (owner) James Jackson New Installation Septic Tank
 Property Location: SR# 1447 Repairs Nitrification Line
 Subdivision Victoria Hills Lot # 235
 TAX ID# _____ Quadrant # _____
 Contractor: Ray Moore Registration # _____


Basement with Plumbing: Garage:
 Water Supply: Well Public Community
 Distance From Well: 50 ft.

Following are the specifications for the sewage disposal system on above captioned property.

Type of system: Conventional Other _____
 Size of tank: Septic Tank: 1000 gallons Pump Tank: _____ gallons
 Subsurface No. of exact length width of depth of
 Drainage Field ditches 4 of each ditch 100 ft. ditches 3 ft. ditches 8-24 in.
 French Drain: _____ Linear feet

Date: 12/23/2002
 Inspected by: Ray Moore
 Environmental Health Specialist

PERMIT NO. 13893



03-5-5100

HARNETT COUNTY HEALTH DEPARTMENT

No 13893

IMPROVEMENT PERMIT

Be it ordained by the Harnett County Board of Health as follows: Section III, Item B. "No Person shall begin construction of any building at which a septic tank system is to be used for disposal of sewage without first obtaining a written permit from the Harnett County Health Department."

Name: (owner) JAMES JACKSON New Installation Septic Tank
Property Location: SR# 1443 Lafayette Rd. Repairs Nitrification Line

Subdivision Victoria Hills II Lot # 235

Tax ID # _____ Quadrant # _____

Number of Bedrooms Proposed: 3 Lot Size: .57 Ac


Basement with Plumbing: Garage:
Water Supply: Well Public Community
Distance From Well: 50 mi - ft.

Following is the minimum specifications for sewage disposal system on above captioned property. Subject to final approval.

Type of system: Conventional Other _____
Size of tank: Septic Tank: 1000 gallons Pump Tank: _____ gallons
Subsurface No. of exact length width of depth of
Drainage Field ditches 4 of each ditch 100 ft. ditches 3 ft. ditches 18-24 in.
French Drain Required: _____ Linear feet

Date: 7/30/2002
Signed: Bryan M. ... R. S.
Environmental Health Specialist

This permit is subject to revocation if site plans or intended use change.



* Maintain all setbacks
* Run ditches on contour