

OPERATIONS PERMIT

Name: (owner) Coggin Homes

New Installation Septic Tank

Property Location: SR# 1514

Repairs Nitrification Line

Subdivision _____ Lot # 2

TAX ID# _____ Quadrant # _____

Contractor: Ricky Holland Registration # _____

Basement with Plumbing: Garage:

Water Supply: Well Public Community

Distance From Well: 50+ ft.

Following are the specifications for the sewage disposal system on above captioned property.

Type of system: Conventional Other _____

Size of tank: Septic Tank: 1000 gallons Pump Tank: _____ gallons


Subsurface Drainage Field No. of ditches 2 exact length of each ditch 150 ft. width of ditches 3 ft. depth of ditches 18-22 in.

French Drain: _____ Linear feet

Date: 6-28-96

PERMIT NO. 10178

Inspected by: Thomas J. Boyce R.S.
Environmental Health Specialist



IMPROVEMENT PERMIT

Be it ordained by the Harnett County Board of Health as follows: Section III, Item B. "No person shall begin construction of any building at which a septic tank system is to be used for disposal of sewage without first obtaining a written permit from the Harnett County Health Department".

Name: (owner) Craig Homes New Installation Septic Tank
Property Location: SR# 1514 Mornie Upchurch Repairs Nitrification Line

Subdivision _____ Lot # 2

Tax ID# _____ Quadrant # _____

Number of Bedrooms Proposed: 3 Lot Size: .734

Basement with Plumbing: Garage:

Water Supply: Well Public Community

Distance From Well: 50' ft.

Following is the minimum specifications for sewage disposal system on above captioned property. Subject to final approval.

Type of system: Conventional Other _____

Size of tank: Septic Tank: 1000 gallons Pump Tank: _____ gallons

Subsurface Drainage Field No. of ditches 2 exact length of each ditch 150 ft. width of ditches 3 ft. depth of ditches 18-22 in.

French Drain required: _____ Linear feet

This permit is subject to revocation if site plans or intended use change.

Date: 4-30-56

Signed: James S. Marshall

Environmental Health Specialist

* Maintain all setbacks

* Maintain correct Ditch Depths.

VOID AFTER 5 YEARS

