

Harnett County Department of Public Health

Improvement Permit

A building permit cannot be issued with only an Improvement Permit.

ISSUED TO: Renna Salvador Echeverria PROPERTY LOCATION: 20 Geoffrey Circle, Broadway
 NEW REPAIR EXPANSION SUBDIVISION _____ LOT # _____
 Type of Structure: Manufactured DW 68x27 Site Improvements required prior to Construction Authorization Issuance: Removal of trees in the initial
 Proposed Wastewater System Type: 4Brm drainfield area
 Projected Daily Flow: 480 GPD
 Number of bedrooms: 4 Number of Occupants: 8 max
 Basement Yes No
 Pump Required: Yes No May be required based on final location and elevations of facilities
 Type of Water Supply: Community Public Well Distance from well N/A feet
 Permit conditions: _____ Permit valid for: Five years No expiration

Authorized State Agent: James E. Markham Date: 7-17-19 SEE ATTACHED SITE SKETCH
 The issuance of this permit by the Health Department in no way guarantees the issuance of other permits. The permit holder is responsible for checking with appropriate governing bodies in meeting their requirements. This site is subject to revocation if the site plan, plat, or the intended use changes. The Improvement Permit shall not be affected by a change in ownership of the site. This permit is subject to compliance with the provisions of the Laws and Rules for Sewage Treatment and Disposal and to conditions of this permit.

Construction Authorization

(Required for Building Permit)

The construction and installation requirements of Rules .1950, .1952, .1954, .1955, .1956, .1957, .1958, and .1959 are incorporated by references into this permit and shall be met. Systems shall be installed in accordance with the attached system layout.

ISSUED TO: Renna Salvador Echeverria PROPERTY LOCATION: 20 Geoffrey Circle
 Facility Type: Man. DW 68x27 SUBDIVISION _____ LOT # _____
 Basement? Yes No Basement Fixtures? Yes No
 Type of Wastewater System** 25% Reduction System (Initial) Wastewater Flow: 480 GPD
 (See note below, if applicable
25% Reduction (Repair)

Installation Requirements/Conditions

Septic Tank Size 1000 gallons
 Pump Tank Size _____ gallons
 Number of trenches 1
 Exact length of each trench 350 feet
 Trench Spacing: 9 Feet on Center
 Trenches shall be installed on contour at a
 Maximum Trench Depth of: 18" inches
 (Maximum soil cover shall not exceed
 36" above the trench bottom)
 (Trench bottoms shall be level to +1-1/4"
 in all directions)
 Pump Requirements: _____ ft. TDH vs. _____ GPM
 Aggregate Depth: N/A inches below pipe
N/A inches above pipe
N/A inches total

**WATER LINES (INCLUDING IRRIGATION) MUST BE 10FT. FROM ANY PART OF SEPTIC SYSTEM OR REPAIR AREA.
NO UTILITIES ALLOWED IN INITIAL OR REPAIR DRAIN FIELD AREA.**

**If applicable: I understand the system type specified is different from the type specified on the application. I accept the specifications of this permit.

Owner/Legal Representative Signature: _____ Date: _____

This Construction Authorization is subject to revocation if the site plan, plat, or the intended use changes. The Construction Authorization shall not be transferred when there is a change in ownership of the site. This Construction Authorization is subject to compliance with the provisions of the Laws and Rules for Sewage Treatment and Disposal and to the conditions of this permit. SEE ATTACHED SITE SKETCH

Authorized State Agent: James E. Markham Date: 7-17-19
Boyd Adkins Construction Authorization Expiration Date: 7-17-24

HTE# BRES1906-0055

Permit # _____

Harnett County Department of Public Health Site Sketch

ISSUED TO: Lenna Salvador Echeverri PROPERTY LOCATOR: 20 Geoffrey Circle, Broadway
SUBDIVISION _____ LOT # _____

Authorized State Agent: James E. Marshall ~~REHS~~ REHS-I Date: 7-17-19

* This drawing is for illustrative purposes only. system installation must meet all pertinent laws, rules, and regulations.

Drawing
NTS

