Harnett County Department of Public Health

Improvement Permit

	X	ADDRESS	BASED	610	827

A building permit cannot be issued with only an Improvement Permit PROPERTY LOCATION: 17925 NC ISSUED TO: Holger Leon Tocker SUBDIVISION EXPANSION NEW 🔼 Site Improvements required prior to Construction Authorization Issuance: 3-BR 16'x 76' SWM+1 Type of Structure: Proposed Wastewater System Type: 25% reduction 3 C G GPD Projected Daily Flow: ___ Number of bedrooms: Number of Occupants: __ S ___ max Basement Yes No ₽ No Pump Required: Yes May be required based on final location and elevations of facilities Type of Water Supply: Community Public Well Distance from well feet Permit valid for: Five years Permit conditions: ■ No expiration 08/30/2019 The issuance of this permit by the Health Department in no way guarantees the issuance of other permits. The permit holder is responsible for checking with appropriate governing bodies in meeting their requirements. This site is subject to revocation if the site plan, plat, or the intended use changes. The Improvement Permit shall not be affected by a change in ownership of the site. This permit is subject to compliance with the provisions of the Laws and Rules for Sewage Treatment and Disposal and to conditions of this permit. Construction Authorization (Required for Building Permit) The construction and installation requirements of Rules .1950, .1952, .1954, .1955, .1956, .1957, .1958. and .1959 are incorporated by references into this permit and shall be met. Systems shall be installed in accordance ISSUED TO: Holges Lean Toucher PROPERTY LOCATION: 17925 NC 27 W SUBDIVISION Facility Type: 381 16'x76' SWULL Mew Expansion Basement Fixtures? Yes Basement? Tyes No 25% reduction system (Initial) Wastewater Flow: 360 Type of Wastewater System** (See note below, if applicable) 25% reduction sys.

Number of trenches 3 Installation Requirements/Conditions Trench Spacing: 7 Feet on Center Soil Cover: 6 inches Septic Tank Size 1000 gallons Exact length of each trench ___ Pump Tank Size _____gallons Trenches shall be installed on contour at a Maximum Trench Depth of: _____18 (Maximum soil cover shall not exceed (Trench bottoms shall be level to +/-1/4" 36" above the trench bottom) in all directions) Pump Requirements: _____ft. TDH vs. ___ inches below pipe Aggregate Depth: minches above pipe Conditions: inches total WATER LINES (INCLUDING IRRIGATION) MUST BE 10FT. FROM ANY PART OF SEPTIC SYSTEM OR REPAIR AREA. NO UTILITIES ALLOWED IN INITIAL OR REPAIR DRAIN FIELD AREA. **Il applicable: I understand the system type specified is different from the type specified on the application. I accept the specifications of this permit. Owner/Legal Representative Signature: This Construction Authorization is subject to revocation if the site plan, plat, or the intended use changes. The Construction Authorization shall not be transferred when there is a change in ownership of the site. This Construction Authorization is subject to compliance with the provisions of the laws and Rules for Sewage Treatment and Disposal and to the conditions of this permit. SEE ATTACHED SITE SKETCH Authorized State Agent: Andrew Conno Construction Authorization Expiration Date: 08/30/2024

HTE#_	BLES1908-0037
	Harnett

Permit # ____ \to \to

27 w.

Harnett County Department of Public Health Site Sketch ** ADDASS GASS

PROPERTY LOCATON: 17925 NC 27 W. 15SUED TO: Holger Leon Tocker Authorized State Agent: 08/30/2029 TO 17925 NL 27 W. 2 3BL SWMH 100, XTHIS DRAWING IS FOR D ILLUSTRATIVE PURPOSE 2 GOLY, SISTEM MUST MEET ALL E PERTINENT LAWS, MULES AND REGULATIONS