Harnett County Department of Public Health

Improvement Permit

A building permit cann	not be issued with only an Improvement Permit			
l # D l	PROPERTY LOCATION: 78 Royal Pines Ln (SR#1291)			
ISSUED TO: Jeffrey Bouchard	SUBDIVISIONLOT #			
NEW REPAIR EXPANSION DWMH 76'x28'	Site Improvements required prior to Construction Authorization Issuance:			
Proposed Wastewater System Type: Conventional				
Projected Daily Flow: 480 GPD				
Number of bedrooms: 4 Number of Occupants: 8	max			
Basement Yes X No				
Pump Required: Yes No May be required based on final lo				
Type of Water Supply: Community Public Well Distan				
Permit conditions:	No expiration			
and test on	JS-L Date: 3/30/2020 SEE ATTACHED SITE SKETCH			
0				
	permits. The permit holder is responsible for checking with appropriate governing bodies in meeting their requirements. This Permit shall not be affected by a change in ownership of the site. This permit is subject to compliance with the provisions of			
Constr	uction Authorization			
Market and the second of the s	uired for Building Permit) 1958. and 1959 are incorporated by references into this permit and shall be met. Systems shall be installed in accordance			
with the attached system layout.	.1736. and .1737 are incorporated by references into this permit and shall be met. Systems shall be installed in accordance			
ISSUED TO: Jeffrey Bouchard	PROPERTY LOCATION: 78 Royal Pines Ln (SR#1291)			
	SUBDIVISION LOT #			
Facility Type: DWMH 76'x28'	Expansion Repair			
Basement? Yes No Basement Fixtures? Yes	⊠ No			
Type of Wastewater System** Conventional	(Initial) Wastewater Flow: 480 GPD			
(See note below, if applicable)	(mila) restricted from or o			
Conventional	(Repair)			
	each trench 355feet			
,				
6				
	Depth of: 18 inches (Maximum soil cover shall not exceed			
	shall be level to +/-1/4" 36" above the trench bottom)			
in all directions)				
Pump Requirements:ft. TDH vsGPM	inches below pipe			
10	Aggregate Depth: inches above pipe			
Conditions: If homeowner self inst	Waiver inches total			
WATER LINES (INCLUDING IRRIGATION) MUST BE 10FT. FROM A	NY PART OF SEPTIC SYSTEM OR REPAIR AREA.			
NO UTILITIES ALLOWED IN INITIAL OR REPAIR DRAIN FIELD AREA	١.			
**If applicable: 1 understand the system type specified is different from a	the type specified on the application. I accept the specifications of this permit.			
Owner/Legal Representative Signature:	Date:			
This Construction Authorization is subject to revocation if the site plan, plat, or the intended use	changes. The Construction Authorization shall not be transferred when there is a change in ownership of the site. This			
Construction Authorization is subject to compliance with the provisions of the Laws and Rules for	Sewage Treatment and Disposal and to the conditions of this permit. SEE ATTACHED SITE SKETCH			
1121				
Authorized State Agent: Dath Clark REHS I Date: 3/30/2020				
Construction Authorization Expiration Date: 3/30/2025				

Harnett County Department of Public Health Site Sketch

Property Location: 78	Royal Pines Ln. Bouchard Subdivision	(SR # 1291)		
Issued To: Seffrey	Bouchard Subdivision			Lot #
Authorized State Agent: _	Both alch REHS +		Date:	3 30 2020

*Trench * System must meet all setbacks depth must not exceed (5' from any foundation 18" *Trenches of 10' from must be 9'on center * System Future 4BR DWMH must be * Allseptic Garage 76' x28' must be @ least 50 from well 2011 Rayal Pines Lin

This drawing is for illustrative purposes only. System installation must meet all pertinent laws, rules, and regulations.