Harnett County Department of Public Health

Improvement Permit


A building permit cannot be issued with only an Improvement Permit
PROPERTY LOCATION: 4388 Old LIS 421

ISSUED TO: Thomas Sanders	PROPERTY LOCATION: 4388 U	Id US 421
NEW C	SUBDIVISIONSITE IMPROVEMENTS	LOT #
Type of Structure: Garage/Barn 40'x7		required prior to Construction Authorization Issuance:
Proposed Wastewater System Type: Convention		
Projected Daily Flow: 240 GPD	mai	
	Occupants: 4 max	
Basement Yes No	Transaction of the state of the	
Pump Required: Yes No May be r	required based on final location and elevations of facilities	
	c Well Distance from well 50+ feet	D 10 10 10 10 10 10 10 10 10 10 10 10 10
Permit conditions:	Distance from Well Ook Teet	Permit valid for: 🔀 Five years
		No expiration
A A	1	
Authorized State Agent::	1076 Date: 2/19/2020	SEE ATTACHED SITE SKETCH
The issuance of this permit by the Health Department in no way gu	parantees the issuance of other permits. The permit holder is responsible for	
the Laws and Rules for Sewage Treatment and Disposal and to cond	ise changes. The Improvement Permit shall not be affected by a change in or	checking with appropriate governing bodies in meeting their requirements. This wnership of the site. This permit is subject to compliance with the provisions of
	notes of this permit.	
	Company	
	Construction Authorization	
The	(Required for Building Permit)	
with the attached system Javour	1954, . 1955, . 1956, . 1957, . 1958. and . 1959 are incorporated by reference	es into this permit and shall be met. Systems shall be installed in accordance
and analysis system layout.		
ISSUED TO: Thomas Sanders	PROPERTY LOCATION: 438	8 Old LIS 424
School Section 1	SUBDIVISION 4380	
Facility Type: Garage/Barn 40'x75'		LOT #
_		}
Type of Wastewater System** Convention		
(See note below, if applicable)	lai	(Initial) Wastewater Flow: 240 GPD
_Conventio	and	
	————(ncpan)	
Installation Requirements/Conditions	Number of trenches 2	
Septic Tank Size 1000 gallons	Exact length of each trench 100 feet	Trench Spacing: 9 Feet on Center
Pump Tank Sizegallons	Trenches shall be installed on contour at a	Soil Cover: 6 inches
	Maximum Trench Depth of: 18-24 inches	(Maximum soil cover shall not exceed
	(Trench bottoms shall be level to +/-1/4"	36" above the trench bottom)
	in all directions)	30 above the trench bottom)
Pump Requirements:ft. TDH vs	GPM	5-1118
		Aggregate Death
Conditions:		Aggregate Depth: inches above pipe
		inches total
VATER LINES (INCLUDING IDDICATION) MALEST	DE JOST EDOM ANN DART OF SECTION	
IO LITHITIES ALLOWED IN INTELL OF SECTION	BE 10FT. FROM ANY PART OF SEPTIC SYSTEM OR F	₹EPAIR AREA.
O UTILITIES ALLOWED IN INITIAL OR REPAIR	DRAIN FIELD AREA.	
*If applicable: I understand the system type specifie	d is different from the type specified on the application.	1
, ,,,,	a is directed from the type specified on the application.	accept the specifications of this permit.
wner/Legal Representative Signature:		
is Construction Authorization is subject to revocation if the site plan	Olat or the intended we share TL C	Date:
onstruction Authorization is subject to compliance with the provisions	plat, or the intended use changes. The Construction Authorization shall not b of the Laws and Rules for Sewage Treatment and Disposal and to the condition	
1) 1	reaction and notes for sewage treatment and Disposal and to the condition	ons of this permit. SEE ATTACHED SITE SKETCH
uthorized Cross Assess # 1	The PERIOR	
uthorized State Agent:		2/19/2020
	Construction Authorization Expiration Da	

Application # BRES 2002-000

Harnett County Department of Public Health Site Sketch

Property Location: 4388 Old US 421	
Issued To: Thomas Sandlys Subdivision	Lot #
Authorized State Agent: Both AREHS-I	Date: <u>2/19/2020</u>



This drawing is for illustrative purposes only. System installation must meet all pertinent laws, rules, and regulations.