Harnett County Department of Public Health

Improvement Permit

A building permit cannot be issued with only an Improvement Permit PROPERTY LOCATION: 4403 Springhill Church Rd, lillington ISSUED TO: Oris Knight SUBDIVISION NEW X EXPANSION Site Improvements required prior to Construction Authorization Issuance: Type of Structure: DWMH 26'x56' Proposed Wastewater System Type: 25% Reduction Projected Daily Flow: 240 Number of Occupants: 4 Number of bedrooms: 2 X No Basement Yes May be required based on final location and elevations of facilities Pump Required: Yes × No X Five years Type of Water Supply: Community Public Well Distance from well 50 feet Permit valid for: No expiration Permit conditions: Authorized State Agent:: & L Date: 2/20/2020 SEE ATTACHED SITE SKETCH The issuance of this permit by the Health Degartment in no way guarantees the issuance of other permits. The permit holder is responsible for checking with appropriate governing bodies in meeting their requirements. This site is subject to revocation if the site plan, plat, or the intended use changes. The Improvement Permit shall not be affected by a change in ownership of the site. This permit is subject to compliance with the provisions of the Laws and Rules for Sewage Treatment and Disposal and to conditions of this permit. Construction Authorization (Required for Building Permit) The construction and installation requirements of Rules .1950, .1950, .1954, .1954, .1955, .1956, .1957, .1958, and .1959 are incorporated by references into this permit and shall be met. Systems shall be installed in accordance with the attached system layout. ISSUED TO: Oris Knight PROPERTY LOCATION: 4403 Springhill Church Rd, lillington SUBDIVISION Repair Facility Type: DWMH 26'x56' X New Expansion Basement Fixtures? Yes Basement? Yes × No 25% Reduction Type of Wastewater System** (Initial) Wastewater Flow: 240 GPD (See note below, if applicable) 25% Reduction Number of trenches 1 Installation Requirements/Conditions Septic Tank Size 1000 gallons Exact length of each trench 200 Trench Spacing: 9 Feet on Center Pump Tank Size _____gallons Trenches shall be installed on contour at a Soil Cover: 6_____inches Maximum Trench Depth of: 18-24 inches (Maximum soil cover shall not exceed (Trench bottoms shall be level to +/-1/4" 36" above the trench bottom) in all directions) Pump Requirements: ft. TDH vs. _____ __ inches below pipe Aggregate Depth: ______ inches above pipe inches total

WATER LINES (INCLUDING IRRIGATION) MUST BE 10FT. FROM ANY PART OF SEPTIC SYSTEM OR REPAIR AREA. NO UTILITIES ALLOWED IN INITIAL OR REPAIR DRAIN FIELD AREA.

**If applicable: 1 understand the system type specified is different from the type specified on to	he application. I accept the specifications of this permit.
Owner/Legal Representative Signature:	Date:
This Construction Authorization is subject to revocation if the site plan, plat, or the intended use changes. The Construction Authorization is subject to revocation if the site plan, plat, or the intended use changes. The Construction Authorization is subject to revocation if the site plan, plat, or the intended use changes.	orization shall not be transferred when there is a change in ownership of the site. This

Construction Authorization is subject to compliance with the provisions of the Laws and Rules for Sewage Treatment and Disposal and to the conditions of this permit.

SEE ATTACHED SITE SKETCH

Authorized State Agent: Date: 2/20/2020

Construction Authorization Expiration Date: 2/20/2025

Harnett County Department of Public Health Site Sketch

Property Location: 440 Issued To: 075 K	3 Springhill	Oh Rd, Lil	lington	104#
Authorized State Agent:	BA.	ahrette		Lot # Date: 2 / 30/ 3000
Z5	duction \\ epair Area		MENT 35' DOR DOMENTS	
		well		