Harnett County Department of Public Health


Improvement Permit

A building permit cannot be issued with only an Improvement Permit

	PROPERTY LOCATION: Denning Road (SR 1549)
ISSUED TO: Lincoln Lee Denning	SUBDIVISION Trace D Denning LOT # 2
NEW REPAIR EXPANSION Type of Structure: 76x16 3 bed SWMH	Site Improvements required prior to Construction Authorization Issuance:
Proposed Wastewater System Type: 25% Reduction Sys. Projected Daily Flow: 360 GPD	
Number of bedrooms: 3 Number of Occupants: 6 Basement Yes X No	max
The state of the s	
Type of Water Supply: Community Public Well [nal location and elevations of facilities
Permit conditions:	= ,,
	No expiration
Authorized State Agent::	Date: 02/07/2020 SEE ATTACHED SITE SKETCH
The issuance of this permit by the Health Department in no way guarantees the issuance of	other permits. The permit holder is responsible for checking with appropriate governing hodies in meeting their requirements. This
site is subject to revocation if the site plan, plat, or the intended use changes. The Improvi	ment Permit shall not be affected by a change in ownership of the site. This permit is subject to compliance with the provisions of
the Laws and Rules for Sewage Treatment and Disposal and to conditions of this permit.	
-	
<u>Con</u>	struction Authorization
	(Required for Building Permit)
The construction and installation requirements of Rules .1950, .1952, .1954, .1955, .1956, .	1957, 1958, and 1959 are incorporated by references into this permit and shall be met. Systems shall be installed in accordance
with the attached system layout.	
ISSUED TO: Lincoln Lee Denning	PROPERTY LOCATION: Denning Road (Sr 1549)
	SUBDIVISION Trace D Denning Lot # 2
Facility Type: 76x16 3 bed SWMH	
Basement? Yes No Basement Fixtures? Yes	□ No
Type of Wastewater System** 25% Reduction System	700 to 10 to
(See note below, if applicable)	m (Initial) Wastewater Flow: 360 GPD
25% Reduction Syst	om (b. 1)
Installation Requirements/Conditions Number of to	enches 3
Installation Requirements/Conditions Number of to Septic Tank Size 1000 gallons Exact length	enches 3 of each trench 80feet
Installation Requirements/Conditions Number of to Septic Tank Size 1000 gallons Exact length Pump Tank Size gallons Trenches shall	enches 3 of each trench 80 feet Trench Spacing: 9 Feet on Center be installed on contour at a Soil Cover: 12 inches
Installation Requirements/Conditions Number of to Septic Tank Size 1000 gallons Exact length Pump Tank Size gallons Trenches shall	enches 3 of each trench 80feet
Installation Requirements/Conditions	of each trench 80feet
Installation Requirements/Conditions	of each trench 80 feet Trench Spacing: 9 Feet on Center I be installed on contour at a soil Cover: 12 inches Inch Depth of: 24 inches (Maximum soil cover shall not exceed shall be level to +/-1/4" 36" above the trench bottom)
Installation Requirements/Conditions	of each trench 80 feet Trench Spacing: 9 Feet on Center I be installed on contour at a nch Depth of: 24 inches ms shall be level to +/-1/4" Maximum soil cover shall not exceed 36" above the trench bottom)
Installation Requirements/Conditions Septic Tank Size 1000 gallons Pump Tank Size gallons Maximum Tre (Trench botto in all directions	of each trench 80 feet Trench Spacing: 9 Feet on Center I be installed on contour at a nch Depth of: 24 inches ms shall be level to +/-1/4" MA inches below pipe
Installation Requirements/Conditions Septic Tank Size 1000 gallons Pump Tank Size gallons Maximum Tre (Trench botto in all directions	of each trench 80 feet Trench Spacing: 9 Feet on Center I be installed on contour at a nch Depth of: 24 inches ms shall be level to +/-1/4" MA inches below pipe Aggregate Depth: NA inches above pipe
Installation Requirements/Conditions Number of to Septic Tank Size 1000 gallons Exact length	of each trench 80 feet
Installation Requirements/Conditions Septic Tank Size 1000 gallons Pump Tank Sizegallons Maximum Tre (Trench botto in all direction Pump Requirements:ft. TDH vsGPM Conditions: Gravity to D-Box Equal Distribution	of each trench 80 feet of center of soil Cover: 12 feet on Center o
Installation Requirements/Conditions Septic Tank Size 1000 gallons Exact length Pump Tank Size gallons Trenches shal Maximum Tre (Trench botto in all direction Pump Requirements: ft. TDH vs. GPM Conditions: Gravity to D-Box Equal Distribution WATER LINES (INCLUDING IRRIGATION) MUST BE 10FT. FROM	of each trench 80 feet
Installation Requirements/Conditions Septic Tank Size 1000 gallons Exact length Pump Tank Size gallons Trenches shal Maximum Tre (Trench botto in all direction Pump Requirements: ft. TDH vs. GPM Conditions: Gravity to D-Box Equal Distribution WATER LINES (INCLUDING IRRIGATION) MUST BE 10FT. FROM NO UTILITIES ALLOWED IN INITIAL OR REPAIR DRAIN FIELD A	of each trench 80 feet Trench Spacing: 9 Feet on Center I be installed on contour at a nch Depth of: 24 inches ms shall be level to +/-1/4" Aggregate Depth: NA inches above pipe 1 ANY PART OF SEPTIC SYSTEM OR REPAIR AREA. REA.
Installation Requirements/Conditions Septic Tank Size 1000 gallons Exact length Pump Tank Size gallons Trenches shal Maximum Tre (Trench botto in all direction Pump Requirements: ft. TDH vs. GPM Conditions: Gravity to D-Box Equal Distribution WATER LINES (INCLUDING IRRIGATION) MUST BE 10FT. FROM NO UTILITIES ALLOWED IN INITIAL OR REPAIR DRAIN FIELD A	of each trench 80 feet Trench Spacing: 9 Feet on Center I be installed on contour at a nch Depth of: 24 inches ms shall be level to +/-1/4" Aggregate Depth: NA inches above pipe 1 ANY PART OF SEPTIC SYSTEM OR REPAIR AREA. REA.
Installation Requirements/Conditions Septic Tank Size 1000 gallons Exact length Pump Tank Size gallons Trenches shal Maximum Tre (Trench botto in all direction Pump Requirements: ft. TDH vs. GPM Conditions: Gravity to D-Box Equal Distribution WATER LINES (INCLUDING IRRIGATION) MUST BE 10FT. FROM NO UTILITIES ALLOWED IN INITIAL OR REPAIR DRAIN FIELD A	of each trench 80 feet
Installation Requirements/Conditions Septic Tank Size 1000 gallons Exact length Pump Tank Size gallons Trenches shal Maximum Tre (Trench botto in all direction Pump Requirements: ft. TDH vs. GPM Conditions: Gravity to D-Box Equal Distribution WATER LINES (INCLUDING IRRIGATION) MUST BE 10FT. FROM NO UTILITIES ALLOWED IN INITIAL OR REPAIR DRAIN FIELD A	of each trench 80 feet Trench Spacing: 9 Feet on Center I be installed on contour at a nch Depth of: 24 inches ms shall be level to +/-1/4" Aggregate Depth: NA inches above pipe 1 ANY PART OF SEPTIC SYSTEM OR REPAIR AREA. REA.
Installation Requirements/Conditions Septic Tank Size 1000 gallons Pump Tank Sizegallons Pump Tank Sizegallons Trenches shall Maximum Tre (Trench bottom in all directions) Pump Requirements:ft. TDH vsGPM Conditions: Gravity to D-Box Equal Distribution WATER LINES (INCLUDING IRRIGATION) MUST BE 10FT. FROM NO UTILITIES ALLOWED IN INITIAL OR REPAIR DRAIN FIELD A **If applicable: 1 understand the system type specified is different from the system type specified is different	of each trench 80 feet Trench Spacing: 9 Feet on Center I be installed on contour at a soil Cover: 12 inches Inch Depth of: 24 inches (Maximum soil cover shall not exceed above the trench bottom) Inches above the trench bottom I ANY PART OF SEPTIC SYSTEM OR REPAIR AREA. I ANY PART OF SEPTIC SYSTEM OR REPAIR AREA. I ANY PART OF SEPTIC SYSTEM OR REPAIR AREA. I ANY PART OF SEPTIC SYSTEM OR REPAIR AREA. I ANY PART OF SEPTIC SYSTEM OR REPAIR AREA. I ANY PART OF SEPTIC SYSTEM OR REPAIR AREA. I Date:
Installation Requirements/Conditions Septic Tank Size 1000 gallons Pump Tank Sizegallons Pump Tank Sizegallons Trenches shall Maximum Tre (Trench bottom in all directions) Pump Requirements:ft. TDH vsGPM Conditions: Gravity to D-Box Equal Distribution WATER LINES (INCLUDING IRRIGATION) MUST BE 10FT. FROM NO UTILITIES ALLOWED IN INITIAL OR REPAIR DRAIN FIELD A **If applicable: 1 understand the system type specified is different from the system type specified is different	of each trench 80 feet Trench Spacing: 9 Feet on Center be installed on contour at a niches Soil Cover: 12 inches inches Maximum soil cover shall not exceed 36" above the trench bottom NA inches above pipe Soft well setback (both) NA inches total ANY PART OF SEPTIC SYSTEM OR REPAIR AREA. REA. REA. Date: Use changes. The Construction Authorization shall not be transferred when there is a change in ownership of the site. This
Installation Requirements/Conditions Septic Tank Size 1000 gallons Exact length Pump Tank Size gallons Trenches shal Maximum Tre (Trench botto in all direction Pump Requirements: ft. TDH vs. GPM Conditions: Gravity to D-Box Equal Distribution WATER LINES (INCLUDING IRRIGATION) MUST BE 10FT. FROM NO UTILITIES ALLOWED IN INITIAL OR REPAIR DRAIN FIELD A **If applicable: I understand the system type specified is different from Owner/Legal Representative Signature: This Construction Authorization is subject to revocation if the site plan, plat, or the intended	of each trench 80 feet Trench Spacing: 9 Feet on Center be installed on contour at a niches Soil Cover: 12 inches inches Maximum soil cover shall not exceed 36" above the trench bottom NA inches above pipe Soft well setback (both) NA inches total ANY PART OF SEPTIC SYSTEM OR REPAIR AREA. REA. REA. Date: Use changes. The Construction Authorization shall not be transferred when there is a change in ownership of the site. This
Installation Requirements/Conditions Septic Tank Size 1000 gallons Exact length Pump Tank Sizegallons Trenches shall Maximum Tre (Trench bottom in all directions) Pump Requirements:ft. TDH vsGPM Conditions: Gravity to D-Box Equal Distribution WATER LINES (INCLUDING IRRIGATION) MUST BE 10FT. FROM NO UTILITIES ALLOWED IN INITIAL OR REPAIR DRAIN FIELD AT A standard formula system type specified is different from the system type specified is different from the construction Authorization is subject to revocation if the site plan, plat, or the intended construction Authorization is subject to compliance with the provisions of the Laws and Rules	of each trench 80 feet
Installation Requirements/Conditions Septic Tank Size 1000 gallons Exact length Pump Tank Size gallons Trenches shall Maximum Tre (Trench bottom in all direction in all directi	of each trench 80 feet Trench Spacing: 9 Feet on Center be installed on contour at a niches Soil Cover: 12 inches inches Maximum soil cover shall not exceed 36" above the trench bottom NA inches above pipe Soft well setback (both) NA inches total ANY PART OF SEPTIC SYSTEM OR REPAIR AREA. REA. REA. Date: Use changes. The Construction Authorization shall not be transferred when there is a change in ownership of the site. This

Harnett County Department of Public Health Site Sketch

Property Location:	Denning Road (SR 15	49)			
Issued To: Lincoln Lee Denning		Subdivision Trace D Denning		Lot # 2	
Authorized State Agent: _	Can An	Sates	Williams Como	_ Date: _	08/67/2000
* GRACIH	Y TO D. DO	& EGUAL	DISTRIBUTION -		
* SOFT	well SETB	ren-[B	[HTO		
X SYS FLI	AGGES COST	·			



This drawing is for illustrative purposes only. System installation must meet all pertinent laws, rules, and regulations.