## Harnett County Department of Public Health

Improvement Permit


A building permit cannot be issued with only an Improvement Permit PROPERTY LOCATION: OCIZIS 1653CA SUBDIVISION Site Improvements required prior to Construction Authorization Issuance: Type of Structure: Proposed Wastewater System Type: Convention Projected Daily Flow: \_\_\_ 3 60 Number of bedrooms: Number of Occupants: Basement Yes May be required based on final location and elevations of facilities Pump Required: Yes Type of Water Supply: Community Public Well Distance from well \_\_\_\_\_\_\_ feet Permit valid for: Permit conditions: No expiration The issuance of this permit by the Health Department in no way guarantees the issuance of other permits. The permit holder is responsible for checking with appropriate governing bodies in meeting their requirements. This site is subject to revocation if the site plan, plat, or the intended use changes. The Improvement Permit shall not be affected by a change in ownership of the site. This permit is subject to compliance with the provisions of the Laws and Rules for Sewage Treatment and Disposal and to conditions of this permit. Construction Authorization 5089 Posser Pettnow (Required for Building Permit) The construction and installation requirements of Rules .1950, .1952, .1954, .1955, .1956, .1957, .1958, and .1959 are incorporated by references into this permit and shall be met. Systems shall be installed in accordance with the attached system layout. PROPERTY LOCATION: SN 1215 Posser Patinon Expansion Basement Fixtures? Yes Basement? Yes (Initial) Wastewater Flow: 360 Type of Wastewater System\*\* (See note below, if applicable ) (Repair) Installation Requirements/Conditions Number of trenches Septic Tank Size 1803 Exact length of each trench \_\_\_ gallons 100 Pump Tank Size gallons Trenches shall be installed on contour at a Maximum Trench Depth of: 24-718 inches (Maximum soil cover shall not exceed 36" above the trench bottom) (Trench bottoms shall be level to +/-1/4" in all directions) Pump Requirements: ft. TDH vs. \_\_ Conditions: WATER LINES (INCLUDING IRRIGATION) MUST BE 10FT. FROM ANY PART OF SEPTIC SYSTEM OR REPAIR AREA. NO UTILITIES ALLOWED IN INITIAL OR REPAIR DRAIN FIELD AREA. \*\*If applicable: I understand the system type specified is different from the type specified on the application. I accept the specifications of this permit. Owner/Legal Representative Signature: This Construction Authorization is subject to revocation if the site plan, plat, or the intended use changes. The Construction Authorization shall not be transferred when there is a change in ownership of the site. This Construction Authorization is subject to compliance with the provisions of the Laws and Rules for Sewage Treatment and Disposal and to the conditions of this permit. Date: 16-30-20

Construction Authorization Expiration Date: 10-30-25 Authorized State Agent:

## Harnett County Department of Public Health Site Sketch

5089

| Property Location: SN 1215 Rossea Pattman   |           |          |
|---|-----------|----------|
| Issued To: Olay T Vacalas Subdivision       |           | Lot #    |
| Authorized State Agent: James & Markan TEAS | _ Date: _ | 10-30-20 |



This drawing is for illustrative purposes only. System installation must meet all pertinent laws, rules, and regulations.