

OPERATIONS PERMIT

Name: (owner) Stan Stangardt New Installation Septic Tank
 Property Location: SR# Fred Buss Repairs Nitrification Line
 Subdivision Conventional Estates Lot # 4
 TAX ID# _____ Quadrant # _____
 Contractor: Pucky Holland Registration # _____


Basement with Plumbing: Garage:
 Water Supply: Well Public Community
 Distance From Well: 50 ft.

Following are the specifications for the sewage disposal system on above captioned property.

Type of system: Conventional Other _____
 Size of tank: Septic Tank: 1000 gallons Pump Tank: _____ gallons
 Subsurface No. of exact length width of depth of
 Drainage Field ditches 2 of each ditch 115 ft. ditches 3 ft. ditches 30 in.
 French Drain: _____ Linear feet

Date: 8-6-86
 Inspected by: James C. Montague
 Environmental Health Specialist

PERMIT NO. 10344



IMPROVEMENT PERMIT

Be it ordained by the Harnett County Board of Health as follows: Section III, Item B. "No person shall begin construction of any building at which a septic tank system is to be used for disposal of sewage without first obtaining a written permit from the Harnett County Health Department".

Name: (owner) Stan Stargardt New Installation Septic Tank
 Property Location: SR# N on Cokesbury Rd Repairs Nitrification Line
left on Stephens Rd / left on Fred Bruno / left on Parkers Creek
 Subdivision Parkers Creek Estates Lot # 4
 Tax ID# _____ Quadrant # _____
 Number of Bedrooms Proposed: 2 Lot Size: 5.76 A
 Basement with Plumbing: Garage: V=360
 Water Supply: Well Public Community LTA=35
 Distance From Well: 100 + ft.

Following is the minimum specifications for sewage disposal system on above captioned property. Subject to final approval.

Type of system: Conventional Other _____
 Size of tank: Septic Tank: 1000 gallons Pump Tank: _____ gallons
 Subsurface Drainage Field No. of ditches 2 exact length 115 width of 3 depth of 30 in.
 of each ditch 170 ft. ditches _____ ft. ditches _____ in.
 French Drain required: _____ Linear feet

This permit is subject to revocation if site plans or intended use change.

Date: 2/26/95
 Signed: Dr. Wilson
 Environmental Health Specialist

VOID AFTER 5 YEARS

