


1456 MATTHEWS RD.

pg. 1


□ = 1 FT

- EXISTING HVAC SUPPLY
- EXISTING ELECTRICAL PANEL



EXISTING LAYOUT

PROPOSED LAYOUT




- GARAGE CEILING AND ALL GARAGE WALLS ARE ALREADY INSULATED/SHEATHED.
- THEATER ROOM SUB-FLOOR STRUCTURE TO BE 2x10 @ 16" O.C. MOUNTED TO TREATED 6x6 POSTS @ 9' ANCHORED TO EXISTING CONCRETE FLOOR. TREATED 2x10'S WILL BE USED ALONG THE PERIMETER, AGAINST THE EXISTING BRICK FOUNDATION WALL.
- 5/8" OSB TO BE USED FOR SUB-FLOORING.
- WALL THAT SEPARATES STORAGE ROOM AND THEATER ROOM TO BE 2x4'S @ 16" O.C. (NON-LOAD BEARING).
- STORAGE ROOM FLOOR WILL BE EXISTING CONCRETE.

□ = 1 FT.

PG. 2

1456 MATTHEWS RD.

PROPOSED LAYOUT (ELECTRICAL)



- EXISTING FLOURESCENT LIGHTS
- Ⓡ - NEW RECESSED LIGHTS
- Ⓡ - CEILING FAN (NEW)
- * - OUTLETS AND SWITCHES INSTALLED PER CODE

□ = 1 FT

1456 MATTHEWS RD.