
Harnett County Department of Public Health

Improvement Permit

A building permit cannot be issued with only an Improvement Permit

Water to Chandley Lander O.M.	PROPERTY LOCATION: Hobby F	₹d	
ISSUED TO: Chandler, Landon & Ma			LOT #
NEW REPAIR EXPAN Type of Structure: SFD (78'x68')	ISION Site Improvements	required prior to Construction Author	rization Issuance:
Proposed Wastewater System Type: 25% Redu	action System		
Projected Daily Flow: 480 GPD	CHOIT SYSTEM		
Number of bedrooms: 4 Number of Oc	cupants: 8 max		
Basement Yes X No	copanics. Oinax		
	equired based on final location and elevations of facilities		
	Well Distance from well	Permit valid for:	Five years
Permit conditions:		Termit valid for.	No expiration
11 10			- No expiration
Authorized State Agent::	Date: 1/8/20	SEE ATT/	ACHED SITE SKETCH
The issuance of this permit by the Health Department in no way gu	arantees the ssuance of other permits. The permit holder is responsible for	checking with appropriate governing bodies in	meeting their requirements. This
the Laws and Rules for Sewage Treatment and Disposal and to condi	se changes. The improvement Permit shall not be affected by a change in ov	vnership of the site. This permit is subject to	compliance with the provisions of
	ions of this period.		
	Construction Authorization		
	Construction Authorization		
•/ · · · · · · · · · · · · · · · · · · ·	(Required for Building Permit)		
The construction and installation requirements of Rules .1950, .1952, with the attached system layout.	.1954, .1955, .1956, .1957, .1958. and .1959 are incorporated by reference	es into this permit and shall be met. Systems	shall be installed in accordance
The actached system rayout.			
ISSUED TO: Chandler, Landon & Ma	artha PROPERTY LOCATION: Hob	by Rd	
	SUBDIVISION		LOT #
Facility Type: SFD (78'x68')	New □ Expansion □ Repair	r	= = = = = = = = = = = = = = = = =
	ixtures? Yes No	E.	
	ction System	(Initial) Wastewater Flow	190 CDD
(See note below, if applicable)	Such System	(Initial) Wastewater Flow: _	480 GPD
	uction System (Repair)		
nstallation Requirements/Conditions	Number of trenches 5		
Septic Tank Size 1250 gallons	5 1 1 1 1 00	T	F1000 1000 A
	Exact length of each trench 80 feet	Trench Spacing: 6	
Pump Tank Sizegallons	Trenches shall be installed on contour at a		nches
	Maximum Trench Depth of: 24-30 inches	The same of the sa	
	(Trench bottoms shall be level to +/-1/4"	36" above the trench botto	om)
	in all directions)		
Pump Requirements:ft. TDH vs	GPM		inches below pipe
		Aggregate Depth:	inches above pipe
onditions:			inches total
VATER LINES (INCLUDING IRRIGATION) MUST	BE 10FT. FROM ANY PART OF SEPTIC SYSTEM OR	REPAIR AREA	
O UTILITIES ALLOWED IN INITIAL OR REPAIR	DRAIN FIFID ARFA	RETAIN AREA.	
*If applicable: I understand the system type specifie	ed is different from the type specified on the application	1. I accept the specifications of th	nis permit.
wner/Legal Representative Signature:		Date:	
is Construction Authorization is subject to revocation if the site plan,	plat, or the intended use changes. The Construction Authorization shall not	be transferred when there is a change in owr	nership of the site. This
onstruction Authorization is subject to compliance with the provisions	of the Laws and Rules for Sewage Treatment and Disposal and to the condition	tions of this permit. SEE A'	TTACHED SITE SKETCH
uthorized State Agent:	echs Date:	1/8/20	
Construction Authorization Expiration Date: 1/8/25			

Harnett County Department of Public Health Site Sketch



This drawing is for illustrative purposes only. System installation must meet all pertinent laws, rules, and regulations.