
Harnett County Department of Public Health

Improvement Permit

A building permit cannot be issued with only an Improvement Permit PROPERTY LOCATION: 1599 NC-24 ISSUED TO: Andre Grier SUBDIVISION REPAIR EXPANSION Site Improvements required prior to Construction Authorization Issuance: Type of Structure: 14' x 70' SWMH Proposed Wastewater System Type: 25% reduction Projected Daily Flow: 240 Number of bedrooms: 2 Number of Occupants: 4 Basement Yes May be required based on final location and elevations of facilities Pump Required: Yes X No X Five years Type of Water Supply: Community Public Well Distance from well ______feet Permit valid for: No expiration Permit conditions: Date: 09-08-21 Authorized State Agent:: The issuance of this permit by the Health Department in no way guarantees the issuance of other permits. The permit holder is responsible for checking with appropriate governing bodies in meeting their requirements. This site is subject to revocation if the site plan, plat, or the intended use changes. The Improvement Permit shall not be affected by a change in ownership of the site. This permit is subject to compliance with the provisions of the Laws and Rules for Sewage Treatment and Disposal and to conditions of this permit. Construction Authorization (Required for Building Permit) The construction and installation requirements of Rules .1950, .1952, .1954, .1955, .1956, .1957, .1958 and .1959 are incorporated by references into this permit and shall be met. Systems shall be installed in accordance with the attached system layout ISSUED TO: Andre Grier PROPERTY LOCATION: 1599 NC-24 SUBDIVISION Facility Type: 14' x 70' SWMH ➤ New Expansion Basement Fixtures? Yes Basement? Yes 25% reduction Type of Wastewater System** (Initial) Wastewater Flow: 240 GPD (See note below, if applicable) 25% reduction Number of trenches 2 Installation Requirements/Conditions Feet on Center Exact length of each trench 75 Trench Spacing: 9 Septic Tank Size 1000 gallons Pump Tank Size _____ Soil Cover: 6 gallons Trenches shall be installed on contour at a Maximum Trench Depth of: 18" - 24" (Maximum soil cover shall not exceed inches 36" above the trench bottom) (Trench bottoms shall be level to +/-1/4" in all directions) Pump Requirements: _____ft. TDH vs. ___ inches below pipe inches above pipe inches total WATER LINES (INCLUDING IRRIGATION) MUST BE 10FT. FROM ANY PART OF SEPTIC SYSTEM OR REPAIR AREA. NO UTILITIES ALLOWED IN INITIAL OR REPAIR DRAIN FIELD AREA. **If applicable: I understand the system type specified is different from the type specified on the application. I accept the specifications of this permit. Owner/Legal Representative Signature: This Construction Authorization is subject to revocation if the site plan, plat, or the intended use changes. The Construction Authorization shall not be transferred when there is a change in ownership of the site. This SEE ATTACHED SITE SKETCH Construction Authorization is subject to compliance with the provisions of the Laws and Rules for Sewage Treatment and Disposal and to the conditions of this permit. Authorized State Agent: Mah MREHS Date: 09-08-21 Construction Authorization Expiration Date: 09-08-26

Harnett County Department of Public Health Site Sketch



This drawing is for illustrative purposes only. System installation must meet all pertinent laws, rules, and regulations.