Harnett County Department of Public Health

Improvement Permit

A building permit cannot be issued with only an Improvement Permit PROPERTY LOCATION: 306 Spence Way Ln (SR 1229) ISSUED TO: Brian Dean SUBDIVISION EXPANSION Site Improvements required prior to Construction Authorization Issuance: NEW X REPAIR Type of Structure: 14'x70' SWMH Proposed Wastewater System Type: Conventional Projected Daily Flow: 360 Number of Occupants: 6 Number of bedrooms: 3 Basement Yes X No May be required based on final location and elevations of facilities Pump Required: Yes Type of Water Supply: Community Public Well Distance from well ______feet Permit valid for: X Five years ■ No expiration Permit conditions: Date: 11-3-22 SEE ATTACHED SITE SKETCH The issuance of this permit by the Health Department in no way guarantees the issuance of other permits. The permit holder is responsible for checking with appropriate governing bodies in meeting their requirements. This site is subject to revocation if the site plan, plat, or the intended use changes. The Improvement Permit shall not be affected by a change in ownership of the site. This permit is subject to compliance with the provisions of the Laws and Rules for Sewage Treatment and Disposal and to conditions of this permit. Construction Authorization (Required for Building Permit) The construction and installation requirements of Rules .1950, .1952, .1954, .1955, .1956, .1957, .1958 and .1959 are incorporated by references into this permit and shall be met. Systems shall be installed in accordance with the attached system layout. ISSUED TO: Brian Dean PROPERTY LOCATION: 306 Spence Way Ln (SR 1229) SUBDIVISION Facility Type: 14'x70' SWMH Expansion Basement? Yes X No Basement Fixtures? Yes Type of Wastewater System** Conventional (Initial) Wastewater Flow: 360 (See note below, if applicable) Conventional Number of trenches 3 Installation Requirements/Conditions Exact length of each trench 80 Septic Tank Size 1000 gallons Trench Spacing: 9 Feet on Center Pump Tank Size _____ Trenches shall be installed on contour at a Soil Cover: 6 inches gallons Maximum Trench Depth of: 18-24 (Maximum soil cover shall not exceed inches (Trench bottoms shall be level to +/-1/4" 36" above the trench bottom) in all directions) Pump Requirements: ft. TDH vs. __ inches above pipe Aggregate Depth: Conditions: WATER LINES (INCLUDING IRRIGATION) MUST BE 10FT. FROM ANY PART OF SEPTIC SYSTEM OR REPAIR AREA. NO UTILITIES ALLOWED IN INITIAL OR REPAIR DRAIN FIELD AREA. **If applicable: 1 understand the system type specified is different from the type specified on the application. I accept the specifications of this permit. Owner/Legal Representative Signature: This Construction Authorization is subject to revocation if the site plan, plat, or the intended use changes. The Construction Authorization shall not be transferred when there is a change in ownership of the site. This SEE ATTACHED SITE SKETCH Construction Authorization is subject to compliance with the provisions of the Laws and Rules for Sewage Treatment and Disposal and to the conditions of this permit. Authorized State Agent: Date: 11-3-22

Construction Authorization Expiration Date: 11-3-27

Harnett County Department of Public Health Site Sketch

Property Location: 306 Spence Way Ln (SR 1229)	
Issued To: Brian Dean Subdivision	Lot #
Authorized State Agent: Moh W REHS Date:	11-3-22
\$ (3) 80' x3' Trend with a Max Tren	hes
with a Max Tren Depth of 24"	ch \
Depin of 29	nly
* Conventional O as Client is in	stalling
The system	
80' FUTURAL	
80'	
14'x 70' 38-	
1 10' 2'+25'	
Spence way La	•