
Harnett County Department of Public Health

Improvement Permit

A building permit cannot be issued with only an Improvement Permit

	PROPERTY LOCATION: 421 Pine Oak (SR 2612)	101
ISSUED TO: James Lester	SUBDIVISION Sweetbriar Estates LOT #	101
NEW S REPAIR EXPANSION Type of Structure: 28'x68' DWMH	Site Improvements required prior to Construction Authorization Issuance:	
Proposed Wastewater System Type: 25% reduction		
Projected Daily Flow: 480 GPD		-
Number of bedrooms: 4 Number of Occupants:	8max	
Basement Yes 🔀 No		
Pump Required: Yes 🛛 No 🔲 May be required ba	sed on final location and elevations of facilities	
Type of Water Supply: 🔲 Community 🔀 Public 🔲 🛚		
Permit conditions:	No expirat	tion
11 1		
Authorized State Agent:: You a REH	Date: 06-02-23 SEE ATTACHED SITE SKETCH	Н
The issuance of this permit by the Health Department in no way guarantees the	issuance of other permits. The permit holder is responsible for checking with appropriate governing bodies in meeting their requiren The Improvement Permit shall not be affected by a change in ownership of the site. This permit is subject to compliance with the propermit.	
	Construction Authorization	
	(Required for Building Permit)	
The construction and installation requirements of Rules 1950, 1952, 1954, 19	55, 1956, 1957, 1958, and 1959 are incorporated by references into this permit and shall be met. Systems shall be installed in a	ccordance
with the attached system layout.		
ISSUED TO: James Lester	PROPERTY LOCATION: 421 Pine Oak (SR 2612)	
	SUBDIVISION Sweetbriar Estates LOT # 1	01
Facility Type: 28'x48' DWMH	New ☐ Expansion ☐ Repair	
Basement? Yes No Basement Fixtures?	Yes No	
Type of Wastewater System** 25% reduction	(Initial) Wastewater Flow: 600	GPD
(See note below, if applicable)		
25% reduction	(Repair)	
	nber of trenches 1	
1000	ct length of each trench 200feet Trench Spacing: 9 Feet on Center	
	the state of the s	
	imum Trench Depth of: 18 inches (Maximum soil cover shall not exceed	
(Tre	nch bottoms shall be level to +/-1/4" 36" above the trench bottom)	
in a	all directions)	
Pump Requirements:ft. TDH vsGPI	M inches be	low pipe
	Aggregate Depth: inches at	bove pipe
Conditions:	inc	hes total
WATER LINES (INCLUDING IRRIGATION) MUST BE 10 NO UTILITIES ALLOWED IN INITIAL OR REPAIR DRAIN	FT. FROM ANY PART OF SEPTIC SYSTEM OR REPAIR AREA. FIELD AREA.	
**If applicable: 1 understand the system type specified is di	flerent from the type specified on the application. I accept the specifications of this permit.	
Owner/Level Bernsteiner Green	Data	
Owner/Legal Representative Signature:	Date:	n
	the intended use changes. The Construction Authorization shall not be transferred when there is a change in ownership of the site. I ws and Rules for Sewage Treatment and Disposal and to the conditions of this permit. SEE ATTACHED SITE S	
construction Authorization is subject to compliance with the provisions of the La	ws and Rules for Sewage Treatment and Disposal and to the conditions of this permit.	METCH
Authorized State Agent: Mal Marie	Date: 06-02-23	
Authorized State Agent.	Construction Authorization Expiration Date: Q6-02-28	
	Construction Authorization Expiration Date. 00-02-20	

Harnett County Department of Public Health Site Sketch



This drawing is for illustrative purposes only. System installation must meet all pertinent laws, rules, and regulations.