



SERVICE ENTRANCE LEGEND

- E - ELECTRICAL DROP
- W - WATER INLET
- D - DWV FLOWING DROP
- G - GAS INLET

NOTE:
ALL LOCATIONS ARE APPROXIMATE

CAWSPACE VENTILATION
 1362 SQ. FT. OF CAWSPACE AREA
 VENTILATION IS BASED ON 144 SQ. IN. OF VENT FOR EVERY 300 SQ. FT. OF CAWSPACE AREA WITH APPROVED VAPOR RETARDER MATERIAL. ONE SUCCESSION OF VENTS SHOULD BE 33 SQ. IN. EACH
 13 VENTS NEEDED @ 33 SQ. IN. EACH
 429 SQ. IN. VENTILATION INSTALLED (11/20/20)

REVISIONS

NO.	DATE	BY	REVISIONS

GENERAL NOTES

FOOTING SIZES MUST BE BASED ON SOIL BEARING CAPACITY AND PIER JOINTS REFER TO INSTALLATION MANUAL FOR PROPER FOOTING SIZING

() - DIMENSIONS DENOTES 2X6 WALLS OPTION

PIER SET
99 1/2 BEAM SPACING

DRAWING TITLE

PROJECT NAME 2000
PLANT 957
DESCRIPTION 28X52 3BR-2BA
MODEL NO. 2000

DATE PREPARED 01/30/2023
DATE 06/21/2022
DESIGNED BY GDB
CHECKED BY GDB

SHEET NO. 21-PS-99
TOTAL SHEETS 21

SERVICE ENTRANCE LEGEND

- - SUPPORT AT MATING COLUMN
- ▨ - SUPPORT UNDER MATING WALL
- - SUPPORT UNDER MATING OPENING
- ◻ - SUPPORT AT PORCH/DECKED ENTRY
- ▤ - SUPPORT UNDER MAIN I-BEAM
- ▥ - SUPPORT UNDER PERIMETER WALL
- ◼ - SUPPORT AT CROSS I-BEAM BASEMENT