

REAR ELEVATION
SCALE: 1/4"=1'



RIGHT SIDE ELEVATION
SCALE: 1/4"=1'



BAY WINDOW SECTION
SCALE: 1/2"=1'



FRONT ELEVATION
SCALE: 1/4"=1'

NOTICE TO CONTRACTOR
All construction must comply with current NC Building Codes and is subject to field inspection and verification.
APPROVED
Limited building only review
Permit holder responsible for full compliance with the code
08/29/2023
Harnett COUNTY NORTH CAROLINA



CONT. ROOF VENT
FIBERGLASS SHINGLES
OVER 15 # FELT
2X8 RAF. @16" OC
1/2" OSB SHEATHING
R-30 INSULATION
W/BAFFLES EACH RAF. SPACE

ALLUMINIUM FASCIA
VENTED VINYL SOFFIT

1/2" OSB SHEATHING
HOUSE WRAP

R-15 INSULATION

2 X 10 FLOOR JOIST
2 X 6 MUD SILL
R-19 INSULATION

18" WIDE 10" DEEP
CONCRETE FOOTING



TYP. 3(2 X 10) GIRDER
8 X 16 PIERS OVER 4' 16 X 16
24"X24"X10" CONCRETE FT.

SCALE: 1/2"=1'

At least one window must meet egress requirements