



Revised for House size + location

HARNETT COUNTY ENVIROMENTAL HEALTH

File/Permit #: BRES2308-0030
CDP #:

IMPROVEMENT PERMIT (IP)

Owner: EJ Womack
Property Location: 191 Pine Oak (SR 2612)
Subdivision: Sweetbriar Estates
Facility Type: 28'x56' DWMH
Design Daily Flow: 360 GPD
Wastewater System Type: 25% reduction
Pump Required: [] Yes [] No [x] May be required
Effluent Standard: [x] DSE [] HSE [] Other:
Type of Water Supply: [] Private well [x] Municipal Supply [] Other:

Permit conditions:

The issuance of this permit in no way guarantees the issuance of other permits. The permit holder is responsible for checking with appropriate governing bodies in meeting their requirements. This permit is subject to revocation if the site plan, plat, or the intended use changes. The Improvement Permit shall not be affected by a change in ownership of the site. This permit is subject to compliance with the provisions of 15A NCAC 18E and to the conditions of this permit.

Authorized Agent's Printed Name: Mark Osborne REHS
Authorized Agent's Signature: [Signature]
Date: 1-14-26
Expiration Date: 1-14-31

CONSTRUCTION AUTHORIZATION (CA)

Owner: EJ Womack
Property Location: 191 Pine Oak (SR 2612)
Subdivision: Sweetbriar Estates
Facility Type: 28'x56' DWMH
Design Daily Flow: 360 GPD
Effluent Standard: [x] DSE [] HSE [] Other:
Type of Water Supply: [] Private well [x] Municipal Supply [] Other:

Installation Requirements/Conditions
Wastewater System Type: 25% reduction
Septic Tank Size: 1000 gallons
Pump Tank Size: 1000 gallons
Trench Width: 36 inches
Distribution Method: [x] Serial [] D-Box or Parallel [] Pressure Manifold [] Other:
Artificial Drainage Required: Yes [] No [x] If yes, please specify details:
Management Entity Required: [] Yes [x] No Minimum O&M Requirements:

Permit conditions:

The requirements of 15A NCAC 18E are incorporated by reference into this permit and shall be met. Systems shall be installed in accordance with the attached site sketch. This Construction Authorization is subject to revocation if the site plan, plat, or the intended use changes. The Construction Authorization shall not be affected by a change in ownership of the site. This Construction Authorization is subject to compliance with the provisions of 15A NCAC 18E, or 15A NCAC 18A .1900, as applicable, and to the conditions of this permit.

Authorized Agent's Printed Name: Mark Osborne REHS
Authorized Agent's Signature: [Signature]
Date: 1-14-26
Expiration Date: 1-14-31
Owner/Legal Representative Signature:
Date:

*See attached site sketch

Harnett County Environmental Health

SITE SKETCH

PIN 9563-98-9462

Permit Number BRES2308-0030

EJ Womack

Sweetbriar Estates 25

Applicant's Name

Subdivision/Section/Lot Number

Mark Osborne REHS

1-14-26

Authorized State Agent

Date

System components represent approximate contours only. The contractor must flag the system prior to beginning the installation to ensure that the proper grade is maintained.

Scale = NTS

