Harnett County Environmental Health

File/Permit Number: Bres2311-0005 IMPROVEMENT PERMIT County: Harnett PIN/Lot Identifier: 1519-99-5677,000 TR#1 Applicant: IAN KELLER Owner: IAN KELLER Property Location: 8618 NC 27 E COATS, NC 27521, SR NC 27 E Lot #: TR#1 Block: Section: ____ Subdivision (if applicable) Expansion \square Change of Use System Relocation New I Facility Type: SFD 60.4 X 53.4" Number of bedrooms: 3 Number of Occupants: 6 Other: ☐ Industrial Process Wastewater High Strength Design Wastewater Strength: Domestic GPD Proposed LTAR (Initial): .25 Proposed LTAR (Repair): .25 Proposed Design Daily Flow: 360 Proposed Wastewater System Type*: 25% Reduction System (Initial) Pump Required: Yes No May be required Proposed Wastewater System Type*: 25% Reduction System (Repair) Pump Required: Yes No May be required *Please include system classification for proposed wastewater system types in accordance with Rule .1301 Table XXXII Effluent Standard: DSE HSE NSF/ANSI 40 TS-I TS-II RCW Saprolite System (Initial): Yes No Saprolite System (Repair): Yes No Fill System (Initial): Yes No If yes, specify: New Existing (when adding more than 6 inches of fill to system area provide a fill plan) Fill System (Repair): Yes No If yes, specify: New Existing (when adding more than 6 inches of fill to system area provide a fill plan) Usable Depth to LC (Repair)*: 26 * Limiting Condition Usable Depth to LC (Initial)x: 26" Max. Trench Depth (Initial)*: 14"

Max. Trench Depth (Repair)*: 14"

*Measured on the downhill side of the trench Artificial Drainage Required: Yes No If yes, please specify details: Type of Water Supply: Private well Public well Shared well Municipal Supply Spring Other: Drainfield location meets requirements of Rule .0508: Yes 🔳 No 🗌 Drainfield location meets requirements of Rule .0601: Yes 🔳 No Permit valid for: Five years [site plan submitted pursuant to GS 130A-334(13a)] No expiration [plat submitted pursuant to GS 130A-334(7a)] Permit conditions: No Foundation or Gutter Drains to be Directed Towards Septic System Expiration Date: Authorized Agent's Printed Name: Date: 10-28-24

The issuance of this permit in no way guarantees the issuance of other permits. The permit holder is responsible for checking with appropriate governing bodies in meeting their requirements. This permit is subject to revocation if the site plan, plat, or the intended use changes. The Improvement Permit shall not be affected by a change in ownership of the site. This permit is subject to compliance with the provisions of 15A NCAC 18E and to the conditions of this permit.

Authorized Agent's Signature:

Harnett County Environmental Health

	File/Permit Number: Bres2311-0005
	CONSTRUCTION AUTHORIZATION
County: Harnett	PIN/Lot Identifier: 1519-99-5677.000 TR#1
Owner: IAN KELLER	Applicant: IAN KELLER
Secretary 8618 NC	27 E COATS, NC 27521, SR NC 27 E
Facility Type: SFD 60.4 X	53,4'
Number of hadrons 3	Number of Occupants: 6 Other:
Basement?	■ No Basement Fixtures?
Basement? Yes Crawl Space? Yes	No Slab Foundation? ■ Yes No
	25% Reduction System (Initial) 25% Reduction System (Repair)
	Times,
(5) (5)	ation for proposed wastewater system types in accordance with Rule .1301 Table XXXII GPD Wastewater Strength: Domestic High Strength Industrial Process Wastewater
Describeration of the Control of the	
Rule .0403(e) Engineering Desig (if yes, please provide engineeri	on Utilizing Low-flow Fixtures and Low-flow Technologies (S.L. 2013-413 and 2014-120)? Yes No ling documentation)
	☐ HSE ☐ NSF/ANSI 40 ☐ TS-I ☐ TS-II ☐ RCW
Type of Water Supply: Priva	te well Public well Shared well Municipal Supply Spring Other:
Installation Requirements/Conditions	
	allons Total Trench/Bed Length: 360 feet Trench/Bed Spacing: 9' feet on center
Trench/Bed Width: 36" in	nches LTAR: .25 gpd/ft ² Usable Depth to LC (Initial) ^x : 26" *Limiting condition
Soil Cover: 6 inches Sle	ope Corrected Maximum Trench/Bed Depth ⁴ : 14" inches * Measured on the downhill side of the trench
Pump Tank Size (if applicable):	1,000 gallons Requires more than one pump? Yes No
	. TDH vs GPM Grease Trap Size (if applicable): gallons
Distribution Method: 🔳 Serial	D-Box or Parallel Pressure Manifold(s) LPP Other: 4 - 90' Lines
Artificial Drainage Required: Yes No III If yes, please specify details:	
Legal Agreements (If the answer is "Yes" to any type of legal agreements, please attach a copy of the agreement.)	
Multi-party Agreement Required [Rule .0204(g)]: Yes No	
Easement, Right-of-Way, or End	croachment Agreement Required [Rule .0204(d)]: Yes No
Declaration of Restrictive Cover	nants: Yes No Pre-Construction Conference Required: Yes No
Management Entity Required: Yes No Minimum O&M Requirements:	
Conditions: No Foundation	or Gutter Drains to be Directed Towards Septic System
The requirements of 15A NCAC 18E are incorporated by reference into this permit and shall be met. Systems shall be installed in accordance with the attached site sketch. <u>This Construction Authorization is subject to revocation if the site plan, plat, or the intended use changes.</u> The Construction Authorization shall not be affected by a change in ownership of the site. This Construction Authorization is subject to compliance with the provisions of 15A NCAC 18E, or 15A NCAC 18A .1900. as applicable, and to the conditions of this permit.	
Authorized Agent's Printed Nan	
	Expiration Date: 10 - 28 - 29
	See attached site sketch

SITE SKETCH

1519-99-5677.000

Permit Number Bres2311-0005

IAN KELLER

Applicant's Name

TR#1

Subdivision/Section/Lot Number 10-28-24

Authorized State Agent

System components represent approximate contours only. The contractor must flag the system prior to beginning the installation to ensure that the proper grade is maintained.

