Revised

Harnett County Environmental Health

File/Permit Number: BRES2407-0037 IMPROVEMENT PERMIT County: Harnett PIN/Lot Identifier: 0517-64-4916 Applicant: Weaver Homes Owner: Custom Burgers and More Property Location: 4166 Darroch Rd (SR 1128) Section: Lot #: Subdivision (if applicable) Change of Use System Relocation New 📖 26'x47'SFD Facility Type: ___ 6 Other:_ Number of bedrooms: ___ ☐ Industrial Process Wastewater High Strength Design Wastewater Strength: Domestic Proposed LTAR (Repair): .4 Proposed Design Daily Flow: _____ 360 GPD Proposed LTAR (Initial): 4 Proposed Wastewater System Type*: 25% reduction (Initial) Pump Required: Yes No May be required Proposed Wastewater System Type*: 25% reduction (Repair) Pump Required: Yes No May be required *Please include system classification for proposed wastewater system types in accordance with Rule .1301 Table XXXII Effluent Standard: DSE HSE NSF/ANSI 40 TS-I TS-II RCW Saprolite System (Repair): Yes No Saprolite System (Initial): Yes Mi No Fill System (Initial): Yes No If yes, specify: New Existing (when adding more than 6 inches of fill to system area provide a fill plan) Fill System (Repair): Yes In No If yes specify: New Existing (when adding more than 6 inches of fill to system area provide a fill plan) Usable Depth to LC (Repair): 40 ** Limiting Condition Usable Depth to LC (Initial)*: 40 Max. Trench Depth (Repair)1: 26 * Measured on the downhill side of the trench Max. Trench Depth (Initial): 26 Artificial Drainage Required: Yes No If yes, please specify details: 36" deep Curtain Drain above entire drain field is required Type of Water Supply: Private well Public well Shared well Municipal Supply Spring Other: Drainfield location meets requirements of Rule .0508; Yes 🔳 No 🗌 Drainfield location meets requirements of Rule .0601: Yes 🔳 No 🔲 Permit valid for: Five years [site plan submitted pursuant to GS 130A-334(13a)] No expiration [plat submitted pursuant to GS 130A-334(7a)] Permit conditions: NO GUTTER OR FOUNDATION DRAINS SHALL EMPTY ONTO DRAIN FIELD 1-22-30 Expiration Date: Authorized Agent's Printed Name: Mark Osborne REHS 1-22-25 Authorized Agent's Signature: _

The issuance of this permit in no way guarantees the issuance of other permits. The permit holder is responsible for checking with appropriate governing bodies in meeting their requirements. <u>This permit is subject to revocation if the site plan, plat, or the intended use changes.</u> The improvement Permit shall not be affected by a change in ownership of the site. This permit is subject to compliance with the provisions of 15A NCAC 18E and to the conditions of this permit.

See attached site sketch

Harnett County Environmental Health

				File/Permit Num	ber: BRES2407-0037
		cot	STRUCTION AUTHORIZ		
Harnett			I/Lot Identifier: 0517-64-192		1
Custom	Burgers and M	OTE PIN	Applicant: Weaver Homes		
	4166 Darroch	Rd (SR 1128)		N;	
Property Location:	2	6'x47'sf	7)		
Facility Type:	3	ber of Occupants:	60ther:		
-			System Relocation	The same of the sa	
New New	Expansion				
Basement?		■ No	Slab Foundation?		
Crawl Space?	☐ Yes 25%	reduction	(Initial)	25% reduction	(Repair)
Type of Wastewat	er System* 25%	, , , , , , , , , , , , , , , , , , , ,		are with Rule 1301 Table XX	XII
*Please include sys	stem classification	for proposed waste	ewater system types in accorda	High Strength	Industrial Process Wastewater
Design Daily Flow:	700	GPD Wastew	rater Strength: Domestic		
Rule .0403(e) Engi	ineering Design Util vide engineering do	lizing Low-flow Fixt ocumentation)	tures and Low-flow Technologie	S (3.L. 2013-413 Bild 2014 20	[
			40 🗆 TS-I 🗆 TS-II 🔲 RI	cw	
Tune of Water Sur	only: Private we	II Public well	Shared well Munic	ipal Supply Spring	Other:
			_		
Installation Requi	rements/Condition	Total Trench/Re	ed Length: 225 feet Tre	nch/Bed Spacing: 9 feet	on center
Septic Tank Size: _	. 36 jacher	ITAR .4	gpd/ft ² Usable Depth	to LC (Initial): 40	Limiting condition
Sail Cause 6	inches Slone C	orrected Maximum	Trench/Bed Depth [‡] : 26	inches * Measured on the	downhill side of the trench
Soil Cover:	facilitation 1000	0 galloos	Requires more than one pu	mp? Tyes No	
Pump Tank Size (iii	applicable):	ganors GPM	Grease Trap Size (if applica	ble): gallons	
		J ".	Clause Manifoldie	Tipp Tother	
Distribution Metho	od: Serial	No C If you all	asse specify details: 36" deep	Curtain Drain above e	ntire drain field is required
Artificial Drainage	Required: Yes	No ii yes, pi	legal agreements, please attoc	h a copy of the pareement.)	
		ile 0204(g)]: Y		es 🗆 No	
			Required (Rule .0204(d)): Y	uction Conference Required:	Yes No No
		Yes No		cuon comercine raquitar	
Management Entit	ty Required: Ye	es No Minim	um O&M Requirements:		
Conditions:					
with the attached	site sketch. This	Construction Author	by reference into this permit are prization is subject to revocation the site of the site	. This Construction Authori	zation is subject to compliance
	ns of 15A NCAC 18		A .1900, as applicable, and to t		
	ns of 15A NCAC 18		REHS REHS REHS		1-22-30

See attached site sketch

SITE SKETCH

0517-64-4916

Permit Number BRES2407-0037


Weaver Homes

Applicant's Name Mark Osborne REHS Subdivision/Section/Lot Number /- 22- 25

Date

Authorized State Agent

System components represent approximate contours only. The contractor must flag the system prior to beginning the installation to ensure that the proper grade is maintained.



NCDHHS/DPH/EHS/OSWP

Revised January 2024 Form IP-24.1