HARNETT DEPARTMENT OF PUBLIC HEALTH PERMIT TO CONSTRUCT A DRINKING WATER SUPPLY WELL

Application #: BRES2411-0018

Subdivision:

Lot #:


Parcel #: pplicant Name: CMH Homes Raleigh ddress: 644 Lower River Rd (SR 1215) Type of Facility Served by Well: 32'x76' DWMH 4Br Sewage System: Type IIb Permit Conditions: Well to be drilled in Well Area General Permit Conditions: • Drinking water supply well construction must meet 15A NCAC 02C.100 rules The permitted drinking water supply well shall be located in accordance with the SITE PLAN • ANY ALTERATION of the site of the site (including location of structures and appurtenance) or modification in use of the well, may subject this Permit to revocation REHS Date 2-21-25 Expiration Date 2-21-30 **Authorized State Agent Grouting Inspection Witnessed** Date GW-1 provided? ☐ Yes ☐ No ☐ Grouting self-certified by driller See attachment for construction sketch WELL CERTIFICATE OF COMPLETION Date: Application #: BRES2411-0018 Well Contractor: _ ..pplicant Name: CMH Homes Raleigh Address: 644 Lower River Rd (SR 1215) Directions to Site: Use of Well: ____ Date Drilled: ___ Total Depth: ____ Replacement Well? _ Yes _ No Static Water Level: ___ Top of Casing is ___ in. above surface. Yield: ___ gpm at ___ ft. Disinfection: Type ____ Amount _ Water Zone (depth) Casing Grout From ____ To _ From ____ To _ From ____ To ____ Diameter: ____ Material: ____ Thickness: ____ Material: ____ Method: __ From ____ To ___ From ____ To ____ From ____ To ____ From To Diameter: ____ Material: ____ Thickness: ____ Material: ____ Method: ___ From ____ To ___ From To Diameter: Material: Thickness: Material: Method: On Hold Date: ____ Release Date: ____ Inspector: Remarks: Well Head Information Casing Height: (above finished grade)
Well ID Tag: Pump ID Tag: Access Port: Vent Stack: / Sampling Tap: ___ Backflow Preventer: __ Sample Taken? Yes No Well Head properly sealed:

Authorized State Agent

emarks:

mes & Marchan June 3-21-25

See Attachment for completion sketch



WELL CONSTRUCTION RECORD (GW-1)	
L Well Contract of the Contrac	For Internal Use Only
and actor information:	
Van Elliott	
Well Contractor Name 3104	14. WATER ZONES FROM TO DESCRIPTION
	0 00
NC Well Contractor Certification Number	210 11. 386 11.
Southern Well Drilling LLC	15. OUTER CASING (for multi-cased wells) OR LINER (if applicable)
Company Name	LEGIN TO DIAMETER THICKNESS MATERIAL.
2. Well Construction Permit #: BRES2411-0018 List all applicable well construction permits the U.E. Commy State Turking etc.) 3. Well Use (check well west)	16. INNER CASING OR TUBING (geothermal closed-long) FROM 10 DIAMFTER THICKNESS MATERIAL.
3. Well Use (check well use):	FROM TO DIAMFTER THICKNESS MATERIAL.
Water Supply Well:	ft. ft. in.
Agricultural	17. SCREEN
Geothermal (Heaters of Amunicipal/Public	FROM TO DIAMETER SLOTSIZE THICKNESS MATERIAL
Industrial Commercial Supply) Residential Water Supply (single)	O ft. ft. in.
Irrugation Residential Water Supply (shared)	ft. ft. in.
Non-Water Supply Well-	18. GROUT FROM TO MATERIAL * EMPLACEMENT METHOD & AMOUNT
Monnorme	B. C. S. C.
Injection Well:	n. Beninite Poured
Aquifer Recharge	ft. ft.
The state and recovery	19. SAND/GRAVEL PACK (if applicable)
- duter rest	PROVI TO MATERIAL EMPLACEMENT METHOD
Technology Lead 1	ft. ft.
Coodiermal (Closed Loop)	ft. ft.
Geothermal (Heating/Cooling Return) Other (explain under #21 Remarks)	20. DRILLING LOG (attach additional sheets if necessary) FROM TO DESCRIPTION (col.)
	ft. ft. DESCRIPTION (color, hardness, soil/rock type, grain sue, etc.)
4. Date Well(s) Completed: 3-15-25 Well ID#	ft. ft.
5a. Well Location:	ft. ft.
Clayton Homes	ft. ft.
Facility/Owner Name	
_044 LOWER KIVON Rd Rondal	ft. ft.
Physical Address, City, and Zip Harhett	fi. ft.
Carrie	21. REMARKS
Parcel Identification No. (PIN)	
5b. Latitude and longitude in degrees/minu(cs/seconds or decimal degrees: (if well field, one lat long is sufficient)	
	22. Certification:
	Von State 3-19-5
6. Is(are) the well(s) Permanent or Temporary	Signature of Certified Well Contractor
7. Is this a repair to an existing well: Thes or-TaNo	Ry symmetry the face to
If this is a repair fill out known well construction information and explain the nature of the	or signing this form. Thereby certify that the welley was twere) constructed in accordance with 154 NCAC 02C 0400 or 154 NCAC 02C 0200 Well Construction Standards and that a copy of this record has been provided to the well owner.
repair under 21 remarks section or on the back of this form	23. Site diagram or addistract
8. For Geoprobe/DPT or Closed-Loop Geothermal Wells having the same	Tou may use the back of the page to
construction, only I GW-1 is needed Indicate TOTAL NUMBER of wells	construction details. You may also attach additional pages it necessary
drilled	SUBMITTAL INSTRUCTIONS
9. Total well depth below land surface:	24a. For All Wells: Submit this form within 30 days of completion of well construction to the following.
to find a standard below to of orders	
10. Static water level below top of easing:	Division of Water Resources, Information Processing Unit, 1617 Mail Service Center, Raleigh, NC 27699-1617
11. Borchole diameter: (in.)	24h For Injection Walter to add.
12. Well construction method:	24b. For Injection Wells: In addition to sending the form to the address in 24a above, also submit one copy of this form within 30 days of completion of well construction to the following
tic angertional, cable, direct push etc.)	
FOR WATER SUPPLY WELLS ONLY:	Division of Water Resources, Underground Injection Control Program, 1636 Mail Service Center, Raleigh, NC 27699-1636
13a. Vield (gpm) 2 Wethod of test: A 10	24c. For Water Supply & Injection Wells: In addition to sending the form to
13b. Disinfection type: HTH Amount: 1 Bag	the address(es) above, also submit one copy of this form within 30 days of completion of well construction to the county health department of the county where constructed
	The state of the s