Harnett County Environmental Health

File/Permit Number: BRES2503-0094 IMPROVEMENT PERMIT County: Harnett PIN/Lot Identifier: 0621-59-9647 Applicant: EJ Womack Owner: EJ Womack Property Location: 2500 Raven Rock Rd (SR 1314) Lot #: Block: Section: Subdivision (if applicable) System Relocation Change of Use New 🔳 Expansion Facility Type: 28'x60' DWMH Number of bedrooms: 3 Number of Occupants: 6 Other: ☐ Industrial Process Wastewater Design Wastewater Strength: Domestic High Strength GPD Proposed Design Daily Flow: 360 Proposed LTAR (Initial): .4 Proposed LTAR (Repair): .4 Proposed Wastewater System Type*: 25% reduction (Initial) Pump Required: Yes No May be required Proposed Wastewater System Type*: 25% reduction (Repair) Pump Required: Yes No May be required *Please include system classification for proposed wastewater system types in accordance with Rule .1301 Table XXXII Effluent Standard: DSE HSE NSF/ANSI 40 TS-I TS-II RCW Saprolite System (Initial): Yes No Saprolite System (Repair): Yes No Fill System (Initial): Yes No—If yes, specify: New Existing (when adding more than 6 inches of fill to system area provide a fill plan) Fill System (Repair): Yes No If yes, specify: New Existing (when adding more than 6 inches of fill to system area provide a fill plan) Usable Depth to LC (Initial)^x: 48 Usable Depth to LC (Repair)^x: 48 x Limiting Condition Max. Trench Depth (Initial)*: 26

Max. Trench Depth (Repair)*: 26

*Measured on the downhill side of the trench Artificial Drainage Required: Yes No If yes, please specify details: Type of Water Supply: Private well Public well Shared well Municipal Supply Spring Other: Drainfield location meets requirements of Rule .0508: Yes No Drainfield location meets requirements of Rule .0601: Yes No Drainfield location meets requirements of Rule .0601: Yes No Drainfield location meets requirements of Rule .0601: Yes No Drainfield location meets requirements of Rule .0601: Yes No Drainfield location meets requirements of Rule .0508: Yes No Drainfield location meets .0508: Ye Permit valid for: Five years [site plan submitted pursuant to GS 130A-334(13a)] No expiration [plat submitted pursuant to GS 130A-334(7a)] Permit conditions: NO GUTTER OR FOUNDATION DRAINS SHALL EMPTY ONTO DRAIN FIELD

See attached site sketch

The issuance of this permit in no way guarantees the issuance of other permits. The permit holder is responsible for checking with appropriate governing bodies in meeting their requirements. <u>This permit is subject to revocation if the site plan, plat, or the intended use changes.</u> The Improvement Permit shall not be affected by a change in ownership of the site. This permit is subject to compliance with the provisions of 15A NCAC 18E and to the conditions of this permit.

Authorized Agent's Signature:

Authorized Agent's Printed Name: Mark Osborne REHS

Expiration Date: 5-12-30

Date: 5-12-25

Harnett County Environmental Health

File/Permit Number: BRES2503-0094
CONSTRUCTION AUTHORIZATION
ounty: Harnett PIN/Lot Identifier: 0621-59-9647
wner: EJ Womack Applicant: EJ Womack
roperty Location: 2500 Raven Rock Rd (SR 1314)
acility Type: 28'x60' DWMH
umber of bedrooms: 3 Number of Occupants: 6 Other:
New Expansion Repair System Relocation Change of Use
asement? Yes No Basement Fixtures? Yes No
rawl Space? Yes No Slab Foundation? Yes No
ype of Wastewater System* 25% reduction (Initial) 25% reduction (Repai
Please include system classification for proposed wastewater system types in accordance with Rule .1301 Table XXXII
esign Daily Flow: 360 GPD Wastewater Strength: Domestic High Strength Industrial Process Wastewater
ule .0403(e) Engineering Design Utilizing Low-flow Fixtures and Low-flow Technologies (S.L. 2013-413 and 2014-120)? Yes In No fyes, please provide engineering documentation)
ffluent Standard: DSE HSE NSF/ANSI 40 TS-I TS-II RCW
ype of Water Supply: Private well Public well Shared well Municipal Supply Spring Other:
eptic Tank Size: 1000 gallons Total Trench/Bed Length: 225 feet Trench/Bed Spacing: 9 feet on center
rench/Bed Width: 36 inches LTAR: .4 gpd/ft² Usable Depth to LC (Initial) ^x : 48 xLimiting condition
oil Cover: 6 inches Slope Corrected Maximum Trench/Bed Depth [‡] : 26 inches ** Measured on the downhill side of the trench
ump Tank Size (if applicable): 1000 gallons Requires more than one pump? Yes No
ump Requirements: ft. TDH vs GPM Grease Trap Size (if applicable): gallons
istribution Method: Serial D-Box or Parallel Pressure Manifold(s) LPP Other:
rtificial Drainage Required: Yes No III If yes, please specify details:
egal Agreements (If the answer is "Yes" to any type of legal agreements, please attach a copy of the agreement.)
Multi-party Agreement Required [Rule .0204(g)]: Yes No
asement, Right-of-Way, or Encroachment Agreement Required [Rule .0204(d)]: Yes No
eclaration of Restrictive Covenants: Yes No Pre-Construction Conference Required: Yes No
No Minimum O&M Requirements:
onditions:
the requirements of 15A NCAC 18E are incorporated by reference into this permit and shall be met. Systems shall be installed in accordance with the attached site sketch. This Construction Authorization is subject to revocation if the site plan, plat, or the intended use changes. The construction Authorization shall not be affected by a change in ownership of the site. This Construction Authorization is subject to compliance with the provisions of 15A NCAC 18E, or 15A NCAC 18A .1900, as applicable, and to the conditions of this permit.
uthorized Agent's Printed Name: Mark Osborne REHS Expiration Date: 5-12-30 Date: 5-12-25
uthorized Agent's Signature: Date: 5-12-25
See attached site sketch

SITE SKETCH

DIN 0621-59-9647	Permit Number BRES2503-0094	
EJ Womack		
Applicant's Name Mark Osborne REHS	Subdivision/Section/Lot Number 5-12-25	
Authorized State Agent	Date	

System components represent approximate contours only. The contractor must flag the system prior to beginning the installation to ensure that the proper grade is maintained.

