

Owner: E.J. Womach Applicant:

Owner: 2010-2011 Applicant:

Address: 2500 Raven Rock

Proposed Facility: DWM H

Location of Site:

Water Supply:

Evaluation Method: ☐ Auger Boring

Type of Wastewater:

Date Evaluated:

Design Flow (.1949): 360 GPD

Property Recorded:

☒ Public ☐ Individual

☐ Well

Property Size:

er Boring

☒ Pit☐ Cut☐ Spring☐ Other☒ Sewage☐ Industrial Process☐ Mixed

Description	Initial System	Repair System	Other Factors (.1946): Site Classification (.1948): Evaluated By: <i>W. K. REHS</i> Others Present: <i>A.T.</i>
Available Space (.1945)	<i>✓</i>	<i>✓</i>	
System Type(s)	<i>✓</i>	<i>✓</i>	
Site LTAR	<i>.4</i>	<i>.4</i>	

COMMENTS: _____

LANDSCAPE POSITIONS

- R-RIDGE
- S-SHOULDER SLOPE
- L-LINEAR SLOPE
- FS-FOOT SLOPE
- N-NOSE SLOPE
- H-HEAD SLOPE
- CC-CONCLAVE SLOPE
- CV-CONVEX SLOPE
- T-TERRACE
- FP-FLOOD PLAN

GROUP

TEXTURES

.1955 LTAR

CONSISTENCE MOIST

WET

- | | |
|-----|---|
| I | S-SAND
LS-LOAMY SAND |
| II | SL-SANDY LOAM
L-LOAM |
| III | SI-SILT
SIL-SILT LOAM
CL-CLAY LOAM
SCL-SANDY CLAY LOAM |
| IV | SIC-SILTY CLAY
C-CLAY
SC-SANDY CLAY |

- 1.2 - 0.8
0.8 - 0.6
0.6 - 0.3
0.4 - 0.1

- VFR-VERY FRIABLE
FR-FRIABLE
FI-FIRM
VFI-VERY FIRM
EFI-EXTREMELY FIRM

- NS-NON-STICKY
SS-SLIGHTLY STICKY
S-STICKY
VS-VERY STICKY
NP-NON-PLASTIC
SP-SLIGHTLY STICKY
P-PLASTIC
VP-VERY PLASTIC


STRUCTURE

- SG-SINGLE GRAIN
- M-MASSIVE
- CR-CRUMB
- GR-GRANULAR
- SBK-SUBANGULAR BLOCKY
- ABK-ANGULAR BLOCKY
- PL-PLATY
- PR-PRISMATIC

MINERALOGY

- SLIGHTLY EXPANSIVE
EXPANSIVE

Show profile locations and other site features (dimensions, references or benchmark, and North)



Cavem Rock Rd