



**Harnett
COUNTY**
NORTH CAROLINA

HARNETT COUNTY ENVIRONMENTAL HEALTH

File/Permit #: BRES2505-0079

CDP #: _____

IMPROVEMENT PERMIT (IP)

New Expansion Repair System Relocation Change of Use
 Owner: Gonzalo Cano Jasso Applicant: Gonzalo Cano Jasso
 Property Location: 1742 Tim Currin Rd (SR1250) PIN/Lot Identifier: 0529-52-0413
 Subdivision: Lot #: _____ Block: _____ Section: _____
 Facility Type: swmh Number of bedrooms: 3 Number of Occupants: 6 Other: _____
 Design Daily Flow: 360 GPD LTAR (Initial): .3 gpd/ft² LTAR (Repair): 3 gpd/ft²
 Wastewater System Type: 25% reduction (Initial)
 Pump Required: Yes No May be required Usable Depth to Limiting Condition (Initial): 30
 Wastewater System Type: 50% reduction (Repair)
 Pump Required: Yes No May be required Usable Depth to Limiting Condition (Repair): 30
 Effluent Standard: DSE HSE Other: _____ Type of Water Supply: Private well Municipal Supply Other: _____

Permit conditions:

The issuance of this permit in no way guarantees the issuance of other permits. The permit holder is responsible for checking with appropriate governing bodies in meeting their requirements. This permit is subject to revocation if the site plan, plat, or the intended use changes. The Improvement Permit shall not be affected by a change in ownership of the site. This permit is subject to compliance with the provisions of 15A NCAC 18E and to the conditions of this permit.

Authorized Agent's Printed Name: Mark Osborne REHS

Date: 11/21/2025

Authorized Agent's Signature:

Expiration Date: 11/21/2030

CONSTRUCTION AUTHORIZATION (CA)

New Expansion Repair System Relocation Change of Use
 Owner: Gonzalo Cano Jasso Applicant: Gonzalo Cano Jasso
 Property Location: 1742 Tim Currin Rd (SR1250) PIN/Lot Identifier: 0529-52-0413
 Subdivision: Lot #: _____ Block: _____ Section: _____
 Facility Type: swmh Number of bedrooms: 3 Number of Occupants: 6 Other: _____
 Design Daily Flow: 360 GPD LTAR: .3 gpd/ft²
 Effluent Standard: DSE HSE Other: _____ Type of Water Supply: Private well Municipal Supply Other: _____

Installation Requirements/Conditions

Wastewater System Type: 25% reduction Pump Required: Yes No May be required
 Septic Tank Size: Existing gallons Total Trench Length: +70' feet Trench Spacing: 9 feet on center
 Pump Tank Size: _____ gallons Maximum Trench Depth: 18 inches Soil Cover: 6 inches
 Trench Width: 36 inches Distribution Method: Serial D-Box or Parallel Pressure Manifold Other: _____
 Artificial Drainage Required: Yes No If yes, please specify details: _____
 Management Entity Required: Yes No Minimum O&M Requirements: _____

Permit conditions:

*locate Existing Drain lines And Add Another
70' Drainline to the System*

The requirements of 15A NCAC 18E are incorporated by reference into this permit and shall be met. Systems shall be installed in accordance with the attached site sketch. This Construction Authorization is subject to revocation if the site plan, plat, or the intended use changes. The Construction Authorization shall not be affected by a change in ownership of the site. This Construction Authorization is subject to compliance with the provisions of 15A NCAC 18E, or 15A NCAC 18A .1900, as applicable, and to the conditions of this permit.

Authorized Agent's Printed Name: Mark Osborne REHS

Date: 11/21/25

Authorized Agent's Signature:

Expiration Date: 11/21/2030

Owner/Legal Representative Signature: _____ Date: _____

*See attached site sketch

Harnett County Environmental Health

SITE SKETCH

PIN 0529-52-0413

Permit Number BRES2505-0079

Gonzalo Cano Jasso

Applicant's Name
Mark Osborne REHS

Authorized State Agent

Subdivision/Section/Lot Number
11/21/2025

Date

System components represent approximate contours only. The contractor must flag the system prior to beginning the installation to ensure that the proper grade is maintained.

Scale = NTS

