



ATE OF AUTHOR					Hangers		
and the second se					12) THD46		
					02) MSH418		
RESIDENTIAL STRUCTURE 3410 N. Davidson St.					★ ##) ########		
Charlotte, N.C. 28205					##) #########		
Scal For Structural Quily	FLOOR TRUSS LAYOUT				##) ########		
					<u>∧</u> ##) ########		
	SCALE: 3	3/16" = 1'					
		Client:	rua Hamaa				
The	THE BUILDING CENTER, INC.	Client: True Homes					
		Notes:		Job Desc:	Job Desc: LUCAS TH - 1340		
				Site Information:			
Building	2591 Jenkins Dairy Rd						
DIL (704) 924 9192				Lot 11 - BCTH			
Center, Inc.	FAX. (704) 824-2232						
				Salesman: NA	Date: 07/01/2025		
				Drafter: MS/PM	^{Job #:} 25063095F		
THIS IS A TRUSS PLACEMENT DIAGRAM ONLY. These trusses are designed as individual building components to be incorporated into the building design at the specification of the building designer. See individual design sheets for each truss design identified on the placement drawing. The building designer is responsible for temporary and permanent bracing of the roof and floor system and for the overall structure. The design of the truss support structure including headers, beams, walls, and columns is the responsibility of the building designer. For general guidance regarding bracing, consult "Bracing of Wood Trusses" available from the Truss Plate Institute, 583 D'Onifrio Drive; Madison, WI 53179.			SHOP DRAWING APPROVAL THIS LAYOUT IS THE SOLE SOURCE FOR FABRICATION OF TRUSSES AND VOIDS ALL PREVIOUS ARCHITECTURAL OR OTHER TRUSS LAYOUTS. REVIEW AND APPROVAL OF THIS LAYOUT MUST BE RECEIVED BEFORE ANY TRUSSES WILL BE BUILT. VERIFY ALL CONDITIONS TO INSURE AGAINST CHANGES THAT WILL RESULT IN EXTRA CHARGES TO YOU.				
			REVIEWED BY:	APPROVED BY:	DATE:		