

North Carolina Onsite Wastewater Contractor Inspector Certification Board Authorized Onsite Wastewater Evaluator Permit Option for Non-Engineered Systems Notice of Intent (NOI) to Construct

X New Expansion Repair Relocation Relocation of Repair Area
Owner or Legal Representative Information:
Name: Johnny Faircloth
Mailing address: 5272 Cool Springs Road City: Broadway State: NC Zip: 27505
Phone: 919-499-8211 Email: jrfaircloth1968@gmail.com
Authorized Onsite Wastewater Evaluator Information:
Name: Thomas Boyce, LSS, AOWE Certification #: 10006E
Mailing address: PO Box 865 City: West End State: NC Zip: 27376
Phone: (910)295-1899
Site Location Information:
Site address: 5272 Cool Springs Road Broadway, North Carolina 27505
Tax parcel identification number or subdivision lot, block number of property: 0602-45-6136-000
County: Harnett
System Information: Wastewater System Type: III(g)- Conventional
Daily Design Flow: 240
Saprolite System: Yes X No Subsurface Operator Required: Yes X No
Water Supply Type:Private Well X_Public Water SupplySpringOther:
Facility Type:
X Residential 2 # Bedrooms 4 Maximum # of Occupants
Business Type of Business and Basis for Flow:
Public Assembly Type of Public Assembly and Basis for Flow:
Required Attachments: X Plat or Site Plan
X Evaluation of Soil and Site Features by Licensed Soil Scientist
Attest: On this the 28 day of August 2025 by signature below I hereby attest that the information required to be
Attest: On this the 28 day of August, 2025 by signature below I hereby attest that the information required to be included with this NOI to Construct is accurate and complete to the best of my knowledge. Furthermore, I hereby attest that I
have adhered to the laws and rules governing onsite wastewater systems in the state of North Carolina. This NOI shall expire on 28 day of August , 2030 .
Signature of Authorized Onsite Wastewater Evaluator: Francy Baya. Signature of Owner or Legal Representative: Johnny Faircloth
Signature of Owner or Legal Representative: Johnung Faircloth
Disclosure: The owner may apply for a building permit for the project upon submitting a complete NOI to Construct and the fee
required (if any) to the local health department. An onsite wastewater system authorized by an authorized onsite wastewater evaluator shall be transferable to a new owner with the consent of the authorized onsite wastewater evaluator.
Local Health Department Receipt Acknowledgement:
Signature of Local Health Department Representative:Date:

AOWE Permit Requirements



Pre-Construction Requirements

- A pre-construction conference is mandatory before starting the installation to confirm no significant site changes have affected the system area.
- The client or contractor must notify Marlin Wastewater Services (MWS) at least one week prior to the installation start date to arrange a site visit.
- Installation cannot begin until the pre-construction conference is completed.
- After the pre-construction conference, the onsite wastewater contractor must contact MWS to schedule installation inspections at least 2 days prior to the start of installation.
- Inspections will occur Monday through Friday. Installation must not begin without a confirmed inspection appointment.
- · Systems must not be installed in wet conditions; doing so will result in permit revocation.
- Any modifications to the proposed plans must be approved by the AOWE.
- The installer must be licensed and insured. A certificate of insurance must be provided to MWS before the Authorization to Operate is issued.
- A copy of the entire permit, including these requirements, must be provided to the selected Onsite Wastewater Contractor (Installer).

Site Requirements

- No traffic, construction, excavation, utilities, material storage, or disturbances are allowed on the designated septic or repair area. These activities may void your permit.
- No heavy equipment or vehicular traffic is allowed over the leach field.
- This Notice of Intent (NOI) becomes invalid or may be revoked if the site is altered.
- There shall be no grading, cutting, logging, or other soil disturbance in the septic area.
- Design does not guarantee the functionality or future performance of the wastewater system.

Installation

- Backfilling: The septic installer is responsible for backfilling the system components to prevent surface water retention or ponding. All chambers must be backfilled according to the manufacturer's guidance.
- Post-Installation: After installation, settling of the backfill material may occur. The system owner/contractor is responsible for addressing settled or sunken areas, stabilization, and final landscaping.
- Drainage Management: All downspout drainage, surface, and stormwater must be diverted away from the septic system.
- Compliance: The installer must adhere to all applicable laws, rules, permit conditions, and manufacturer's guidance/approvals during installation.

Final Inspection

- The client/owner must mark property lines and corners before installation. These must be visible for the final inspection, or additional site visits at the owner/contractor's expense will be required.
- The system installation must be inspected by the AOWE at specific stages. For systems with pumps, the septic installer must ensure proper installation of electrical components. An electrical permit is required, and a licensed electrician must provide electrical service to the pump controller and alarm, which must be on separate circuits.
- · Pump systems often require an additional final inspection after electrical components are operational.
- AOWE does not inspect electrical components; this must be done by the local inspections department.

AOWE Permit Requirements

Operation and Maintenance

- The owner must comply with NCAC 18E .1301 regarding the operation and maintenance of wastewater systems. Routine pumping and inspections are necessary to ensure proper system operation.
- No heavy equipment or vehicular traffic is allowed over the leach field.

Setbacks

- The contractor must ensure the septic system is installed in the proper location and that all setback requirements are met (see NCAC 18E .0601).
- In applicable counties, the contractor must comply with local rules.
- · Property lines must be marked by the surveyor and visible at the time of final inspection.
- · No utilities may be installed in the initial or repair septic system areas.

Tanks

- · All tanks must pass a vacuum or hydrostatic leak test, with written verification from the manufacturer.
- Tanks must be of top-seam construction with watertight penetrations at both the inlet and outlet through a boot.
- Access risers must be sealed watertight to prevent water intrusion. Baffle lids must be sealed after verifying the gap over the baffle is unobstructed by concrete or debris.
- Tank and supply line locations are flexible, provided all setbacks are met.

Acknowledgment and Agreement

By signing below, the client acknowledges understanding and acceptance of the above requirements and agrees to hold Marlin Wastewater Services harmless for any issues arising from the installation of the system. Marlin Wastewater Services is not responsible for the system's future performance or function. Client agrees to provide the NOI package, including permit requirements, and any change orders or. updates to the Onsite Wastewater Contractor (Installer).

Client Signature: _	Johuuy Faircloth	
Date:	08 / 28 / 2025	



CERTIFICATE OF LIABILITY INSURANCE

DATE (MM/DD/YYYY) 08/11/2025

THIS CERTIFICATE IS ISSUED AS A MATTER OF INFORMATION ONLY AND CONFERS NO RIGHTS UPON THE CERTIFICATE HOLDER. THIS CERTIFICATE DOES NOT AFFIRMATIVELY OR NEGATIVELY AMEND, EXTEND OR ALTER THE COVERAGE AFFORDED BY THE POLICIES BELOW. THIS CERTIFICATE OF INSURANCE DOES NOT CONSTITUTE A CONTRACT BETWEEN THE ISSUING INSURER(S), AUTHORIZED REPRESENTATIVE OR PRODUCER, AND THE CERTIFICATE HOLDER.

IMPORTANT: If the certificate holder is an ADDITIONAL INSURED, the policy(ies) must be endorsed. If SUBROGATION IS WAIVED, subject to the terms and conditions of the policy, certain policies may require an endorsement. A statement on this certificate does not confer rights to the certificate holder in lieu of such endorsement(s)

Certificate	noider in hed of such endorsement(s)	•		
PRODUCER	Terry Riney Agency, Inc. 11 Trotter Hills Circle Pinehurst	NC 28374-7930	CONTACT Camila Guerrero-Zerrate PHONE (A/C, No, Ext): (910)295-1121 E-MAIL ADDRESS: Camila@rineyagency.com) 5-8980
			INSURER(S) AFFORDING COVERAGE	NAIC #
			1 /	26263
INSURED				26271
	Marlin Wastewater Services, LLC		INSURER C:	
	P.O. Box 865		INSURER D:	
	West End	NC 27376-	INSURER E :	
			INSURER F:	
COVERAGE	S CERTIFICATI	E NUMBER:	REVISION NUMBER:	
THIS IS TO	CERTIFY THAT THE POLICIES OF INSURA	NCE LISTED BELOW HAVE I	BEEN ISSUED TO THE INSURED NAMED ABOVE FOR THE POLICY PEF	RIOD

INDICATED. NOTWITHSTANDING ANY REQUIREMENT. TERM OR CONDITION OF ANY CONTRACT OR OTHER DOCUMENT WITH RESPECT TO WHICH THIS CERTIFICATE MAY BE ISSUED OR MAY PERTAIN, THE INSURANCE AFFORDED BY THE POLICIES DESCRIBED HEREIN IS SUBJECT TO ALL THE TERMS, EXCLUSIONS AND CONDITIONS OF SUCH POLICIES. LIMITS SHOWN MAY HAVE BEEN REDUCED BY PAID CLAIMS. ADDL SUBR POLICY EFF POLICY EXP (MM/DD/YYYY) TYPE OF INSURANCE POLICY NUMBER Χ COMMERCIAL GENERAL LIABILITY 1,000,000 Q61-0188942 07/01/2025 07/01/2026 EACH OCCURRENCE DAMAGE TO RENTED PREMISES (Ea occurrence) CLAIMS-MADE X OCCUR 1,000,000 5,000 MED EXP (Any one person) 1.000.000 PERSONAL & ADV INJURY 2,000,000 GEN'L AGGREGATE LIMIT APPLIES PER: GENERAL AGGREGATE POLICY X PRO-2,000,000 PRODUCTS - COMP/OP AGG OTHER: 07/01/2025 07/01/2026 COMBINED SINGLE LIMIT (Ea accident) AUTOMOBILE LIABILITY 1,000,000 В Q07-0132925 BODILY INJURY (Per person) ANY AUTO ALL OWNED SCHEDULED BODILY INJURY (Per accident) AUTOS NON-OWNED AUTOS AUTOS PROPERTY DAMAGE HIRED AUTOS UMBRELLA LIAB OCCUR EACH OCCURRENCE \$ EXCESS LIAB CLAIMS-MADE AGGREGATE DED RETENTION \$ WORKERS COMPENSATION 07/01/2025 07/01/2026 X PER STATUTE Q91-0104617 AND EMPLOYERS' LIABILITY 1,000,000 ANY PROPRIETOR/PARTNER/EXECUTIVE OFFICER/MEMBER EXCLUDED? E.L. EACH ACCIDENT 1,000,000 (Mandatory in NH) E.L. DISEASE - EA EMPLOYEE \$ If yes, describe under DESCRIPTION OF OPERATIONS below 1,000,000 E.L. DISEASE - POLICY LIMIT 07/01/2025 07/01/2026 Each Occurrence Contractor's Errors & Ommissions Q61-0188942 1,000,000

DESCRIPTION OF OPERATIONS / LOCATIONS / VEHICLES (ACORD 101, Additional Remarks Schedule, may be attached if more space is required) Septic tank repair and service

CERTIFICATE HOLDER	CANCELLATION AI 2NF1NC
XXXSAMPLEXXX	SHOULD ANY OF THE ABOVE DESCRIBED POLICIES BE CANCELLED BEFORE THE EXPIRATION DATE THEREOF, NOTICE WILL BE DELIVERED IN ACCORDANCE WITH THE POLICY PROVISIONS.
-	AUTHORIZED REPRESENTATIVE .

Fax:() - © 1988-2014 ACORD CORPORATION. All rights reserved.

ACORD 25 (2014/01)

The ACORD name and logo are registered marks of ACORD

1,000,000

1,000


Aggregate Deductible



Parcel: 0602-45-6136-000 - 5272 Cool Springs Rd. Soil Evaluation Report

Area of Interest (AOI) Information

Aug 28 2025 16:38:26 Argentina Standard Time



https://owpnc.maps.arcgis.com/apps/webappviewer/index.html?id=96d394ef00484c20b5fbaeb9fdeface8

Summary

Name	Count	Area(ft²)	Length(ft)
Borings	2	N/A	N/A
Points	8	N/A	N/A
System Description	1	N/A	N/A

Borings

#	Boring Type	H1_Depth	H1_Mineral	H1_Moist_C	H1_Plastic	H1_Stickin	H1_Structu	H1_Texture
1	Conventional	4	Slightly Expansive	Loose	Non Plastic	Non Sticky	Gr	Sandy Loam
2	Conventional	6	Slightly Expansive	Loose	Non Plastic	Non Sticky	Gr	Sandy Loam

#	H2_Depth	H2_Mineral	H2_Moist_C	H2_Plastic	H2_Stickin	H2_Structu	H2_Texture	H3_Depth
1	36.00	Slightly Expansive	Friable	Plastic	Sticky	SBK	Clay	N/A
2	36.00	Slightly Expansive	Friable	Plastic	Sticky	SBK	Clay	N/A

#	H3_Mineral	H3_Moist_C	H3_Plastic	H3_Stickin	H3_Structu	H3_Texture	Landscape_	LTAR
1	N/A	N/A	N/A	N/A	N/A	N/A	Linear	0.30
2	N/A	N/A	N/A	N/A	N/A	N/A	Linear	0.30

#	Notes	Saprolite	Slope	Soil_Wetne	Usable_Dep	Count
1	N/A	N/A	8-12%	N/A	36	1
2	N/A	N/A	8-12%	N/A	36	1

Points


#	Point_Desc	Point_Desc Point_Type	
1	N/A	EIP	5
2	N/A	Point Generic	2
3	N/A	Septic Tank	1

System Description

#	GPD	Septic Tank Capacity	Pump Tank Capacity	Distribution Method	Initial System Type	Initial LTAR	Max Depth Initial	Line Length Initial
1	240GPD	1,000 Gallon	N/A	Parallel or Serial	Conventional	.3	24"	270'

	#	Repair System Type	Repair LTAR	Line Length Repair	Max Depth Repair	System Description	Count
1		Conventional	.3	270'	24"	N/A	1

Parcel: 0602-45-6136-000 - 5272 Cool Springs Rd.





CERTIFICATE of **SIGNATURE**

YE2TQ-FJZ3J-GAHAW-JVD4L

DOCUMENT COMPLETED BY ALL PARTIES ON

29 AUG 2025 01:11:20 UTC

SIGNER

JEFF@MSEPTIC.COM

JEFF KERR

TIMESTAMP

28 AUG 2025 20:37:22 UTC

28 AUG 2025 20:39:17 UTC

SIGNED

28 AUG 2025 20:39:45 UTC

SIGNATURE

166.198.157.111

RECIPIENT VERIFICATION

EMAIL VERIFIED

28 AUG 2025 20:39:17 UTC

JOHNNY FAIRCLOTH

JRFAIRCLOTH1968@GMAIL.COM

SENT

28 AUG 2025 20:37:22 UTC

29 AUG 2025 01:08:04 UTC

29 AUG 2025 01:11:20 UTC

Johnuy Faircloth

166.182.250.204

RECIPIENT VERIFICATION

EMAIL VERIFIED

29 AUG 2025 01:08:04 UTC

