

HARNETT COUNTY ENVIROMENTAL HEALTH

NORTH CAROLINA	File/Permit #: BRES2509-0011	
IMPROVEMENT PERM		
	em Relocation	
	: Identifier: 9569-91-2864	
	Block: Section:	
Subdivision: Lot #: Security Type: 32'x76' DWMH Number of bedrooms: Number of bedrooms: Number of Security Type: Number o	Block: Section:	
Facility Type: OZANO BYWINT Number of bedrooms: Number of	Occupants: Other:	
Design Daily Flow: 360 GPD LTAR (Initial): .5 gpd/ft²		
Wastewater System Type: 25% reduction (Initial) Pump Required: ■ Yes □ No □ May be required Usable Depth to Limiting Condition (Initial): 33		
0.507		
Wastewater System Type 25% reduction (Repair)		
Pump Required: Yes No May be required Usable Depth to Limiting Condition (Repair): 33 Effluent Standard: DSE HSE Other: Type of Water Supply: Private well Municipal Supply Other:		
Effluent Standard: DSE HSE Other: Type of Water Supply: [Private well in Municipal Supply Other:	
Permit conditions:		
The issuance of this permit in no way guarantees the issuance of other permits. The permit holder is responsible for checking with appropriate governing bodies in meeting their requirements. This permit is subject to revocation if the site plan, plat, or the intended use changes. The Improvement Permit shall not be affected by a change in ownership of the site. This permit is subject to compliance with the provisions of 15A NCAC 18E and to the conditions of this permit. Authorized Agent's Printed Name: Mark Osborne REHS Date:		
Authorized Agent's Printed Name: Mark Osborne REHS Authorized Agent's Signature: Mark Osborne REHS	Expiration Date: 10/28/2030	
Authorized Agent's Signature:	Expiration Date:	
CONSTRUCTION AUTHORIZ	ATION (CA)	
	em Relocation	
45 AND	ht: VH-Vision Homes LLC	
SC 160 West Day	Identifier: 9569-91-2864	
	Block: Section:	
Facility Type: 32'x76' DWMH Number of bedrooms: 3 Number of		
Design Daily Flow: 360 GPD LTAR: .5 gpd/ft²		
	Private well Municipal Supply Other:	
Installation Requirements/Conditions		
Wastewater System Type: 25% reduction	Pump Required: Yes No May be required	
Septic Tank Size: 1000 gallons Total Trench Length: 180 feet	Trench Spacing: 9 feet on center	
Pump Tank Size: 1000 gallons Maximum Trench Depth: 20 inches		
	or Parallel Pressure Manifold Other:	
Artificial Drainage Required: Yes No III If yes, please specify details:		
Management Entity Required: Yes No Minimum O&M Requirements:		
Permit conditions:		
The requirements of 15A NCAC 18E are incorporated by reference into this permit and shall be met. Systems	[2] [1] [1] [1] [1] [1] [1] [1] [1] [1] [1	
<u>Construction Authorization is subject to revocation if the site plan, plat, or the intended use changes.</u> The Conthe site. This Construction Authorization is subject to compliance with the provisions of 15A NCAC 18E, or 15/		
Authorized Agent's Printed Name: Mark Osborne REHS	Date: 10/28/25	
Authorized Agent's Signature:	Expiration Date: 10/29/2030	

*See attached site sketch

Date: _____

Owner/Legal Representative Signature: _____

SITE SKETCH

PIN 9569-91-2864	Permit Number BRES2509-0011	
VH-Vision Homes LLC	3 "	
Applicant's Name	Subdivision/Section/Lot Number	
Mark Osborne REHS	10/28/2025	
Authorized State Agent	Date	

System components represent approximate contours only. The contractor must flag the system prior to beginning the installation to ensure that the proper grade is maintained.

