



IMPROVEMENT PERMIT (IP)

New Expansion Repair
 Owner: SANDERS ALBERT E & SANDERS CYNTHIA D
 Property Location: 617 NEILLS CREEK RD LILLINGTON, NC 27546
 Subdivision: _____
 Facility Type: DW 28' x 68' Number of bedrooms: 3 Number of Occupants: 6 Other: _____
 Design Daily Flow: 360 GPD LTAR (Initial): .35 gpd/ft² LTAR (Repair): .35 gpd/ft²
 Wastewater System Type: 25% Reduction System (Initial)
 Pump Required: Yes No May be required Usable Depth to Limiting Condition (Initial): 43"
 Wastewater System Type 50% Reduction System T&J Panel Vertical 8' on Center (Repair)
 Pump Required: Yes No May be required Usable Depth to Limiting Condition (Repair): 43"
 Effluent Standard: DSE HSE Other: _____ Type of Water Supply: Private well Municipal Supply Other: _____

Permit conditions:

No Foundation or Gutter Drains to be Directed Towards Septic System.
 No Cutting or Grading of Soil in Septic or Septic Repair Area.

The issuance of this permit in no way guarantees the issuance of other permits. The permit holder is responsible for checking with appropriate governing bodies in meeting their requirements. This permit is subject to revocation if the site plan, plat, or the intended use changes. The Improvement Permit shall not be affected by a change in ownership of the site. This permit is subject to compliance with the provisions of 15A NCAC 18E and to the conditions of this permit.

Authorized Agent's Printed Name: Ren Levocz Date: 11/13/2025
 Authorized Agent's Signature: Ren Levocz Expiration Date: 11/13/2030

CONSTRUCTION AUTHORIZATION (CA)

New Expansion Repair
 Owner: SANDERS ALBERT E & SANDERS CYNTHIA D
 Property Location: 617 NEILLS CREEK RD LILLINGTON, NC 27546
 Subdivision: _____
 Facility Type: DW 28' x 68' Number of bedrooms: 3 Number of Occupants: 6 Other: _____
 Design Daily Flow: 360 GPD LTAR: .35 gpd/ft²
 Effluent Standard: DSE HSE Other: _____ Type of Water Supply: Private well Municipal Supply Other: _____

Installation Requirements/Conditions

Wastewater System Type: 25% Reduction System Pump Required: Yes No May be required
 Septic Tank Size: 1,000 gallons Total Trench Length: 270' feet Trench Spacing: 9' feet on center
 Pump Tank Size: _____ gallons Maximum Trench Depth: 18"-28" inches Soil Cover: 6" inches
 Trench Width: 36" inches Distribution Method: Serial D-Box or Parallel Pressure Manifold Other: _____
 Artificial Drainage Required: Yes No If yes, please specify details: _____
 Management Entity Required: Yes No Minimum O&M Requirements: _____

Permit conditions:

No Foundation or Gutter Drains to be Directed Towards Septic System.
 No Cutting or Grading of Soil in Septic or Septic Repair Area.

*Water line must be located to
be 10' off Any part of Septic*

The requirements of 15A NCAC 18E are incorporated by reference into this permit and shall be met. Systems shall be installed in accordance with the attached site sketch. This Construction Authorization is subject to revocation if the site plan, plat, or the intended use changes. The Construction Authorization shall not be affected by a change in ownership of the site. This Construction Authorization is subject to compliance with the provisions of 15A NCAC 18E, or 15A NCAC 18A .1900, as applicable, and to the conditions of this permit.

Authorized Agent's Printed Name: Ren Levocz Date: 11/13/25

Authorized Agent's Signature: Ren Levocz Expiration Date: 11/13/2030

Owner/Legal Representative Signature: _____ Date: _____

***See attached site sketch**

Harnett County Environmental Health

SITE SKETCH

PIN 0660-86-0601.000

Permit Number BRES2510-0041

SANDERS ALBERT E & SANDERS CYNTHIA D
 Applicant's Name
Ren Levocz
 Authorized State Agent

Lot 4A
 Subdivision/Section/Lot Number
11/13/2025
 Date

System components represent approximate contours only. The contractor must flag the system prior to beginning the installation to ensure that the proper grade is maintained.

Scale = NTS

