National Flood Insurance Program

# Elevation Certificate

and Instructions

**2023 EDITION** 



OMB Control No. 1660-0008 Expiration Date: 06/30/2026

#### **ELEVATION CERTIFICATE AND INSTRUCTIONS**

#### PAPERWORK REDUCTION ACT NOTICE

Public reporting burden for this data collection is estimated to average 3.75 hours per response. The burden estimate includes the time for reviewing instructions, searching existing data sources, gathering and maintaining the data needed, and completing and submitting this form. You are not required to respond to this collection of information unless a valid OMB control number is displayed on this form. Send comments regarding the accuracy of the burden estimate and any suggestions for reducing the burden to: Information Collections Management, Department of Homeland Security, Federal Emergency Management Agency, 500 C Street SW, Washington, DC 20742, Paperwork Reduction Project (1660-0008). **NOTE: Do not send your completed form to this address.** 

#### PRIVACY ACT STATEMENT

Authority: Title 44 CFR § 61.7 and 61.8.

**Principal Purpose(s):** This information is being collected for the primary purpose of documenting compliance with National Flood Insurance Program (NFIP) floodplain management ordinances for new or substantially improved structures in designated Special Flood Hazard Areas. This form may also be used as an optional tool for a Letter of Map Amendment (LOMA), Conditional LOMA (CLOMA), Letter of Map Revision Based on Fill (LOMR-F), or Conditional LOMR-F (CLOMR-F), or for flood insurance rating purposes in any flood zone.

**Routine Use(s):** The information on this form may be disclosed as generally permitted under 5 U.S.C. § 552a(b) of the Privacy Act of 1974, as amended. This includes using this information as necessary and authorized by the routine uses published in DHS/ FEMA-003 – *National Flood Insurance Program Files System of Records Notice* 79 Fed. Reg. 28747 (May 19, 2014) and upon written request, written consent, by agreement, or as required by law.

**Disclosure:** The disclosure of information on this form is voluntary; however, failure to provide the information requested may impact the flood insurance premium through the NFIP. Information will only be released as permitted by law.

#### PURPOSE OF THE ELEVATION CERTIFICATE

The Elevation Certificate is an important administrative tool of the NFIP. It can be used to provide elevation information necessary to ensure compliance with community floodplain management ordinances, to inform the proper insurance premium, and to support a request for a LOMA, CLOMA, LOMR-F, or CLOMR-F.

The Elevation Certificate is used to document floodplain management compliance for Post-Flood Insurance Rate Map (FIRM) buildings, which are buildings constructed after publication of the FIRM, located in flood Zones A1–A30, AE, AH, AO, A (with Base Flood Elevation (BFE)), VE, V1–V30, V (with BFE), AR, AR/A, AR/AE, AR/A1–A30, AR/AH, AR/AO, and A99. It may also be used to provide elevation information for Pre-FIRM buildings or buildings in any flood zone.

As part of the agreement for making flood insurance available in a community, the NFIP requires the community to adopt floodplain management regulations that specify minimum requirements for reducing flood losses. One such requirement is for the community to obtain the elevation of the lowest floor (including basement) of all new and substantially improved buildings, and maintain a record of such information. The Elevation Certificate provides a way for a community to document compliance with the community's floodplain management ordinance.

Use of this certificate does not provide a waiver of the flood insurance purchase requirement. Only a LOMA or LOMR-F from the Federal Emergency Management Agency (FEMA) can amend the FIRM and remove the federal mandate for a lending institution to require the purchase of flood insurance. However, the lending institution has the option of requiring flood insurance even if a LOMA/LOMR-F has been issued by FEMA. The Elevation Certificate may be used to support a LOMA, CLOMA, LOMR-F, or CLOMR-F request. Lowest Adjacent Grade (LAG) elevations certified by a land surveyor, engineer, or architect, as authorized by state law, will be required if the certificate is used to support a LOMA, CLOMA, LOMR-F, or CLOMR-F request. A LOMA, CLOMA, LOMR-F, or CLOMR-F request must be submitted with either a completed FEMA MT-EZ or MT-1 application package, whichever is appropriate. If the certificate will only be completed to support a LOMA, CLOMA, LOMR-F, or CLOMR-F request, there is an option to document the certified LAG elevation on the Elevation Form included in the MT-EZ and MT-1 application.

This certificate is used only to certify building elevations. A separate certificate is required for floodproofing. Under the NFIP, non-residential buildings can be floodproofed up to or above the BFE. A floodproofed building is a building that has been designed and constructed to be watertight (substantially impermeable to floodwaters) below the BFE. Floodproofing of residential buildings is not permitted under the NFIP unless FEMA has granted the community an exception for residential floodproofed basements. The community must adopt standards for design and construction of floodproofed basements before FEMA will grant a basement exception. For both floodproofed non-residential buildings and residential floodproofed basements in communities that have been granted an exception by FEMA, a floodproofing certificate is required.

The expiration date on the form herein does not apply to certified and completed Elevation Certificates, as a completed Elevation Certificate does not expire, unless there is a physical change to the building that invalidates information in Section A Items A8 or A9, Section C, Section E, or Section H. In addition, this form is intended for the specific building referenced in Section A and is not invalidated by the transfer of building ownership.

Additional guidance can be found in FEMA Publication 467-1, Floodplain Management Bulletin: Elevation Certificate.

# U.S. DEPARTMENT OF HOMELAND SECURITY Federal Emergency Management Agency National Flood Insurance Program

OMB Control No. 1660-0008 Expiration Date: 06/30/2026

# ELEVATION CERTIFICATE

IMPORTANT: MUST FOLLOW THE INSTRUCTIONS ON INSTRUCTION PAGES 1-11

Copy all pages of this Elevation Certificate and all attachments for (1) community official, (2) insurance agent/company, and (3) building owner.

SECTION A - PROPERTY INFORMATION	FOR INSURANCE COMPANY USE				
A1. Building Owner's Name: PHYLLIS ANN GODWIN	Policy Number:				
A2. Building Street Address (including Apt., Unit, Suite, and/or Bldg. No.) or P.O. Route and Box No.: 206 OLDE FERRY LN	Company NAIC Number:				
City: DUNN State: NC	ZIP Code: 28334				
A3. Property Description (e.g., Lot and Block Numbers or Legal Description) and/or Tax Parcel NunLOT 1 PB 2003 PG 201 PIN #0596-34-0549	nber:				
A4. Building Use (e.g., Residential, Non-Residential, Addition, Accessory, etc.):					
A5. Latitude/Longitude: Lat. 35° 18' 3.67" Long. 78° 41' 16.9368" Horiz. Datum:   NAD 1927   NAD 1983   WGS 84					
A6. Attach at least two and when possible four clear color photographs (one for each side) of the bu	uilding (see Form pages 7 and 8).				
A7. Building Diagram Number:7					
A8. For a building with a crawlspace or enclosure(s):					
a) Square footage of crawlspace or enclosure(s): 1810 sq. ft.					
b) Is there at least one permanent flood opening on two different sides of each enclosed area?	⊠ Yes □ No □ N/A				
c) Enter number of permanent flood openings in the crawlspace or enclosure(s) within 1.0 foot Non-engineered flood openings:5 Engineered flood openings:0	above adjacent grade:				
d) Total net open area of non-engineered flood openings in A8.c:1045 sq. in.					
e) Total rated area of engineered flood openings in A8.c (attach documentation – see Instructions): 0 sq. ft.					
f) Sum of A8.d and A8.e rated area (if applicable – see Instructions): N/A sq. ft.					
A9. For a building with an attached garage:					
a) Square footage of attached garage: 2013 sq. ft.					
b) Is there at least one permanent flood opening on two different sides of the attached garage?	∑Yes ☐ No ☐ N/A				
c) Enter number of permanent flood openings in the attached garage within 1.0 foot above adjacent grade:  Non-engineered flood openings:  4 Engineered flood openings:  0					
d) Total net open area of non-engineered flood openings in A9.c: 836 sq. in.					
e) Total rated area of engineered flood openings in A9.c (attach documentation – see Instructio	ns): 0 sq. ft.				
f) Sum of A9.d and A9.e rated area (if applicable – see Instructions): N/A sq. ft.					
SECTION B - FLOOD INSURANCE RATE MAP (FIRM) INFOR	RMATION				
B1.a. NFIP Community Name: TOWN OF ERWIN B1.b. NFIP Com	munity Identification Number: <u>370456</u>				
B2. County Name: Harnett B3. State: NC B4. Map/Panel No.: 0	0596 B5. Suffix: <u>J</u>				
B6. FIRM Index Date: 10/03/2006 B7. FIRM Panel Effective/Revised Date: 10/03/200	06				
B8. Flood Zone(s): AE B9. Base Flood Elevation(s) (BFE) (Zone AO, use B	Base Flood Depth): 106.1'				
B10. Indicate the source of the BFE data or Base Flood Depth entered in Item B9:  ☐ FIS ☐ FIRM ☐ Community Determined ☐ Other: FRIS					
B11. Indicate elevation datum used for BFE in Item B9:   NGVD 1929   NAVD 1988  Other	/Source:				
B12. Is the building located in a Coastal Barrier Resources System (CBRS) area or Otherwise Protected Area (OPA)?					
B13. Is the building located seaward of the Limit of Moderate Wave Action (LiMWA)?	No				

# **ELEVATION CERTIFICATE**

Building Street Address (including Apt., Unit, Suite, and/or Bldg. No.) or P.O. Route and Box N	No.: F	OR INSURANCE COMPANY USE			
206 OLDE FERRY LN	Po	Policy Number:			
City: DUNN State: NC ZIP Code: 28334	Company NAIC Number:				
SECTION C – BUILDING ELEVATION INFORMATION (	SURVEY RE	QUIRED)			
C1. Building elevations are based on: Construction Drawings* Building Under *A new Elevation Certificate will be required when construction of the building is comp		Finished Construction			
C2. Elevations – Zones A1–A30, AE, AH, AO, A (with BFE), VE, V1–V30, V (with BFE), AR, AR/A, AR/AE, AR/A1–A30, AR/AH, AR/AO, A99. Complete Items C2.a–h below according to the Building Diagram specified in Item A7. In Puerto Rico only, enter meters.  Benchmark Utilized: EZ0531 Vertical Datum: NAVD1988					
Indicate elevation datum used for the elevations in items a) through h) below.  ☐ NGVD 1929 ☑ NAVD 1988 ☐ Other:					
Datum used for building elevations must be the same as that used for the BFE. Conversion If Yes, describe the source of the conversion factor in the Section D Comments area.	n factor used?	Yes ⊠ No Check the measurement used:			
a) Top of bottom floor (including basement, crawlspace, or enclosure floor):	94.8				
b) Top of the next higher floor (see Instructions):	110.3	32 🛛 feet 🗌 meters			
c) Bottom of the lowest horizontal structural member (see Instructions):	N	/A  feet  meters			
d) Attached garage (top of slab):	98.3	35			
<ul> <li>e) Lowest elevation of Machinery and Equipment (M&amp;E) servicing the building (describe type of M&amp;E and location in Section D Comments area):</li> </ul>	e) Lowest elevation of Machinery and Equipment (M&E) servicing the building				
f) Lowest Adjacent Grade (LAG) next to building:   Natural  Finished	91.2	25 🛭 feet 🗌 meters			
g) Highest Adjacent Grade (HAG) next to building:   Natural  Finished	98.4	42 🛛 feet 🗌 meters			
h) Finished LAG at lowest elevation of attached deck or stairs, including structural support:	98.4	43 🛛 feet 🗌 meters			
SECTION D – SURVEYOR, ENGINEER, OR ARCHITE	CT CERTIFIC	CATION			
This certification is to be signed and sealed by a land surveyor, engineer, or architect authorized by state law to certify elevation information. I certify that the information on this Certificate represents my best efforts to interpret the data available. I understand that any false statement may be punishable by fine or imprisonment under 18 U.S. Code, Section 1001.					
Were latitude and longitude in Section A provided by a licensed land surveyor? ⊠ Yes ☐ No					
☐ Check here if attachments and describe in the Comments area.					
Certifier's Name: Nicholas M. French License Number: L-4817					
Title: Coats Branch Manager	WILLIAM CARO				
Company Name: ECLS GLOBAL INC					
Address: 19 N.McKinley St.					
Company Name: ECLS GLOBAL INC  Address: 19 N.McKinley St.  City: Coats State: NC ZIP Code: 27521  Telephone: (910) 897-3257     Fxt : 127     Fmail: nickf@eclsqlobalinc.com					
Telephone: (910) 897-3257 Ext.: 127 Email: nickf@eclsglobalinc.com					
Signature:					
Copy all pages of this Elevation Certificate and all attachments for (1) community official, (2) insurance agent/company, and (3) building owner.					
Comments (including source of conversion factor in C2; type of equipment and location per C2.e; and description of any attachments): C2. E: Septic Alarm Elevation 83.5' HVAC Unit Pad Elevation 110.0'					

# **ELEVATION CERTIFICATE**

Building Street Address (including Apt., Unit, Suite, and/or Bldg. No.) or P.O. Route and Box No.:  206 OLDE FERRY LN			FOR INSURANCE COMPANY USE			
			Policy Number:			
City: DUN	N State:	NC	ZIP Code: <u>28334</u>		Company NAIC Number:	
	SECTION E – BUILDING MEASURE FOR ZONE AO, ZONE		•		•	
	AO, AR/AO, and A (without BFE), complete Items support a Letter of Map Change request, comples.					
-	asurements are based on:   Construction Dravation Certificate will be required when construction	-			n* Finished Construction	
	e measurements (C.2.a in applicable Building Dia rement is above or below the natural HAG and th		or the following and c	check the ap	ppropriate boxes to show whether the	
	of bottom floor (including basement, vlspace, or enclosure) is:		feet _	meters	above or below the HAG.	
	of bottom floor (including basement, vlspace, or enclosure) is:		feet [	meters	above or below the LAG.	
next hi	lding Diagrams 6–9 with permanent flood openin gher floor (C2.b in applicable g Diagram) of the building is:	gs prov	ided in Section A Iten ☐ feet ☐	ns 8 and/or	9 (see pages 1–2 of Instructions), the  ☐ above or ☐ below the HAG.	
	ed garage (top of slab) is:			 meters	above or below the HAG.	
	platform of machinery and/or equipment ng the building is:		feet [	meters	above or below the HAG.	
E5. Zone AO only: If no flood depth number is available, is the top of the bottom floor elevated in accordance with the community's floodplain management ordinance?   Yes No Unknown The local official must certify this information in Section G.						
S	ECTION F - PROPERTY OWNER (OR OW	NER'S	AUTHORIZED RE	PRESENT	TATIVE) CERTIFICATION	
	y owner or owner's authorized representative wh				one A (without BFE) or Zone AO must	
Check	nere if attachments and describe in the Comment	s area.				
Property O	vner or Owner's Authorized Representative Name	e:				
Address: _						
City:			S	State:	ZIP Code:	
Telephone:	Ext.: Email: _					
Signature:			Date:			
Comments						

# **ELEVATION CERTIFICATE**

B # B					FOR INSURANCE COMPANY USE		
Building Street Address (including Apt., Unit, Suite, and/or Bldg. No.) or P.O. Route and Box No.: 206 OLDE FERRY LN			Policy Number:				
City: DL	UNN State: NC Z						
S	SECTION G - COMMUNITY INFORMATION (RECOMME	ENDED FOR COI	имиміт	Y OFFICIA	L COMPI	LETION)	
	al official who is authorized by law or ordinance to administer the A, B, C, E, G, or H of this Elevation Certificate. Complete the a				dinance ca	ın complete	
G1. [	G1. The information in Section C was taken from other documentation that has been signed and sealed by a licensed surveyor, engineer, or architect who is authorized by state law to certify elevation information. (Indicate the source and date of the elevation data in the Comments area below.)						
G2.a. [	G2.a. A local official completed Section E for a building located in Zone A (without a BFE), Zone AO, or Zone AR/AO, or when item E5 is completed for a building located in Zone AO.						
G2.b.	A local official completed Section H for insurance purposes.						
G3.	In the Comments area of Section G, the local official describ	oes specific correcti	ons to th	e information	in Section	ıs A, B, E and H.	
G4.	The following information (Items G5–G11) is provided for co	ommunity floodplair	manage	ment purpos	es.		
G5. F	Permit Number: G6. Date Perm	it Issued:					
G7.	Date Certificate of Compliance/Occupancy Issued:						
G8. T	This permit has been issued for: $\ \square$ New Construction $\ \square$ Su	ubstantial Improvem	ent				
G9.a. E	Elevation of as-built lowest floor (including basement) of the building:	[	feet	meters	Datum:		
	Elevation of bottom of as-built lowest horizontal structural member:	[	feet	meters	Datum:		
G10.a. B	BFE (or depth in Zone AO) of flooding at the building site:	[	feet	meters	Datum:		
re	Community's minimum elevation (or depth in Zone AO) requirement for the lowest floor or lowest horizontal structural member:		feet	meters	Datum:		
G11. V	Variance issued?   Yes   No If yes, attach documenta	ation and describe in	n the Cor	nments area.	<del>-</del>		
The local official who provides information in Section G must sign here. I have completed the information in Section G and certify that it is correct to the best of my knowledge. If applicable, I have also provided specific corrections in the Comments area of this section.							
Local Of	fficial's Name:	Title:					
NFIP Co	ommunity Name:						
Telephor							
Address:	×						
City:							
Signature	re:	Date:					
	nts (including type of equipment and location, per C2.e; descrips A, B, D, E, or H):	tion of any attachm	ents; and	corrections t	o specific	information in	

# **ELEVATION CERTIFICATE**

IIIII OITIAITI.II	1031 I OLLOW THE INSTITUT	CHORD ON INCTROCTION	I AGEO I-II		
Building Street Address (including Apt., Unit 206 OLDE FERRY LN	FOR INSURANCE COMPANY USE				
			Policy Number:		
City: DUNN State: NC ZIP Code: 28334 Company NAIC Number					
	LDING'S FIRST FLOOR HI ' NOT REQUIRED) (FOR II				
The property owner, owner's authorized representative, or local floodplain management official may complete Section H for all flood zones to determine the building's first floor height for insurance purposes. Sections A, B, and I must also be completed. Enter heights to the nearest tenth of a foot (nearest tenth of a meter in Puerto Rico). Reference the Foundation Type Diagrams (at the end of Section H Instructions) and the appropriate Building Diagrams (at the end of Section I Instructions) to complete this section.					
H1. Provide the height of the top of the flo	oor (as indicated in Foundation	Type Diagrams) above the	Lowest Adjacent Grade (LAG):		
<ul> <li>a) For Building Diagrams 1A, 1B, 3 floor (include above-grade floors only crawlspaces or enclosure floors) is:</li> </ul>		feet	meters above the LAG		
b) For Building Diagrams 2A, 2B, 4 higher floor (i.e., the floor above base enclosure floor) is:		feet	meters above the LAG		
H2. Is <b>all</b> Machinery and Equipment serv H2 arrow (shown in the Foundation T Yes No					
SECTION I – PROPERTY O	WNER (OR OWNER'S AU	THORIZED REPRESENT	TATIVE) CERTIFICATION		
The property owner or owner's authorized A, B, and H are correct to the best of my indicate in Item G2.b and sign Section G.	knowledge. <b>Note:</b> If the local fl				
Check here if attachments are provide	d (including required photos) a	and describe each attachmer	nt in the Comments area.		
Property Owner or Owner's Authorized Re	epresentative Name:				
Address:					
City:		State:	ZIP Code:		
Telephone: Ex	kt.: Email:				
Signature:		Date:			
Comments:					

# **ELEVATION CERTIFICATE** IMPORTANT: MUST FOLLOW THE INSTRUCTIONS ON INSTRUCTION PAGES 1-11 **BUILDING PHOTOGRAPHS**

See	Instructi	ons for Item A6.		
Building Street Address (including Apt., Unit, Suite, and/or Bld 206 OLDE FERRY LN	lg. No.) o	P.O. Route and Box No.:		E COMPANY USE
City: DUNN State:	NC	ZIP Code: 28334	Policy Number: Company NAIC N	umber:
Instructions: Insert below at least two and when possible for able to take front and back pictures of townhouses/rowhous "Right Side View," or "Left Side View." Photographs must statistically photograph of representative flood openings or verification.	ses). Ider show the	ntify all photographs with the date foundation. When flood openings	taken and "Front \	/iew," "Rear View,"
	Pho	oto One		
Photo One Caption: FRONT				Clear Photo One
	Pno	oto Two		
Photo Two Caption: LEFT				Clear Photo Two

# ELEVATION CERTIFICATE IMPORTANT: MUST FOLLOW THE INSTRUCTIONS ON INSTRUCTION PAGES 1-11 BUILDING PHOTOGRAPHS

**Continuation Page** 

		0	
Building Street Address (including Apt., Unit,	FOR INSURANCE COMPANY USE		
206 OLDE FERRY LN	Policy Number:		
City: DUNN	State: NC	ZIP Code: <u>28334</u>	Folicy Nulliber.
			Company NAIC Number:

Insert the third and fourth photographs below. Identify all photographs with the date taken and "Front View," "Rear View," "Right Side View," or "Left Side View." When flood openings are present, include at least one close-up photograph of representative flood openings or vents, as indicated in Sections A8 and A9.



Photo Three

Photo Three Caption: RIGHT Clear Photo Three



Photo Four

Photo Four Caption: BACK Clear Photo Four