

HTE 03-5-8025

IMPROVEMENT PERMIT

Be it ordained by the Harnett County Board of Health as follows: Section III, Item B. "No Person shall begin construction of any building at which a septic tank system is to be used for disposal of sewage without first obtaining a written permit from the Harnett County Health Department."

Name: (owner) CHRIS A ENNES New Installation Septic Tank
Property Location: SR# 1552 Abattox Repairs Nitrification Line

Subdivision Auster Place PH 2 Lot # 4

Tax ID # _____ Quadrant # _____

Number of Bedrooms Proposed: 3 Lot Size: No. ma

Basement with Plumbing: Garage:

Water Supply: Well Public Community

Distance From Well: 50' ft.

Following is the minimum specifications for sewage disposal system on above captioned property. Subject to final approval.

Type of system: Conventional Other _____

Size of tank: Septic Tank: 1000 gallons Pump Tank: _____ gallons

Subsurface Drainage Field No. of ditches 1 exact length of each ditch 50 ft. width of ditches 3 ft. depth of ditches 24-30 in.


French Drain Required: - Linear feet

Date: 10-22-03

This permit is subject to revocation if site plans or intended use change.

Signed: James E. Markham
Environmental Health Specialist

CONTRACTOR TO CONTACT ENVIRONMENTAL HEALTH SPECIALIST IF ANY QUESTIONS.



SR 1552 Abattox

HARNETT COUNTY HEALTH DEPARTMENT
AUTORIZATION TO CONSTRUCT

#03-5-8025

Authorization is hereby given to construct a wastewater system to the specifications described by Harnett County Health Department, Improvement Permit # 20303. This authorization shall be valid for a period not to exceed five (5) years from the date of issuance. This authorization will be invalid if ownership, site plans, or intended use change.

Chris A ENNES Name 910-892-5207 Telephone#

3832 Abattoir Rd Address Anger N.C. 27501

1552 Property Location SR# Abattoir Road Name

Austen Place Subdivision 4 Lot # 3 # Bedrooms Proposed .76 Lot Size

TYPE OF SYSTEM

- New Installation Repair Septic Tank Nitrification Lines
- Conventional Other _____
- Basement With Plumbing Without Plumbing

Water Supply: Well Public Water Supply Minimum Well Setback: _____ Ft.

Septic Tank 1000 NEW gal Pump Chamber _____ gal

NITRIFICATION FIELD SPECIFICATIONS

Number of fields _____ # of lines per field 1 Length of lines 50 Ft.

Width of ditches 3 ft. Depth of ditches 24-30 inches

French Drain: Linear feet required _____ Depth of gravel _____

No wastewater system shall be covered or placed into use by any person until an inspection by the Harnett County Health Department has determined that the system has been installed according to the conditions of the Improvement Permit and that a valid Operations Permit has been issued.

James E. M... [Signature]
Signature of Authorized Agent for Harnett County of Harnett

10-22-03
Date