

HTE# 07-500-19042R

Harnett County Department of Public Health 24456

Improvement Permit

A building permit cannot be issued with only an Improvement Permit

ISSUED TO: Donald W. Kane Jr PROPERTY LOCATION: 135 Holly Oak Circle
 SUBDIVISION: FOREST OAKS LOT # 59
~~NEW~~ REPAIR EXPANSION
 Type of Structure: Existing JBA expanding to 4
 Proposed Wastewater System Type: Infiltrator quch 4
 Projected Daily Flow: 430 GPD
 Number of bedrooms: 4 Number of Occupants: 8 max
 Basement Yes No
 Pump Required: Yes No May be required based on final location and elevations of facilities
 Type of Water Supply: Community Public Well Distance from well 50 feet Permit valid for: Five years
 Permit conditions: Add 60' of Infiltrator quch 4 to existing line of Infiltrator quch 4 No expiration

Authorized State Agent: J. L. L... Date: 01-22-08 SEE ATTACHED SITE SKETCH
 The issuance of this permit by the Health Department in no way guarantees the issuance of other permits. The permit holder is responsible for checking with appropriate governing bodies in meeting their requirements. This site is subject to revocation if the site plan, plat, or the intended use changes. The Improvement Permit shall not be affected by a change in ownership of the site. This permit is subject to compliance with the provisions of the Laws and Rules for Sewage Treatment and Disposal and to conditions of this permit.

Construction Authorization

(Required for Building Permit)

The construction and installation requirements of Rules .1950, .1952, .1954, .1955, .1956, .1957, .1958, and .1959 are incorporated by references into this permit and shall be met. Systems shall be installed in accordance with the attached system layout.

ISSUED TO: Donald W. Kane Jr PROPERTY LOCATION: 135 Holly Oak Circle
 SUBDIVISION: FOREST OAKS LOT # 59
 Facility Type: Existing JBA New Expansion Repair
 Basement? Yes No Basement Fixtures? Yes No
 Type of Wastewater System** Infiltrator U.L. 4 (Initial) Wastewater Flow: _____ GPD
 (See note below, if applicable) 385 LF LPP Repair (Repair)

Installation Requirements/Conditions

Septic Tank Size existing gallons Exact length of each trench 146 feet Trench Spacing: 9 Feet on Center
 Pump Tank Size existing gallons Trenches shall be installed on contour at a Soil Cover: 6 inches
 Maximum Trench Depth of: 18-24 inches (Maximum soil cover shall not exceed 36" above the trench bottom)
 (Trench bottoms shall be level to +/- 1/4" in all directions)
 Pump Requirements: _____ ft. TDH vs. _____ GPM _____ inches below pipe
 Conditions: _____ Aggregate Depth: _____ inches above pipe
 _____ inches total

**If applicable: *I understand the system type specified is different from the type specified on the application. I accept the specifications of this permit.*
 Owner/Legal Representative Signature: _____ Date: _____

This Construction Authorization is subject to revocation if the site plan, plat, or the intended use changes. The Construction Authorization shall not be transferred when there is a change in ownership of the site. This Construction Authorization is subject to compliance with the provisions of the Laws and Rules for Sewage Treatment and Disposal and to the conditions of this permit.
 Authorized State Agent: J. L. L... Date: 01-22-08 SEE ATTACHED SITE SKETCH
 Construction Authorization Expiration Date: 01-22-2013

HTE# 07-500/9042R

Permit # _____


Harnett County Department of Public Health Site Sketch

ISSUED TO: Donald Kane Jr PROPERTY LOCATOR: 135 Holly Oak Circle
SUBDIVISION: Forest Oak LOT # 59

Authorized State Agent: Joe Warr Date: 01-22-08

South Tooth Circle
124

SEE IP # 23064



meet onsite

maintain all
setback

Add 1 x 60' x

Quack 4 to

existing 180'

x Quack 4

Holly
Oak

100