

Sheet:
Property ID:
Lot #:
File #:
Code:


Owner: _____ Applicant: _____ Date Evaluated: _____
 Address: _____ Design Flow (.1949): 300 Property Size: _____
 Proposed Facility: _____ Location of Site: SW 1/4 Sec 20 Property Recorded: _____
 Water Supply: ☐ Public ☐ Individual ☐ Well ☐ Spring ☐ Other
 Evaluation Method: ☒ Auger Boring ☐ Pit ☐ Cut
 Type of Wastewater: ☐ Sewage ☐ Industrial Process ☐ Mixed

Description	Initial System	Repair System	Other Factors (.1946): Site Classification (.1948): Evaluated By: Others Present:
Available Space (.1945)			
System Type(s)			
Site LTAR			


COMMENTS: _____

<u>LANDSCAPE POSITIONS</u>	<u>GROUP</u>	<u>TEXTURES</u>	<u>.1955 LTAR</u>	<u>CONSISTENCE MOIST</u>	<u>WET</u>
R-RIDGE	I	S-SAND	1.2 - 0.8	VFR-VERY FRIABLE FR-FRIABLE FI-FIRM VFI-VERY FIRM EFI-EXTREMELY FIRM	NS-NON-STICKY
S-SHOULDER SLOPE		LS-LOAMY SAND			SS-SLIGHTY STICKY
L-LINEAR SLOPE	II	SL-SANDY LOAM	0.8 - 0.6		S-STICKY
FS-FOOT SLOPE		L-LOAM			VS-VERY STICKY
N-NOSE SLOPE	III	SI-SILT	0.6 - 0.3		NP-NON-PLASTIC
H-HEAD SLOPE		SIL-SILT LOAM			SP-SLIGHTLY STICKY
CC-CONCLAVE SLOPE		CL-CLAY LOAM			P-PLASTIC
CV-CONVEX SLOPE		SCL-SANDY CLAY LOAM			VP-VERY PLASTIC
T-TERRACE	IV	SIC-SILTY CLAY	0.4 - 0.1		
FP-FLOOD PLAN		C-CLAY			
		SC-SANDY CLAY			
<u>STRUCTURE</u>		<u>MINERALOGY</u>			
SG-SINGLE GRAIN		SLIGHTLY EXPANSIVE			
M- MASSIVE					
CR-CRUMB		EXPANSIVE			
GR-GRANULAR					
SBK-SUBANGULAR BLOCKY					
ABK-ANGULAR BLOCKY					
PL-PLATY					
PR-PRISMATIC					

Show profile locations and other site features (dimensions, references or benchmark, and North)



erly Street / N.C.S.
60' Public R/W



Betty S
D
Pin: (39.5'

39.51
- 0.21
39.30

Upchurch
3 259

erty is
ions of the
Ordinance.

FOR REGIST
Kimberly S.
REGISTER
Harnett Cou
2014 JUL 17 1
BK: 2014 PG:
FEE: \$21
INSTRUMENT #
TWES

