## HTE# 10-5-25404R


## Harnett County Department of Public Health

26380

**Improvement Permit** A building permit cannot be issued with only an Improvement Permit

PROPERTY LOCATION: COATES	Rp
ISSUED TO: POTTERS VESSEL CHURCH SUBDIVISION	LOT #
NEW 🛛 REPAIR 🗆 EXPANSION 🗆 Site Improvements re	quired prior to Construction Authorization Issuance:
Type of Structure: CHURCH	•
Proposed Wastewater System Type: 25% REDUCTION 375TEM	
Projected Daily Flow: <u>600</u> GPD	
Number of bedrooms: Number of Occupants: 120 max	
Basement 🗆 Yes 🔀 No	
Pump Required: 🗆 Yes 🖉 No 🔅 May be required based on final location and elevations of facilities	
Type of Water Supply: $\Box$ Community X Public $\Box$ Well Distance from well <u>100</u> feet Permit conditions:	Permit valid for: Five years
	No expiration
the second se	
Authorized State Agent::	SEE ATTACHED SITE SKETCH
The issuance of this permit by the Health Department in no way guarantees the issuance of other permits. The permit holder is responsible for ch	SEE ALLACIED SHE SKELCH
site is subject to revocation if the site plan, plat, or the intended use changes. The improvement Permit shall not be affected by a change in own	ership of the site. This permit is subject to compliance with the provisions of
the Laws and Rules for Sewage Treatment and Disposal and to conditions of this permit.	
Construction Authorization	
(Required for Building Permit)	
The construction and installation requirements of Rules .1950, .1952, .1954, .1955, .1956, .1957, .1958. and .1959 are incorporated by references with the attached system layout.	into this permit and shall be met. Systems shall be installed in accordance
	0
ISSUED TO: POTTERS VESSEL CHURCH PROPERTY LOCATION: CO	
SUBDIVISION	LOT #
Facility Type: CHURCHI Repair	
Basement? 🗆 Yes 🙀 No 🛛 Basement Fixtures? 🗆 Yes 🙀 No	-
Basement? □ Tes & No Basement Fixtures? □ Yes & No Type of Wastewater System** <u>25% Reduction System</u>	(Initial) Wastewater Flow: <u>600</u> GPD
(See note below, if applicable $\Box$ )	
PUMPTO 25% REDUCTION (Repair)	
Installation Requirements/Conditions Number of trenches	0
Septic Tank Size <u>1500</u> gallons Exact length of each trench <u>150</u> feet	Trench Spacing: Feet on Center
Pump Tank Size gallons Trenches shall be installed on contour at a	Soil Cover:G inches
GREASE TEAP 1000 gullons Maximum Trench Depth of: 18 inches	(Maximum soil cover shall not exceed
(Trench bottoms shall be level to +/-1/4"	36" above the trench bottom)
in all directions)	· · · · · · · · · · · · · · · · · · ·
Pump Requirements:ft. TDH vs GPM	inches below pipe
Conditions: CALL WITH ANY QUESTIONS PRIOR TO WSTALLATION	
	inches total
WATER LINES (INCLUDING IRRIGATION) MUST BE 10FT. FROM ANY PART OF SEPTIC SYSTEM OR I	KEPAIK AKEA.
NO UTILITIES ALLOWED IN INITIAL OR REPAIR DRAIN FIELD AREA.	
**If applicable: I understand the system type specified is different from the type specified on the application	. I accept the specifications of this permit.

Owner/Legal Representative Signature: Date:
This Construction Authorization is subject to revocation if the site plan, plat, or the intended use changes. The Construction Authorization shall not be transferred when there is a change in ownership of the site. This
Construction Authorization is subject to compliance with the securitions of the Laws and Rules for Sewage Treatment and Disposal and to the conditions of this permit.
Authorized State Agent: Date: 123110 Consecution Authorization Expiration Date: 223115



COATES RP