
HTE $\# 17 - 5 - 43819$ Harnett County Department	of Public Health 29822
Improvement Perr	nit
A building permit cannot be issued with only an	Improvement Permit
A building permit cannot be issued with only an PROPERTY LOCATION:	RAVEN ROCICRO
ISSUED TO: CUDDIVISION VICE	
NEW & REPAIR C SUPPONENTIAN SUBDIVISION SUBDIVISION VICE	provements required prior to Construction Authorization Issuance:
lype of Structure: MOO 132204/ W/DER OD2A6E (24270)	
Projected Daily Flow: <u>360</u> GPD Number of bedrooms: <u>3</u> Number of Occupants: <u>6</u> max	
Basement 🛛 Yes 🖉 No	
Pump Required: I'Yes Alo I May be required based on final location and elevations of f	facilities
Type of Water Supply: Community Vell Distance from well	feet Permit valid for: Five years
Permit conditions:	No expiration
lill an	
	1
Authorized State Agent:: REISS Date: Da	SEE ATTACHED SITE SKETCH
site is subject to revocation if the site plan, plat, or the intended use changes. The Improvement Permit shall not be affected by	esponsible for checking with appropriate governing bodies in meeting their requirements. This a change in ownership of the site. This permit is subject to compliance with the provisions of
the Laws and Rules for Sewage Treatment and Disposal and to conditions of this permit.	a support of the providence of
Construction Authoriz	ation
(Required for Building Perm	
The construction and installation requirements of Rules .1950, .1952, .1954, .1955, .1956, .1957, .1958. and .1959 are incorporat	 ted by references into this permit and shall be met. Systems shall be installed in accordance
with the attached system layout.	
ISSUED TO: BILL MOON PROPERTY LOCATIO	IN. ROLLIN ROCK BO
	IN: RAVEN ROCCRO LOT # 8A
Facility Type: MOD M DET. GARAGE X New DExpansion	□ Repair
Basement? Ves No Basement Fixtures? Yes No	
Type of Wastewater System**	(Initial) Wastewater Flow: <u>360</u> GPD
(See note below, if applicable \Box)	(Initial) Wastewater Flow GPD
CONVENTIONAL (Repair)	
Installation Requirements/Conditions Number of trenches	
Septic Tank Size 1000 gallons Exact length of each trench 300	feet Trench Spacing: Feet on Center
Pump Tank Size gallons Trenches shall be installed on contour at	
	inches (Maximum soil cover shall not exceed
(Trench bottoms shall be level to $+/-1/4$	4" 36" above the trench bottom)
in all directions)	above the trench bottom)
Pump Requirements:ft. TDH vs GPM	6 instast below size
	Aggregate Depth: <u> </u>
Conditions:	Aggregate Deptil Inches above pipe
WATER LINES (INCLUDING IRRIGATION) MUST BE 10FT. FROM ANY PART OF SEPTIC SY	
WATER LINES (INCLUDING IRRIGATION) MUST BE TUFT. FRUM ANY PART OF SEPTIC SY	ISTEM UK KEPAIK AKEA.
NO UTILITIES ALLOWED IN INITIAL OR REPAIR DRAIN FIELD AREA.	
**If applicable: I understand the system type specified is different from the type specified on the	
and the second sec	e application. I accept the specifications of this permit.
	e application. I accept the specifications of this permit.
Owner/Legal Representative Signature:	

construction Authorization is subject to compliance with the provisions of the Laws and Rules for Sewage Treatment and Disposal and to the conditions of this permit.	SEE ATTACHED SITE SKETCH		
Authorized State Agent: Date: Construction Authorization Expiration Date:			
constation rationization expiration bate			



Department of Environment, Health and Natural Resources Division of Environmental Health On-Site Wastewater Section				1	Sheet: Property ID: Lot #: File #:		Ĕ	,	
	SOIL/SITE EVALUATION for ON-SITE WASTEWATER SYSTEM				(Code:			
Locatio Water Evalua		: Auge	Date Desig Prope Public Ir	Evaluated: In Flow (.1949): 3 Prty Recorded: Individual V Pit Industrial F		Oth	er		
P R O F I	.1940		SOIL MORPHOLOGY .1941			OTHER PROFILE FACTOR	S		
L E #	Landscape Position/ Slope %	Horizon Depth (In.)	.1941 Structure/ Texture	.1941 Consistence Mineralogy	.1942 Soil Wetness/ Color	.1943 Soil Depth (IN.)	.1956 Sapro Class	.1944 Restr Horiz	Profile Class & LTAR
		0-33	656	VFa:15/W					
		22-210	993K-C	VFn:15/W Fn.sslyp					85,4
									,
		0-14	GSL	with right					
		14-42	SBKC	122 22/25 MA					P5,
							- 164		
							1.22.853-3		
							al de Dina de la composición de la comp		

Description	Initial System	Repair System	Other Factors (.1946): Site Classification (.1948):
Available Space (.1945)		1.000	Evaluated By:
System Type(s)	CUN	1 CVN	Others Present:
Site LTAR	, ()	.9	