

SITE SOIL EVALUATION FOR ON-SITE WASTEWATER

APPLICANT NAME _____

D

FACTORS		PROFILES									
		1	2	3	4	5	6	7	8	9	10
LANDSCAPE POSITION	.1940	L	L	L	✓						
SLOPE (%)	.1940	2	3	2	3						
HORIZON 1 DEPTH		0-5	0-4	0-4	0-5						
Texture Group	.1941(A)(1)	SL	SL	SL	SL						
Consistence	.1941	SL									
Structure	.1941(A)(2)	SL									
Mineralogy	.1941(A)(3)	SSP									
HORIZON 2 DEPTH		5-12									
Texture Group	.1941(A)(1)	SL									
Consistence	.1941	SL									
Structure	.1941(A)(2)	SL									
Mineralogy	.1941(A)(3)	SSP									
HORIZON 3 DEPTH		12-36									
Texture Group	.1941(A)(1)	SL-CL									
Consistence	.1941	SL									
Structure	.1941(A)(2)	SL									
Mineralogy	.1941(A)(3)	SSP									
HORIZON 4 DEPTH											
Texture Group	.1941(A)(1)										
Consistence	.1941										
Structure	.1941(A)(2)										
Mineralogy	.1941(A)(3)										
SOIL WETNESS	.1942	30	32	30	32						
RESTRICTIVE HORIZON	.1944										
SAPROLITE	.1943/.1956	32	32	32	32						
CLASSIFICATION	.1948	V-PS	V-PS	V-PS	V-PS						
LONG TERM ACCEPTANCE RATE	.1955	.4	.4	.4	.4						

SITE PLAN APPROVAL

DISTRICT KA 30 USE SWMH

#BEDROOMS 3

Date 8-16-00 SAMUEL STEED
Zoning Administrator

Required Property Line Setbacks

	Maximum	Actual
Front	<u>35'</u>	<u>38'</u>
Side	<u>10'</u>	<u>40'</u>
Corner	<u>—</u>	<u>—</u>
Rear	<u>25'</u>	<u>140'</u>
Nearest Building	<u>10'</u>	<u>—</u>

R/W

SR 1418 20' Gravel Rd.

N 00°-20'-20"E

245.00'

38' 12" 30'

38' 12" 30'

140'

155'

40' 30.40' off

183.39'

N 76°-00'-30"W

292.00'

S 30°-09'-00"W

325.27'

S 83°-30'-00"E

325.27'

1. Rod Set Control Cor.

30'

30'

30'

30'

30'

30'

30'

30'

30'

30'

30'

30'

30'

30'

30'

30'

30'

30'

30'

This is where the would like the tank to go

1.500 Ac.

JENNY HERANDEZ

EIP Bent Over

EIP Bent Over

EIP Bent Over

San 5160 - 8-2
 Christie Miller 8704
 Box 3740 P.O. Me.
 Burn Rock
 3704
 37

