APPLICANT NAME _____ **DATE** _____

FACTORS		PROFILES								
		1	2	3	4	5	6	7	8	9
LANDSCAPE POSITION	.1940									
SLOPE (%)	.1940									
HORIZON 1 DEPTH		0-18					0-12			
Texture Group	.1941(A)(1)	LS					LS		"	
Consistence	.1941								"	
Structure	.1941(A)(2)									
Mineralogy	.1941(A)(3)									
HORIZON 2 DEPTH		18-36					12-26			
Texture Group	.1941(A)(1)	SCL					SCL			
Consistence	.1941									
Structure	.1941(A)(2)									
Mineralogy	.1941(A)(3)									
HORIZON 3 DEPTH		36-42					26-50			
Texture Group	.1941(A)(1)	SC					SC			
Consistence	.1941									
Structure	.1941(A)(2)									
Mineralogy	.1941(A)(3)						~~exp~~			
HORIZON 4 DEPTH							50-56			
Texture Group	.1941(A)(1)						CL			
Consistence	.1941									
Structure	.1941(A)(2)									
Mineralogy	.1941(A)(3)						exp			
SOIL WETNESS	.1942									
RESTRICTIVE HORIZON	.1944									
SAPROLITE	.1943/.1956									
CLASSIFICATION	.1948									
LONG TERM ACCEPTANCE RATE	.1955									

284

28X80

JRVEYED
RES

Required Property Line Setbacks

	Minimum	Actual
Front	35	150
Side	10	90
Corner	—	—
Rear	35	700
Nearest Building	10	380

SITE PLAN APPROVAL

DISTRICT RAZOR USE DWMH

#BEDROOMS 3

Date 9-5-00 Zoning Administrator



NOTE!
4.00 ACRE PARCEL IS TO BE COMBINED WITH DOBY PARCEL (97/683) AND NOT TO BE CONSIDERED A SEPARATE BUILDING SITE.

PLOTTED FROM DATA @ DEED
E 165.
ANCE TO CENTERLINE READ
FIELD DISTANCE FROM EXISTING
CORNER, ALONG DEED ANGLE TO
1103 IS 175.10'.

NOTE!
ALL LINES SURVEYED MATCH OLD DEED CALLS WITHIN ACCEPTED TOLERANCES EXCEPT THE SOUTHERN MOST LINE DEED CALL N86°30'W 51 CHAINS (3366'). ACTUAL FIELD SURVEYED CALL IS N84°26'52"W 3115.21' (47.20 CHAINS) BETWEEN EXISTING IRON PIPES.

"LINE CHART"

LINE	BEARING	DISTANCE


Pole
90'
90'
Shallow
Clear
P.S. up
Clear
4x60
18"